

ESTUARINE BIBLIOGRAPHY

- Achituv, Y. & Cook, P.A. 1984. The influence of temperature variations and thermal pollution on various aspects of the biology of the prawn *Palaemon pacificus* (Stimpson). *Journal of Experimental Marine Biology and Ecology* 74: 291-302.
- Adams, J.B. 1991. The distribution of estuarine macrophytes in relation to freshwater in a number of eastern Cape estuaries. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Adams, J.B. 1992. The importance of fresh water in the maintenance of estuarine plants. *The Naturalist* 36(2): 19-24.
- Adams, J.B. 1994. The importance of freshwater to the survival of estuarine plants. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Adams, J.B. 2001. The importance and freshwater requirements of South Africa's estuaries. *SA Waterbulletin* 27(6): 16-19.
- Adams, J.B. & Bate, G.C. 1994a. The effect of salinity and inundation on the estuarine macrophyte *Sarcocornia perennis* (Mill.) A.J. Scott. *Aquatic Botany* 47: 341-348.
- Adams, J.B. & Bate, G.C. 1994b. The ecological implications of tolerance to salinity by *Ruppia cirrhosa* (Petagna) Grande and *Zostera capensis* Setchell. *Botanica Marina* 37: 449-456.
- Adams, J.B. & Bate, G.C. 1994c. The tolerance to desiccation of the submerged macrophytes *Ruppia cirrhosa* (Petagna) Grande and *Zostera capensis* Setchell. *Journal of Experimental Marine Biology and Ecology* 183: 53-62.
- Adams, J.B. & Bate, G.C. 1995. The ecological implications of salinity and inundation tolerance in the estuarine halophyte, *Spartina maritima* (Curtis) Fernald. *Aquatic Botany* 52: 183-191.
- Adams, J.B. & Bate, G.C. 1996a. Understanding the freshwater requirements of estuarine plants. In: *Coastal Management and Habitat Conservation*. pp. 181-192. Salman, A.H.P.M., Langeveld, M.J. & Bonazountas, M. (eds). EUCC, Leiden, The Netherlands.
- Adams, J.B. & Bate, G.C. 1996b. The influence of freshwater management on estuarine micro algae in semi-arid areas. In: *Coastal Management and Habitat Conservation*. pp. 203-211. Salman, A.H.P.M., Langeveld, M.J. & Bonazountas, M. (eds). EUCC, Leiden, The Netherlands.
- Adams, J.B. & Bate, G.C. 1999. Growth and photosynthetic performance of *Phragmites australis* in estuarine waters: a field and experimental evaluation. *Aquatic Botany* 64: 359-367.
- Adams, J.B., Bate, G.C. & O'Callaghan, M. 1999. Primary producers. In: *Estuaries of South Africa*. Allanson, B.R. & Baird, D. (eds). pp. 91-117. Cambridge University Press, Cambridge.
- Adams, J.B., Knoop, W.T. & Bate, G.C. 1992. The distribution of estuarine macrophytes in relation to freshwater. *Botanica Marina* 35: 215-226.
- Adams, J.B. & Talbot, M.M. 1992. The influence of river impoundment on the estuarine seagrass *Zostera capensis* Setchell. *Botanica Marina* 35: 69-75.
- Addo-Bediako, A. 1998. Community structure, abundance and diversity of fish in the Swartkops Estuary salt marshes. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Alexander, S.J. & Ewer, D.W. 1969. A comparative study of some aspects of the biology and ecology of *Sesarma catenata* Ort. and *Cyclograpsus punctatus* M. Edw. with additional observations on *Sesarma meinerti* De Man. *Zoologica Africana* 4: 1-35.

- Allanson, B.R. 1980. Estuaries: history and importance. In: Proceedings of an International Symposium on Habitats and their Influence on Wildlife. pp. 123-130. Walker, C. (ed.). Endangered Wildlife Trust, Pretoria.
- Allanson, B.R. 1981. The coastal lakes of southern Africa. In: Estuarine ecology with particular reference to southern Africa. pp. 331-344. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Allanson, B.R. 1982. The energy base of aquatic systems in South Africa. *Journal of the Limnological Society of southern Africa* 8: 47-53.
- Allanson, B.R. 1991. Development proposals for the Leisure Isle Boat Club small boat harbour on Leisure Isle, Knysna, and an assessment of their environmental impact. Allanson Associates, Knysna, Unpublished Report.
- Allanson, B.R. 1992. An assessment of the SANCOR Estuaries Research Programme from 1980 to 1989. Committee for Marine Science Occasional Report No. 1: 72 pp.
- Allanson, B.R. 2000a. The Knysna Basin Project reviewed - research findings and implications for management. *Transactions of the Royal Society of South Africa* 55(2): 97-100.
- Allanson, B.R. 2000b. Sensitivity of estuaries. *African Journal of Aquatic Science* 25: 9-12.
- Allanson, B.R. 2001. Some factors governing the water quality of microtidal estuaries in South Africa. *Water SA* 27: 373-386.
- Allanson, B.R. & Baird, D. 1999. Fifteen years on! Or one hundred and fifty years on! In: *Estuaries of South Africa*. pp. 1-3. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Allanson, B.R., Baird, D. & Heydorn, A.E.F. 1999. Perspectives. In: *Estuaries of South Africa*. pp. 321-327. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Allanson, B.R. & Grange, N. 1996. Knysna's new environmental laboratory. *South African Journal of Science* 92 (2): 50-92.
- Allanson, B.R., Hill, B.J., Bolt, R.E. & Schultz, V. 1966. An estuarine fauna in a freshwater lake in South Africa. *Nature, London* 209: 532-533.
- Allanson, B.R. & Howard-Williams, C. 1984. A contribution to the chemical limnology of Swartvlei. *Archiv für Hydrobiologie* 99: 133-159.
- Allanson, B.R., Maree, B. & Grange, N. 2000a. An introduction to the chemistry of the water column of the Knysna Estuary with particular reference to nutrients and suspended solids. *Transactions of the Royal Society of South Africa* 55(2): 141-162.
- Allanson, B.R., Nettleton, J. & de Villiers C.J. 2000b. Benthic macrofauna richness and diversity in the Knysna Estuary: a 50 year comparison. *Transactions of the Royal Society of South Africa* 55(2): 177-185.
- Allanson, B.R. & Read, G.H.L. 1987. The response of estuaries along the south eastern coast of southern Africa to marked variation in freshwater inflow. Institute for Freshwater Studies, Rhodes University, Grahamstown, Special Report No. 2/87: 40 pp.
- Allanson, B.R. & Read, G.H.L. 1995. Further comment on the response of Eastern Cape Province estuaries to variable freshwater flows. *Southern African Journal of Aquatic Sciences* 21: 56-70.
- Allanson, B.R., Skinner, D. & Imberger, J. 1992. Flow in prawn burrows. *Estuarine, Coastal and Shelf Science* 35: 253-266.
- Allanson, B.R. & Whitfield, A.K. 1982. Swartvlei ecosystem. Institute for Freshwater Studies, Rhodes University, Special Report No. 82/1: 6 pp.

- Allanson, B.R. & Whitfield, A.K. 1983. The limnology of the Touw River floodplain. South African National Scientific Programmes Report No. 79: 1-35.
- Allanson, B.R. & Winter, D. 1999. Chemistry. In: Estuaries of South Africa. pp. 53-89. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Allanson, S. 2000c. Bibliography of scientific and environmental literature (published and unpublished), relating to the Knysna Basin: lagoon, estuary, river and catchment. Transactions of the Royal Society of South Africa 55(2): 223-237.
- Anderson, C.R. 1991. Copper complexation along a salinity gradient. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Anderson, E.J. 1990. One dimensional hydrodynamic and water quality model for St Lucia estuary. CSIR Research Report 688: 30 pp.
- Angelino, M.I. & della Croce, N. 1975. Osservazioni sul ciclo biologico di *Penila avirostris* Dana in acque sud-africana: banco Agulhas e lagune di Knysna. Cahiers de biologie marine 14: 551-558.
- Anon. 1951. Reclamation of St Lucia Bay. Farmers Weekly 82: 53.
- Anon. 1960. Unique African wonderland threatened by new dangers. Veldtrust May/June: 4.
- Anon. 1962. Urgent need for an ecological survey of St Lucia area. Veldtrust July/August: 11.
- Anon. 1965. Lifeline to the sea - a study of siltation at St Lucia. Scientiae 6(5): 10-14.
- Anon. 1969. Lake St. Lucia is dying! African Aquarist 2(12): 16-17.
- Anon. 1970a. Restoring the balance of nature by computer. Construction in Southern Africa 15(1): 33-37.
- Anon. 1970b. The flying crocs. Paratus 21(10): 54-59.
- Anon. 1970c. Salinity killing St Lucia. African Aquarist 3(9): 8.
- Anon. 1970d. Dedicated issue on Lake St Lucia. Natal Wildlife 11(3): 1-25.
- Anon. 1971a. Kaap-Kunene plan prawn farm on Kosi Bay lakes. South African Shipping News and Fishing Industry Review 26(5): 64-67.
- Anon. 1971b. Protection for Kosi Bay? Natal Wildlife 12(2): 22-23.
- Anon. 1972a. Richards Bay harbour project. South African Shipping News and Fishing Industry Review 27(11): 25-27.
- Anon. 1972b. St Lucia saved. African Aquarist 5(8): 14.
- Anon. 1973. St Lucia Lake symposium. South African Journal of Science 69: 196.
- Anon. 1974a. Environmental study, Swartkops River Basin. City Engineers Department Technical Data Report, Port Elizabeth.
- Anon. 1974b. The 1890 court battle over Durban mangroves. African Wildlife 28(2): 33-36.
- Anon. 1974c. Richards Bay - Port in the making. South African Shipping News and Fishing Industry Review 29(8): 29-31.
- Anon. 1975. Mkuze river flowing into Lake St Lucia. Environment RSA 2(2).

- Anon. 1978. Marine life recovers at Richards Bay. South African Shipping News and Fishing Industry Review 33(3): 41-43.
- Anon. 1979. Bombing the birds? African Wildlife 33(4): 24-26.
- Anon. 1981. Pink backed pelicans come back to breed. Environment RSA 8(5): 3.
- Archibald, C.G.M. & Warwick, R.J. 1975a. 6. The Ifafa estuary. (b) Aspects of the limnology of the Ifafa lagoon in relation to its possible eutrophication. CSIR Natal Annual Report pp. 359-402.
- Archibald, C.G.M. & Warwick, R.J. 1975b. 6. The Ifafa estuary. (c) Further eutrophication studies conducted during 1972. CSIR Natal Annual Report pp. 404-446.
- Archibald, C.G.M. & Warwick, R.J. 1975c. 6. The Ifafa estuary. (d) Follow-up eutrophication studies 1974-75. CSIR Natal Annual Report pp. 448-455.
- Avis, A.M. 1988. Temperature and salinity tolerance of adult hermit crabs, *Diogenes brevisrostris*, Stimpson (Crustacea:Decapoda:Anomura). South African Journal of Zoology 23: 351-353.
- Badenhorst, P. 1985. Voorgestelde baggerwerk in die Swartkopsrivier. National Research Institute for Oceanology, Stellenbosch, unpublished report OX/CSE3/5.
- Badenhorst, P. 1986. Effect of dredging on estuarine environments: alternative disposal sites and dredging guidelines. CSIR Report T/SEA 8613: 1-20.
- Badenhorst, P. 1988a. Report on the dynamics of the Kleinemonde west and east estuaries. CSIR Report EMA/T 8805.
- Badenhorst, P. 1988b. St Lucia dredging monitoring. CSIR report EMA/C 8878.
- Baird, D. 1978. Fecundity of *Sesarma catenata* Ortman (Grapsidae: Crustacea) occurring in salt marshes of the Swartkops estuary, Port Elizabeth. South African Journal of Science 74: 31-32.
- Baird, D. 1979. Aspects of the ecology of the Kromme River estuary. Environment RSA 6(1): 1-6.
- Baird, D. 1992. The Swartkops estuary: a cause for concern. The Naturalist 36(1): 35-40.
- Baird, D. 1999. Estuaries as ecosystems: a functional and comparative analysis. In: Estuaries of South Africa. pp. 269-288. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Baird, D., Evans, P., Milne, H. & Pienkowski, M.W. 1985. Utilization by shore birds of benthic invertebrate production in shallow water marine ecosystems. Oceanography and Marine Biology: Annual Review 23: 573-597.
- Baird, D., Hanekom, N.M. & Grindley, J.R. 1986. Report No. 23: Swartkops (CSE 3). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 422: 82 pp.
- Baird, D. & Heymans, J.J. 1996. Assessment of ecosystem changes in response to freshwater inflow of the Kromme River Estuary, St Francis Bay, South Africa: a network analysis approach. Water SA 22: 307-318.
- Baird, D., Marais, J.F.K. & Bate, G.C. 1992. An environmental analysis for the Kromme River area to assist in the preparation of a structure plan. Institute for Coastal Research, University of Port Elizabeth: 56 pp.
- Baird, D., Marais, J.F.K. & Daniel, C. 1996. Exploitation and conservation of angling fish in two South African estuaries. Aquatic Conservation: Marine and Freshwater Ecosystems 6: 319-330.

- Baird, D., Marais, J.F.K. & Martin, A.P. 1988. The Swartkops estuary. Proceedings of a symposium held on 14 and 15 September 1987 at the University of Port Elizabeth. South African National Scientific Programmes Report No. 156: 101 pp.
- Baird, D., Marais, J.F.K. & Wooldridge, T. 1981. The influence of a marine canal system on the ecology of the Kromme estuary, St Francis Bay. South African Journal of Zoology 16: 21-34.
- Baird, D., McGlade, J.M. & Ulanowicz, R.E. 1991. The comparative ecology of six marine ecosystems. Philosophical Transactions of the Royal Society of London, Series B 333: 15-29.
- Baird, D., Reddering, J.S.V. & Winter, P.E.D. 1983. Hydrodynamics and sedimentation of the Bushmans River estuary, eastern Cape. South African Journal of Science 79: 154-155.
- Baird, D. & Ulanowicz, R.E. 1993. Comparative study on the trophic structure, cycling and ecosystem properties of four tidal estuaries. Marine Ecology Progress Series 99: 221-237.
- Baird, D., Uncles, R.J. & Reddering, J.S.V. 1981. Studies on the hydrodynamics and sedimentation of the Bushmans River estuary, eastern Cape coast. Zoology Department, University of Port Elizabeth, Report Series No. 19: 25 pp.
- Baird, D. & Winter, P.E.D. 1990a. Tidal exchange of nitrogen and phosphorus between a shallow, well mixed estuary and the coastal environment, Algoa Bay. In: Coastal and Estuarine Studies. Springer-Verlag, New York.
- Baird, D. & Winter, P.E.D. 1990b. Annual flux budget of dissolved inorganic nutrients through a well mixed estuary. Estuarine water quality management: monitoring, modelling and research. In: Coastal and Estuarine Studies. Springer-Verlag, New York.
- Baird, D. & Winter, P.E.D. 1992. Flux of inorganic nutrients and particulate carbon between a *Spartina maritima* salt marsh and the Swartkops estuary, eastern Cape. Southern African Journal of Aquatic Sciences 18: 64-73.
- Baird, D., Winter, P.E.D. & Wendt, G. 1987. The flux of particulate matter through a well mixed estuary. Continental Shelf Research 7: 199-1403.
- Bally, R. 1985. Historical records of the Bot River estuarine system. Transactions of the Royal Society of South Africa 45: 291-304.
- Bally, R. 1987. Conservation problems and management options in estuaries: the Bot River estuary, South Africa, as a case history for management of closed estuaries. Environmental Conservation 14: 45-51.
- Bally, R. & Branch, G. 1986. The Bot River estuary - should we interfere? African Wildlife 40: 230-239.
- Bally, R. & McQuaid, C.D. 1985. Physical and chemical characteristics of the waters of the Bot River estuary, South Africa. Transactions of the Royal Society of South Africa 45: 317-332.
- Bally, R., McQuaid, C.D. & Pierce, S.M. 1985. Primary productivity of the Bot River estuary, South Africa. Transactions of the Royal Society of South Africa 45: 333-346.
- Barham, W.T. 1979. Spawning of *Arenicola loveni* Kinberg in the Heuningnes river estuary Bredasdorp. South African Journal of Science 75: 262-264.
- Barker, J. 1985. The effect of catchment land use on sediment input to Swartvlei. MSc thesis, University of Cape Town, Rondebosch.
- Barnabas, A.D., Butler, V. & Steinke, T.D. 1977. *Zostera capensis* Setchell. I: Observations on the fine structure of the leaf epidermis. Zeitschrift für Pflanzenphysiologie 85: 417-427.
- Barnabas, A.D., Butler, V. & Steinke, T.D. 1980. *Zostera capensis* Setchell. II. Fine structure of the cavities in the wall of the leaf blade epidermal cells. Zeitschrift für Pflanzenphysiologie 99: 95-103.

- Barnabas, A.D., Butler, V. & Steinke, T.D. 1982. *Zostera capensis* Setchell. III. Some aspects of wall growth development in leaf blade epidermal cells. *Protoplasma* 110: 87-94.
- Barnabas, A.D., Butler, V. & Steinke, T.D. 1986. Phloem structure and transport pathways in the leaves of a seagrass. In: Phloem Transport. Cronshaw, J. (ed.). Liss Inc., New York.
- Barnabas, A.D. & Guillard, V. 1979. Observations on the fine structure of the phloem parenchyma cells in the leaves of *Zostera capensis* Setchell. *Proceedings of the Electron Microscopy Society of South Africa* 9: 63-64.
- Barnabas, A.D. & Naidoo, V. 1981. Structural features of the rhizome of *Zostera capensis* Setchell. *Proceedings of the Electron Microscopy Society of South Africa* 11: 141-142.
- Barnabas, A.D. & Naiker, S. 1980. Some observations on the fine structure of the roots of *Zostera capensis* Setchell. *Proceedings of the Electron Microscopy Society of South Africa* 10: 43-44.
- Barnes, R.S.K. 2002. The occurrence and ecology of a marine hydrobiid mudsnail in the southern hemisphere: The Knysna Estuary, South Africa. *African Journal of Ecology* 40, 289-294.
- Barnes, R.S.K. 2004. The distribution and habitat in the Knysna Estuary of the endemic South African mudsnail *Hydrobia knysnaensis* and the influence of intraspecific competition and ambient salinity on its abundance. *African Journal of Aquatic Science* 29(2): 205-211.
- Bartlett, P.D. & Henning, H. 1982. Pollution monitoring surveys of Eerste River estuary. National Research Institute for Oceanology, Stellenbosch, CSIR Report T/SEA 8209.
- Barwell, L. 1987. Artificial breaching of the Klein River estuary mouth. CSIR (Stellenbosch) Report OX/C/CSW 16/3: 12 pp.
- Barwell, L. 1988a. Dynamics of the Palmiet River mouth. CSIR Report EMA/T 8802.
- Barwell, L. 1988b. Dynamics of the Klein River with reference to the artificial breaching of the estuary mouth. CSIR Report EMA/C 8891.
- Barwell, L. 1989. Dynamics of the Diep River mouth. CSIR Report EMA/T 8902.
- Bate, G.C. & Adams, J.B. 2000. The effects of a single artificial freshwater release into the Kromme Estuary. 1: Overview and interpretation for the future. *Water SA* 26: 329-332.
- Bate, G.C., Adams, J.B. & Wooldridge, T.H. 1994. Tsitsikamma River: a biological survey of the Tsitsikamma River Estuary. Department of Water Affairs & Forestry Report No. B 33/1/1200.
- Bate, G.C., Whitfield, A.K., Adams, J.B., Huizinga, P. & Wooldridge, T.H. 2002. The importance of the river-estuary interface zone in estuaries. *Water SA* 28(3): 271-279.
- Beaumont, R.D. & Heydenrych, P.J. 1980. The effects of development on the Diep River estuarine system near Cape Town. *SA Waterbulletin* April Issue: 10-16.
- Beckley, L.E. 1983. The ichthyofauna associated with *Zostera capensis* Setchell in the Swartkops estuary, South Africa. *South African Journal of Zoology* 18: 15-24.
- Beckley, L.E. 1984a. Shallow-water trawling off Swartkops estuary, Algoa Bay. *South African Journal of Zoology* 19: 248-250.
- Beckley, L.E. 1984b. The ichthyofauna of the Sundays estuary, South Africa, with particular reference to the juvenile marine component. *Estuaries* 7: 248-258.
- Beckley, L.E. 1985a. Tidal exchange of ichthyoplankton in the Swartkops estuary mouth, South Africa. *South African Journal of Zoology* 20: 15-20.

- Beckley, L.E. 1985b. Coastal zone utilization by juvenile fish in the east Cape, South Africa. PhD thesis, University of Cape Town, Cape Town.
- Beckley, L.E. 1986. The ichthyoplankton assemblage of the Algoa Bay nearshore region in relation to coastal zone utilization by juvenile fish. *South African Journal of Zoology* 21: 244-252.
- Beckley, L.E. 1988. Estuarine invertebrates. In: A field guide to the eastern Cape coast. pp. 145-151. Lubke, R.A., Gess, F.W. & Bruton, M.N. (eds). Wildlife Society of Southern Africa, Grahamstown.
- Beckley, L.E. 1989. Larval development of *Spondylisoma emarginatum* (Cuvier & Valenciennes)(Pisces: Sparidae) from southern Africa. *South African Journal of Zoology* 24: 187-192.
- Beckley, L.E. 1990. A description of the early life history stages of the kob, *Argyrosomus hololepidotus* (Pisces: Sciaenidae), from southern Africa. *South African Journal of Zoology* 25: 224-228.
- Beckley, L.E. & Connell, A.D. 1996. Early life history of *Pomatomus saltatrix* off the east coast of South Africa. *Marine and Freshwater Research* 47: 319-322.
- Beckley, L.E. & Naidoo, A.K. 2003. Exploratory trials with light-traps to investigate settlement stage fishes in subtropical, coastal waters off South Africa. *African Zoology* 38(2): 333-342.
- Beckley, L.E., van der Elst, R.P., Chater, S.A. & Birnie, S.L. 1995. Fish trapping during the operation of the Durban Harbour graving dock, South Africa. *Southern African Journal of Aquatic Sciences* 21: 78-87.
- Beckley, L.E. & Wooldridge, T. 1988. Ecology of the Sundays Estuary. In: Towards an environmental plan for the eastern Cape. Bruton, M.N. & Gess, F.W. (eds). Rhodes University, Grahamstown.
- Begg, G.W. 1976. Some notes on the Sandvlei fish fauna. *Piscator* 96: 4-14.
- Begg, G.W. 1978. The estuaries of Natal. Natal Town and Regional Planning Report 41: 657 pp.
- Begg, G.W. 1980a. The Kosi system: aspects of its biology, management and research. In: Studies on the ecology of Maputaland. pp. 358-373. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- Begg, G.W. 1980b. Siyaya catchment study. *Environment RSA* 7: 6-7.
- Begg, G.W. 1980c. Factors affecting the quality of the estuarine environment in Natal. In: Proceedings of an International Symposium on Habitats and their Influence on Wildlife. pp. 50-69. Walker C. (ed.). Endangered Wildlife Trust.
- Begg, G.W. 1981a. Marina da Gama: a case study of the interdependence of property development and ecology. *Planning and Building Development* 52: 75-87.
- Begg, G.W. 1981b. Siyaya catchment demonstration project. *Natal Wildlife* 22: 3-6.
- Begg, G.W. 1981c. Cape wagtail eating fiddler crabs. *Ostrich* 52: 250.
- Begg, G.W. 1982. Kosi Bay - a wonderful aquarium and the most gorgeous aviary. *African Wildlife* 36: 178-180.
- Begg, G.W. 1984a. The estuaries of Natal. Part 2. Natal Town and Regional Planning Report 55: 631 pp.
- Begg, G.W. 1984b. The comparative ecology of Natal's smaller estuaries. Natal Town and Regional Planning Report 62: 182 pp.
- Begg, G.W. 1984c. On progress and problems in the rehabilitation of Natal's estuaries. In: Proceedings of a seminar on coastal zone management. Natal Town and Regional Planning Commission, Pietermaritzburg, Supplementary Report, Vol. 14.

- Begg, G.W. 1985. Policy proposals for the estuaries of Natal. Second edition. Natal Town and Regional Planning Report 43: 37 pp.
- Begg, G.W. 1986a. A preliminary interpretation of the ecology of the Mzamba estuary in the Transkei. Report prepared for the Department of Agriculture & Forestry: 15 pp.
- Begg, G.W. 1986b. The wetlands of Natal (Part 1). An overview of their extent, role and present status. Natal Town and Regional Planning Report 68: 115 pp.
- Bell, E.M., Lockyear, J.F. & McPherson, J.M. 2003. First studies of an Endangered South African seahorse, *Hippocampus capensis*. Environmental Biology of Fishes 67: 35-46.
- Benfield, M.C. 1984. Some factors influencing the growth of *Phragmites australis* (Cuv.) Trin ex Steudal. MSc thesis, University of Natal, Durban.
- Benfield, M.C., Bosschieter, J.R. & Forbes, A.T. 1990. Growth and emigration of *Penaeus indicus* H. Milne-Edwards (Crustacea: Decapoda: Penaeidae) in the St Lucia estuary, southern Africa. Fishery Bulletin, U.S. 88: 21-28.
- Benkenstein, H. 1981. Report on ecological conditions at Sandvlei during 1980. Unpublished report to Scientific Services Branch, City Engineers Department, Cape Town City Council.
- Benkenstein, H. 1982. Report on ecological conditions at Sandvlei during 1981. Unpublished report to Scientific Services Branch, City Engineers Department, Cape Town City Council.
- Bennett, B.A. 1985. A mass mortality of fish associated with low salinity conditions in the Bot River estuary. Transactions of the Royal Society of South Africa 45: 437-448.
- Bennett, B.A. 1989a. The diets of fish in three south-western Cape estuarine systems. South African Journal of Zoology 24: 163-177.
- Bennett, B.A. 1989b. A comparison of the fish communities in nearby permanently open, seasonally open and normally closed estuaries in the south-western Cape, South Africa. South African Journal of Marine Science 8: 43-55.
- Bennett, B.A. 1989c. The fish community of a moderately exposed beach on the south western Cape coast of South Africa and an assessment of this habitat as a nursery for juvenile fish. Estuarine, Coastal and Shelf Science 28: 293-305.
- Bennett, B.A. 1989d. The utilization of littoral and estuarine habitats by fish in the south western Cape. PhD thesis, University of Cape Town, Rondebosch.
- Bennett, B.A. 1993. Aspects of the biology and life history of white steenbras *Lithognathus lithognathus* in southern Africa. South African Journal of Marine Science 13: 83-96.
- Bennett, B.A. 1994. The fish community of the Berg River estuary and an assessment of the likely effects of reduced freshwater inflows. South African Journal of Zoology 29: 118-125.
- Bennett, B.A. & Branch, G.M. 1990. Relationships between production and consumption of prey species by resident fish in the Bot, a cool temperate South African estuary. Estuarine, Coastal and Shelf Science 31: 139-155.
- Bennett, B.A., Hamman, K.C.D., Branch, G.M. & Thorne, S. 1985. Changes in the fish fauna of the Bot River estuary in relation to opening and closure of the estuary mouth. Transactions of the Royal Society of South Africa 45: 449-464.
- Benson, R.H. & Maddocks, R.F. 1961. Recent ostracods of the Knysna estuary, Cape Province, Union of South Africa. University of Kansas Palaeontological Contributions, Serial No. 34: 39 pp.

- Berjak, P. 1985. Mangrove research in Natal. *The Naturalist* 29 (2): 4-8.
- Berjak, P., Campbell, G.K., Hockett, B. & Pammenter, N. 1977. In the mangroves of southern Africa. Wildlife Society of Southern Africa (Natal Branch), Durban: 1-72.
- Bernard, R.T.F., Davies, B.R. & Hodgson, A.N. 1988. Reproduction in a brackish water mytilid: gametogenesis and embryonic development. *The Veliger* 30: 278-290.
- Berruti, A. 1980a. Birds of Lake St Lucia. *Southern Birds* 8: 1-60.
- Berruti, A. 1980b. Status and review of waterbirds breeding at Lake St Lucia. *Lammergeyer* 28: 1-19.
- Berruti, A. 1982. A suggested framework for the management of Lake St Lucia. Unpublished report submitted to the Natal Parks Board, Pietermaritzburg.
- Berruti, A. 1983. The biomass, energy consumption and breeding of waterbirds relative to hydrological conditions at Lake St Lucia. *Ostrich* 54: 65-82.
- Beven, G. 1944a. Nesting of African skimmer. *Ostrich* September Issue: 138-139.
- Beven, G. 1944b. Record of sooty tern at St Lucia. *Ostrich* September Issue: 140-141.
- Bickerton, I.B. 1982. Report No. 11: Hartenbos (CMS 1). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems.* Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 410: 54 pp.
- Bickerton, I.B. 1984. Report No. 25: Heuningnes (CSW 19). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems.* CSIR Research Report No. 424: 64 pp.
- Bickerton, I.B. 1986. Ecologically sensitive areas associated with the Kromme estuary. NRIO, Stellenbosch, Unpublished Report OX/CMS45/5: 12 pp.
- Bickerton, I.B. 1989. Aspects of the biology of the genus *Macrobrachium* (Decapoda: Caridea: Palaemonidae) in the St Lucia System. MSc thesis, University of Natal, Durban.
- Bickerton, I.B. & Badenhorst, P. 1987. Effects of a causeway on the Seekoei estuary and possible remedial measures. CSIR Report T/SEA 8710: 1-12.
- Bickerton, I.B. & Pierce, S.M. 1988. Report No. 33: Krom (CMS 45), Seekoei (CMS 46) and Kabeljous (CMS 47). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems.* Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 432: 109 pp.
- Bickerton, I.B. & Zoutendyk, P. 1990. Ecological problems in the Seekoei estuary and future biological requirements. CSIR (Stellenbosch), Report EMA-C 9070: 15 pp.
- Bills, I.R. 2000. The sea bream, *Acanthopagrus berda*. *Ichthos* No. 63, 1-3.
- Binning, K. & Baird, D. 2001. Survey of heavy metals in the sediments of the Swartkops River Estuary, Port Elizabeth, South Africa. *Water SA* 27(4): 461-466.
- Birch, G.F., du Plessis, A. & Willis, J.P. 1978. Offshore and on land geological and geophysical investigations in the Wilderness lakes region. *Transactions of the Geological Society of South Africa* 81: 339-352.
- Blaber, S.J.M. 1973a. The ecology of juvenile *Rhabdosargus holubi* (Steindachner)(Teleostei: Sparidae). PhD thesis, Rhodes University, Grahamstown.
- Blaber, S.J.M. 1973b. Temperature and salinity tolerance of juvenile *Rhabdosargus holubi* (Steindachner) (Teleostei: Sparidae). *Journal of Fish Biology* 5: 593-598.

- Blaber, S.J.M. 1973c. Population size and mortality of the marine teleost *Rhabdosargus holubi* (Pisces: Sparidae) in a closed estuary. *Marine Biology* 21: 219-225.
- Blaber, S.J.M. 1974a. The population structure and growth of juvenile *Rhabdosargus holubi* (Steindachner) (Teleostei: Sparidae) in a closed estuary. *Journal of Fish Biology* 6: 455-460.
- Blaber, S.J.M. 1974b. Field studies of the diet of *Rhabdosargus holubi* (Pisces: Teleostei: Sparidae). *Journal of Zoology, London* 173: 407-417.
- Blaber, S.J.M. 1974c. Osmoregulation in juvenile *Rhabdosargus holubi* (Steindachner) (Teleostei: Sparidae). *Journal of Fish Biology* 6: 797-800.
- Blaber, S.J.M. 1975a. Lipid content and condition in an estuarine teleost. *Zoologica Africana* 10: 63-73.
- Blaber, S.J.M. 1975b. The shedding of gill-raker filaments in grey mullet (Mugilidae). *South African Journal of Science* 71: 377.
- Blaber, S.J.M. 1976. The food and feeding ecology of Mugilidae in the St Lucia lake system. *Biological Journal of the Linnean Society* 8: 267-277.
- Blaber, S.J.M. 1977. The feeding ecology and relative abundance of mullet (Mugilidae) in Natal and Pondoland estuaries. *Biological Journal of the Linnean Society* 9: 259-275.
- Blaber, S.J.M. 1978. Fishes of the Kosi system. *Lammergeyer* 24: 28-41.
- Blaber, S.J.M. 1979. The biology of filter feeding teleosts in Lake St Lucia, Zululand. *Journal of Fish Biology* 15: 37-59.
- Blaber, S.J.M. 1980a. The estuarine fishes of Maputaland. In: *Studies on the ecology of Maputaland*. pp. 198-203. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- Blaber, S.J.M. 1980b. The functioning of estuaries in southern Africa. In: *Proceedings of an International Symposium on Habitats and their Influence on Wildlife*. pp. 26-34. Walker, C. (ed.). Endangered Wildlife Trust.
- Blaber, S.J.M. 1981a. An unusual mass mortality of *Clarias gariepinus* in the Mkuze River at Lake St Lucia. *Lammergeyer* 31: 43.
- Blaber, S.J.M. 1981b. The zoogeographical affinities of estuarine fishes in south-east Africa. *South African Journal of Science* 77: 305-307.
- Blaber, S.J.M. 1982a. The ecology of *Sphyraena barracuda* (Osteichthyes:Perciformes) in the Kosi system with notes on other Natal estuaries. *South African Journal of Zoology* 17: 171-176.
- Blaber, S.J.M. 1982b. Studies of the ecology of fishes in Indo-Pacific estuaries with particular reference to south east Africa. D.Sc. thesis, University of Natal, Pietermaritzburg.
- Blaber, S.J.M. 1983. Synthesis of symposium session: estuaries. In: *Selected proceedings of the 5th National Oceanographic Symposium 24-28 January 1983*, Rhodes University, Grahamstown. *South African Journal of Science* 79: 241-246.
- Blaber, S.J.M. 1984. The diet, food selectivity and niche of *Rhabdosargus sarba* (Teleostei: Sparidae) in Natal estuaries. *South African Journal of Zoology* 19: 241-246.
- Blaber S.J.M. 1985. The ecology of fishes of estuaries and lagoons of the Indo-Pacific with particular reference to southeast Africa. In: *Fish community ecology in estuaries and coastal lagoons*. pp. 247-266. Yanez-Arañcibia, A. (ed.). Universidad Nacional Autónoma de México, México.
- Blaber, S.J.M. 1987. Factors affecting recruitment and survival of mugilids in estuaries and coastal waters of southern Africa. *American Fisheries Society Symposium* 1: 507-518.

- Blaber, S.J.M. 1991. Deep sea, estuarine and freshwater fishes: life history strategies and ecological boundaries. *Southern African Journal of Aquatic Sciences* 17: 2-11.
- Blaber, S.J.M. 1997. Fish and fisheries of tropical estuaries. Fish and Fisheries Series 22, Chapman & Hall, London. 367 pp.
- Blaber, S.J.M. 2000. Tropical estuarine fishes. Ecology, exploitation and conservation. Fish and Aquatic Resources Series 7, Blackwell Science, Oxford. 372 pp.
- Blaber, S.J.M. & Cyrus, D.P. 1981. A revised checklist and further notes on the fishes of the Kosi system. *Lammergeyer* No. 31: 5-14.
- Blaber, S.J.M. & Cyrus, D.P. 1983. The biology of Carangidae (Teleostei) in Natal estuaries. *Journal of Fish Biology* 22: 173-188.
- Blaber, S.J.M., Cyrus D.P. & Whitfield, A.K. 1981. The influence of zooplankton food resources on the morphology of the estuarine clupeid *Gilchristella aestuarius* (Gilchrist, 1914). *Environmental Biology of Fishes* 6: 351-355.
- Blaber, S.J.M., Hay, D.G., Cyrus, D.P. & Martin, T.J. 1984. The ecology of two degraded estuaries on the north coast of Natal, South Africa. *South African Journal of Zoology* 19: 224-240.
- Blaber, S.J.M., Hill, B.J. & Forbes, A.T. 1974. Infratidal zonation in a deep South African estuary. *Marine Biology* 28: 333-337.
- Blaber, S.J.M., Kure, N.F., Jackson, S. & Cyrus, D.P. 1983. The benthos of South lake, St Lucia following a period of stable salinities. *South African Journal of Zoology* 18: 311-319.
- Blaber, S.J.M. & Raynor, N. 1979. Occurrence of *Daphnia pulex* in Lake St Lucia. *South African Journal of Science* 75: 87.
- Blaber, S.J.M. & Whitfield, A.K. 1976. Large scale mortality of fish at St Lucia. *South African Journal of Science* 72: 218.
- Blaber, S.J.M. & Whitfield, A.K. 1977a. The feeding ecology of juvenile mullet (Mugilidae) in south-east African estuaries. *Biological Journal of the Linnean Society* 9: 277-284.
- Blaber, S.J.M. & Whitfield, A.K. 1977b. The biology of the burrowing goby *Croilia mossambica* Smith (Teleostei, Gobiidae). *Environmental Biology of Fishes* 1: 197-204.
- Blackler, J.M. 2002. The ichthyofaunal assemblage of the Little Lagoon (Durban Bay: KwaZulu-Natal), with emphasis on the feeding ecology of three demersal fish species. MSc thesis, University of Natal, Durban. 91 pp.
- Bok, A.H. 1979. The distribution and ecology of two mullet species in some freshwater rivers in the eastern Cape, South Africa. *Journal of the Limnological Society of Southern Africa* 5: 97-102.
- Bok, A.H. 1980. Freshwater mullet in the eastern Cape. *The Eastern Cape Naturalist* No. 69: 12-14.
- Bok, A.H. 1983. The demography, breeding biology and management of two mullet species (Pisces: Mugilidae) in the eastern Cape, South Africa. PhD thesis, Rhodes University, Grahamstown.
- Bok, A.H. 1984a. Extensive culture of two mullet species in freshwater impoundments in the eastern Cape. *South African Journal of Zoology* 9: 31-36.
- Bok, A.H. 1984b. Freshwater mullet in the eastern Cape - A strong case for fish ladders. *The Naturalist* 28(3): 31-35.

- Bok, A.H. 1988. Estuarine fishes. In: A field guide to the eastern Cape coast. pp. 153-163. Lubke, R.A., Gess, F.W. & Bruton, M.N. (eds). Wildlife Society of Southern Africa, Grahamstown.
- Bok, A.H. 1989. Rearing of artificially spawned southern mullet. *South African Journal of Wildlife Research* 19: 31-34.
- Bok, A.H. & Jongbloed, H. 1987. A preliminary study on induced spawning of southern mullet. *South African Journal of Wildlife Research* 17: 82-85.
- Boltt, G. & Heeg, J. 1975. The osmoregulatory ability of three grapsoid crab species in relation to their penetration of an estuarine system. *Zoologica Africana* 10: 167-182.
- Boltt, R.E. 1975. The benthos of some southern African lakes. Part 5: The recovery of the benthic fauna of St Lucia following a period of excessively high salinity. *Transactions of the Royal Society of South Africa* 41: 295-323.
- Boltt, R.E. & Allanson, B.R. 1975. The benthos of some southern African lakes. Part 3: The benthic fauna of Lake Nhlanga, Kwazulu, South Africa. *Transactions of the Royal Society of South Africa* 41: 241-261.
- Bond, C. 1973. Exploring a watery wilderness. *African Wildlife* 27(3): 114-119.
- Bornman, T.G., Adams, J.B. & Bate, G.C. 2002. Freshwater requirements of a semi-arid supratidal and floodplain salt marsh. *Estuaries* 25(6B):1394-1405.
- Boshoff, A.F. & Palmer, N.G. 1983. Aspects of the biology and ecology of the osprey in the Cape Province, South Africa. *Ostrich* 54: 189-204.
- Boshoff, A.F. & Palmer, N.G. 1988. Notes on the abundance, breeding and prey of fish eagles in the southern Cape Province. *Bontebok* No. 6: 20-25.
- Boshoff, A.F. & Palmer, N.G. 1991. Monthly count and breeding data for some waterbirds in the Wilderness-Sedgefield Lakes Complex, Southern Cape Province. *Bontebok* No. 7: 36-39.
- Boshoff, A.F., Palmer, N.G. & Piper, S.E. 1991a. Spatial and temporal abundance of waterbirds in the southern Cape Province. Part 1: diving and surface predators. *Ostrich* 62: 156-177.
- Boshoff, A.F., Palmer, N.G. & Piper, S.E. 1991b. Spatial and temporal abundance of waterbirds in the southern Cape Province. Part 2: waterfowl. *Ostrich* 62: 178-196.
- Boshoff, A.F., Palmer, N.G. & Piper, S.E. 1991c. Spatial and temporal abundance of waterbirds in the southern Cape Province. Part 3: wading birds. *Ostrich* 62: 197-214.
- Boshoff, A.F. & Piper, S.E. 1992. Temporal and spatial variation in community indices of waterbirds at a coastal wetland, southern Cape Province. *South African Journal of Wildlife Research* 22: 17-25.
- Boshoff, A.F. & Piper, S.E. 1993. An ordination study of the waterbird community of a coastal wetland, Southern Cape Province. *South African Journal of Wildlife Research* 23: 17-25.
- Boyd, A., Bate, G., Pauw, J., Mitchell, S. & Weston, B. 2001. Research and management of South Africa's estuaries: The supporting institutions. *SA Waterbulletin* 27(6): 9-12.
- Branch, E.B. 1986. Arsenic in estuarine sediments, and its availability to benthic prawns. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Branch, G.M. 1976. Notes on the conservation of the Umngazana estuary. *South African Journal of Science* 72: 363-364.
- Branch, G.M., Bally, R., Bennett, B., De Decker, H.P., Fromme, G.A.W., Hëyl, C.W. & Willis, J.P. 1985. Synopsis of the impact of artificially opening the mouth of the Bot River estuary: Implications for management. *Transactions of the Royal Society of South Africa* 45: 465-483.

- Branch, G.M. & Branch, M.L. 1981. The living shores of southern Africa. C. Struik, Cape Town: 272 pp.
- Branch, G.M. & Day, J.A. 1984. Ecology of southern African estuaries: Part XIII. The Palmiet river estuary in the south-western Cape. *South African Journal of Zoology* 19: 63-77.
- Branch, G.M., Griffiths, C.L., Branch, M.L. & Beckley, L.E. 1994. Two oceans. A guide to the marine life of southern Africa. David Philip, Cape Town: 360 pp.
- Branch, G.M. & Grindley, J.R. 1979. Ecology of southern African estuaries Part XI. Mngazana: A mangrove estuary in the Transkei. *South African Journal of Zoology* 14: 149-170.
- Breen, C.M., Harrison, T.D. & Quinn, N. 2001. Assessing the state of an estuary. In: *Managing estuaries in South Africa. An introduction*. pp. 40-49. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- Branch, G.M. & Pringle, A. 1987. The impact of the sand prawn *Callinassa kraussi* Stebbing on sediment turnover and on bacteria, meiofauna and benthic microflora. *Journal of Experimental Marine Biology and Ecology* 107: 219-235.
- Breen, C.M. 2001. Introduction. In: *Managing estuaries in South Africa. An introduction*. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- Breen, C.M., Everson, C. & Rogers, K. 1976. Ecological studies on *Sporobolus virginicus* (L) Kunth with particular reference to salinity and inundation. *Hydrobiologia* 54: 135-140.
- Breen, C.M. & Hill, B.J. 1969. A mass mortality of mangroves in the Kosi estuary. *Transactions of the Royal Society of South Africa* 38: 285-303.
- Breen, C.M. & McKenzie, M. (eds) 2001. *Managing estuaries in South Africa. An introduction*. Institute of Natural Resources, Pietermaritzburg. 66 pp.
- Broekhuysen, G.J. 1955. The breeding and growth of *Hymenosoma orbiculare* Desm. (Crustacea, Brachyura). *Annals of the South African Museum* 41: 313-343.
- Broekhuysen, G.J. & Taylor, H. 1959. The ecology of South African estuaries. Part 8. Kosi Bay estuary system. *Annals of the South African Museum* 44: 279-296.
- Brown, A.C. 1953. A preliminary investigation of the ecology of the larger Kleinmond estuary, Bathurst District. MSc thesis, Rhodes University, Grahamstown.
- Brown, A.C. 1958. The ecology of South African estuaries. Part 9: Notes on the estuary of the Orange River. *Transactions of the Royal Society of South Africa* 35: 463-473.
- Brown, C. 1969. St Lucia - repairing the artery. *Lantern* December Issue: 48-51.
- Brown, D.S. 1971. Ecology of Gastropoda in a South African mangrove swamp. *Proceedings of the Malacological Society of London* 39: 263-279.
- Brownlie, S.F. 1988. Restoration of degraded estuaries. Environmental Evaluation Unit, University of Cape Town, Report 8/88/32: 144 pp.
- Bruton, M.N. 1975. The Sodwana mangroves. *Natal Wildlife* 16(12): 14-15.
- Bruton, M.N. 1976. Sodwana Bay for the rare, the peculiar, the unexpected. *African Wildlife* 30(3): 36-39.
- Bruton, M.N. 1980. An outline of the ecology of the Mgobezeleni lake system at Sodwana, with emphasis on the mangrove community. In: *Studies on the ecology of Maputaland*. pp. 408-426. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.

- Bruton, M.N. 1985. The effects of suspensoids on fish. *Hydrobiologia* 125: 221-241.
- Bruton, M.N. 1993. First record of *Ambassis productus* from endorheic Lake Sibaya. *Lammergeyer* 42: 18-20.
- Bruton, M.N. 1996a. Threatened fishes of the world: *Hypseolotris dayi* Smith, 1950 (Eleotridae). *Environmental Biology of Fishes* 46: 184.
- Bruton, M.N. 1996b. Threatened fishes of the world: *Taenioides jacksoni* Smith, 1943 (Gobiidae). *Environmental Biology of Fishes* 47: 327.
- Bruton, M.N. & Appleton, C.C. 1975. Survey of Mgobezeleni lake-system in Zululand, with a note on the effect of a bridge on the mangrove swamp. *Transactions of the Royal Society of South Africa* 41: 283-294.
- Bruton, M.N., Bok, A.H. & Davies, M.T.T. 1987. Life history styles of diadromous fishes in inland waters of Southern Africa. *American Fisheries Society Symposium* 1: 104-121.
- Bruwer, C. 1989. A statement on the water environment of the Hartenbos estuary. Department of Water Affairs, Pretoria, Unpublished Report: 35 pp.
- Burns, M.E.R., du Plessis, M.A. & Verwoerd, D.J. 1988. Report No. 39: Quko (CSE 56). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 438: 62 pp.
- Burns, M.L. & Heydorn, A.E.F. 1988. An evaluation of the effects of the construction of a viaduct across the tidal flats in the vicinity of the White Bridge, Knysna. CSIR Report EMA/C 8899.
- Burse, M.L. & Wooldridge, T.H. 2002. Diversity of benthic macrofauna of the flood-tidal delta of the Nahoon Estuary and adjacent beach, South Africa. *African Zoology* 37(2): 231-246.
- Burse, M.L. & Wooldridge, T.H. 2003. Physical factors regulating macrobenthic community structure on a South African estuarine flood-tidal delta. *African Journal of Marine Science* 25: 263-274.
- Burton, A.J. 1960. A quantitative assessment of the effect of factory effluent upon littoral and estuarine faunas at Umkomaas, Natal. *South African Journal of Science* 56: 163-166.
- Butler, A.C., Sibbald, R.R. & Gardner, B.D. 1983. Gas chromatographic analysis indicates decrease in chlorinated hydrocarbon levels in northern Zululand. 79: 162-163.
- Butler, V. & Steinke, T.D. 1976. Ultrastructural studies on *Avicennia marina* propagules. *Proceedings of the Electron Microscope Society of Southern Africa* 6: 67-68.
- Butzer, K.W. & Helgren, D.M. 1972. Late Cenozoic evolution of the Cape coast between Knysna and Cape St Francis, South Africa. *Quaternary Research* 2: 143-169.
- Buxton, C.D. & Kok, H.M. 1983. Notes on the diet of *Rhabdosargus holubi* (Steindachner) and *Rhabdosargus globiceps* (Cuvier) in the marine environment. *South African Journal of Zoology*. 18: 406-408.
- Byren, B.A. & Davies, B.R. 1986. The influence of invertebrates on the breakdown of *Potamogeton pectinatus* L. in a coastal marina (Zandvlei, South Africa). *Hydrobiologia* 137: 141-151.
- Cambrey, J.A. & Bok, A.H. 1989. Early development of artificially spawned southern mullet *Liza richardsonii* (Smith, 1846). *South African Journal of Zoology* 24: 193-198.
- Cameron-Dow, S. 1974. Land surveying joins the battle for St Lucia. *Natal University News* 16: 4-5.
- Campbell, E.E., Knoop, W.T. & Bate, G.C. 1991. A comparison of phytoplankton biomass and primary production in three east Cape estuaries, South Africa. *South African Journal of Science* 87: 259-264.

- Campbell, G.D. & Allanson, B.R. 1952. The fishes of the 1947, 1948 and 1949 scientific investigations of the Kosi area, organised by the Natal Society for the Preservation of Wild Life and Natural Resorts. Natal Society for the Preservation of Wild Life and Natural Resorts 1(4): 13-20.
- Carter, R.A. 1983. Report No. 21: Breë (CSW 22). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 420: 58 pp.
- Carter, R.A. & Brownlie, S. 1990. Report No. 34: Kafferkuils (CSW 24) and Duiwenhoks (CSW 23). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 433: 86 pp.
- Cerff, E.C. 1986. Salinity and temperature responses in *Callinassa kraussi* (Crustacea: Decapoda: Thalassinidea). MSc thesis, University of Natal, Durban.
- Champion, H.F.B. 1988. The attainment of maturity in male *Penaeus indicus*. South African Journal of Zoology 23: 314-319.
- Chater, S.A. & van der Elst, R.P. 1995. A checklist of the fishes of Lake Nhlabane, Zululand. Lammergeyer 43: 24-28.
- Chew, J.A. & Bowen, P.N. 1971. The water resources of the coastal areas of northern Natal and Zululand. Natal Town and Regional Planning Commission Report No. 17.
- Chiazzari, W.L. 1952. The ornithological importance of St Lucia: some recent records and observations. Natal Society for the Preservation of Wildlife 1(4): 2-6.
- Chmelik, F.B., van Loggerenberg, B.J. & Grindley, J.R. 1975. Economic model for estuarine valuation. Department of Planning and the Environment, Pretoria. Bulletin No. 2.
- Cholnoky, B.J. 1968. Die diatom een assoziationen der Santa-Lucia-Lagune in Natal (Sud-Afrika). Botanica Marina 11 (Supplement): 1-121.
- Chunnet, E.P. 1965. Siltation problems in the Knysna lagoon. CSIR (Pretoria) Report MEG 353: 25 pp.
- Chunnet, E.P. 1972. A report on further siltation studies of the Wilderness lakes system. Report to the Outeniqua Trust by Hydroconsultants, Pretoria: 38 pp.
- Christie, N.D. 1981. Primary production in Langebaan lagoon. In: Estuarine ecology with particular reference to southern Africa. pp. 101-116. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Christie, N.D. & Moldan, A. 1977. Distribution of benthic macrofauna in Langebaan lagoon. Transactions of the Royal Society of South Africa 42: 273-284.
- Chubb, E.C. 1943. Record of nesting of skimmer at St Lucia. Ostrich August Issue: 111-112.
- Claassen, P.E. 1985. The conflict between coastal conservation and coastal development in the Rooi-Els-Bot River estuary region. Suid-Afrikaanse Tydskrif vir Natuurwetenskap en Tegnologie 4: 104-110.
- Clarke, B.C. 1989. Report No. 37: Palmiet (CSW 12). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 436: 82 pp.
- Clark, B.M. 1997. Variation in surf-zone fish community structure across a wave-exposure gradient. Estuarine, Coastal and Shelf Science 44: 659-674.
- Clark, B.M., Bennett, B.A. & Lamberth, S.J. 1994. A comparison of the ichthyofaunas of two estuaries and their adjacent surf zones, with an assessment of the effects of beach-seining on the nursery function of estuaries for fish. South African Journal of Marine Science 14: 121-131.

- Cliff, S. & Grindley, J.R. 1982. Report No. 17: Lourens (CSW 7). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 416: 39 pp.
- Cloete, A. 1992. Coastal marinas in perspective. *The Naturalist* 36(3): 27-31.
- Cloete, A. 1993. Comparative assessment of ichthyofauna in three marinas. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Cloete, A. 1994. The fishes of Marina Glades. *Ichthos* 43: 3-4.
- Cockcroft, A.C. & du Preez, H.H. 1989. Nitrogen and energy loss via nonfaecal and faecal excretion in the marine teleost *Lithognathus lithognathus*. *Marine Biology* 101: 419-425.
- Cockcroft, A.C. & Tomalin, B.J. 1987. Subtidal distribution of *Callianassa kraussi* and *C. gilchristi* in Algoa Bay. *South African Journal of Zoology* 22: 308-310.
- Cockcroft, V.G. 1978. Ecology of *Cerithidea decollata* (Linn.)(Gastropoda: Prosobranchiata) in Bayhead mangroves. MSc thesis, University of Natal, Durban.
- Cockcroft, V.G. & Forbes, A.T. 1981a. Temperature and humidity in a South African mangrove swamp. *South African Journal of Science* 77: 41-42.
- Cockcroft, V.G. & Forbes, A.T. 1981b. Tidal activity rhythms in the mangrove snail *Cerithidea decollata* (Linn.)(Gastropoda: Prosobranchia: Cerithiidae). *South African Journal of Zoology* 16: 5-9.
- Cockcroft, V.G. & Forbes, A.T. 1981c. Growth, mortality and longevity of *Cerithidea decollata* (Linn.) (Gastropoda: Prosobranchia) from Bayhead mangrove, Durban Bay. *Veliger* 23: 300-308.
- Coetzee, D.J. 1981a. Analysis of the gut contents of the needlefish, *Hyporhamphus knysnaensis* (Smith), from Rondevlei, southern Cape. *South African Journal of Zoology* 16: 14-20.
- Coetzee, D.J. 1981b. Zooplankton distribution in relation to environmental conditions in the Swartvlei system, southern Cape. *Journal of the Limnological Society of Southern Africa* 7: 5-12.
- Coetzee, D.J. 1982a. Stomach content analyses of *Gilchristella aestuarius* and *Hepsetia breviceps* from the Swartvlei system and Groenvlei, southern Cape. *South African Journal of Zoology* 17: 59-66.
- Coetzee, D.J. 1982b. Stomach content analysis of the leervis, *Lichia amia* (L.), from the Swartvlei system, southern Cape. *South African Journal of Zoology* 17: 177-181.
- Coetzee, D.J. 1983. Zooplankton and environmental conditions in a southern Cape coastal lake system. *Journal of the Limnological Society of Southern Africa* 9: 1-11.
- Coetzee, D.J. 1985. Zooplankton and some environmental conditions in the Bot River estuary. *Transactions of the Royal Society of South Africa* 45: 363-378.
- Coetzee, P.S. 1986. Diet composition and breeding cycle of blacktail, *Diplodus sargus capensis* (Pisces: Sparidae), caught off St Croix Island, Algoa Bay, South Africa. *South African Journal of Zoology* 21: 237-243.
- Coetzee, D.J. 1988. Collections of freshwater shrimps along the southern coast of South Africa. *South African Journal of Zoology* 23: 59-62.
- Coetzee, D.J. 1989. The effect of salinity on egg hatching and early development in the Cape river shrimp. *South African Journal of Wildlife Research* 19: 107-111.
- Coetzee, D.J. 1991. Effect of a weir on the distribution of *Palaemon capensis* (de Man) in the Palmiet River, southwestern Cape. *Bontebok No. 7*: 16-21.

- Coetzee, D.J. & Palmer, N.G. 1982. Algemene fisiese en chemiese toestande in Eilandvlei, Langvlei en Rondevlei gedurende 1978. Bontebok No. 2: 9-12.
- Coetzee, D.J. & Pool, R.C. 1985. Stomach content analysis of the sea barbel *Galeichthys feliceps* (Valenciennes in C & V), from the Swartvlei system, southern Cape. South African Journal of Zoology 20: 33-37.
- Coetzee, D.J. & Pool, R.C. 1986. Fluctuations in some physico-chemical conditions in Kleinriviersvlei, a south-western Cape coastal lagoon. Bontebok 5: 24-30.
- Coetzee, D.J. & Pool, R.C. 1991. Diet of the larger fish species in the Breede River estuary, with emphasis on the prey species *Palaemon capensis*. Bontebok No. 7: 27-35.
- Coetzee, J.C., Adams, J.B. & Bate, G.C. 1996. A botanical importance rating system for estuaries. Journal of Coastal Conservation 2: 131-138.
- Coetzee, J.C., Adams, J.B. & Bate, G.C. 1997. A botanical importance rating of selected Cape estuaries. Water SA 23: 81-93.
- Colloty, B.M. 2000. Botanical importance of estuaries of the former Ciskei/Transkei region. PhD thesis, Department of Botany, University of Port Elizabeth: 202 pp.
- Colloty, B.M., Adams, J.B. & Bate, G.C. 2000. The use of a botanical importance rating to assess changes in the flora of the Swartkops estuary over time. Water SA 26: 171-180.
- Colloty, B.M., Adams, J.B. & Bate, G.C. 2001. The botanical importance rating of the estuaries in former Ciskei/ Transkei. WRC Report TT 160/01: 118 pp. + Appendices.
- Colloty, B.M., Adams, J.B. & Bate, G.C. 2002. Classification of estuaries in the Ciskei and Transkei regions based on physical and botanical characteristics. South African Journal of Botany 68: 312-321.
- Comrie-Grieg, J. 1984. The impact of tropical cyclone Demoina. African Wildlife 38: 91-95.
- Connell, A.D. 1974. Mysidacea of the Mtentu River estuary. Zoologica Africana 9: 147-159.
- Connell, A.D. 1981. The taxonomy and distribution of some calanoid copepods in South African east coast estuaries. Annals of the Natal Museum 42: 489-500.
- Connell, A.D. 1996. Sea fishes spawning pelagic eggs in the St Lucia estuary. South African Journal of Zoology 31: 37-41.
- Connell, A.D. & Airey, D.D. 1979. Life-cycle bioassays using two estuarine amphipods, *Grandidierella lutosa* and *G. lignorum*, to determine detrimental sublethal levels of marine pollutants. South African Journal of Science 75: 313-314.
- Connell, A.D. & Grindley, J.R. 1974. Two new species of *Acartia* from South African estuaries. Annals of the South African Museum 65: 89-97.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Ujfalusi, M.J. & Engelbrecht, E. 1978a. 1. The Buffalo estuary East London. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 13-26.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Ujfalusi, M.J. & Engelbrecht, E. 1978b. 2. Bashee estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 27-28.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Ujfalusi, M.J. & Engelbrecht, E. 1978c. 3. Umgababa estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 29-34.

- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Ujfalusi, M.J. & Engelbrecht, E. 1978d. 4. Umzimvubu estuary, Port St Johns. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 35-51.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Ujfalusi, M.J. & Engelbrecht, E. 1978e. 5. The Mngazana estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 53-64.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Engelbrecht, E. & Ujfalusi, M.J. 1979a. 1. The Durban Bay Complex. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 5-18.
- Connell, A.D., McClurg, T.P., Gardner, B.D., Stanton, R.C., Engelbrecht, E. & Ujfalusi, M.J. 1979b. 2. The St Lucia estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 19-33.
- Connell, A.D., McClurg, T.P., Stanton, R.C., Ujfalusi, M.J., Engelbrecht, E. & Pearce, Z.N. 1980a. 1. The Mtentu, Umzimvubu, Mngazana and Bashee estuaries. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 1-10 & 13 tables, 4 figures and 5 plates.
- Connell, A.D., McClurg, T.P., Stanton, R.C., Ujfalusi, M.J., Engelbrecht, E. & Pearce, Z.N. 1980b. 2. The Siyayi estuary, Mtunzini. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 1-3 & 1 figure and 4 tables.
- Connell, A.D., McClurg, T.P., Stanton, R.C., Gardner, B.D., Engelbrecht, E. & Pearce, Z.N. 1981a. I. The Buffalo estuary, East London. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 1-4 & 1 figure and 10 tables.
- Connell, A.D., McClurg, T.P., Stanton, R.C., Gardner, B.D., Engelbrecht, E. & Pearce, Z.N. 1981b. II. The Bashee estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 1-4 & 1 figure and 1 table.
- Connell, A.D., McClurg, T.P., Stanton, R.C., Gardner, B.D., Engelbrecht, E. & Pearce, Z.N. 1981c. III. The Umgababa estuary. National Marine Pollution Surveys. East Coast Section. NIWR/CSIR Durban Annual Report pp. 1-2 & 2 figures and 4 tables.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E. & Gertenbach, W.J.N. 1975a. 2. Richards Bay. (c) The Southern Bay Conservation area before dredging of the new mouth to the southern bay in November 1974. CSIR Natal Annual Report pp. 228-250.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E. & Gertenbach, W.J.N. 1975b. 7. The Umzimkulu estuary. CSIR Natal Annual Report pp. 457-479.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976a. I. The Swartkops estuary. NIWR/CSIR Durban Annual Report pp. 15-33.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976b. II. The Bashee estuary. NIWR/CSIR Durban Annual Report pp. 34-56.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976c. III. Richards Bay Southern Sanctuary. NIWR/CSIR Durban Annual Report pp. 57-66.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976d. IV. Bashee - Swartkops repeat surveys. NIWR/CSIR Durban Annual Report pp. 67-83.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976e. V. Umgababa estuary. NIWR/CSIR Durban Annual Report pp. 85-101.
- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976f. VI. The Kosi Bay estuarine lakes. NIWR/CSIR Durban Annual Report pp. 102-125.

- Connell, A.D., McClurg, T.P., Turner, W.D., Gardner, B.D., Carter, J.E., Ujfalusi, M.J. & Engelbrecht, E. 1976g. VII. Richards Bay Harbour - November 1976. NIWR/CSIR Durban Annual Report pp. 126-146.
- Connell, A.D. & Robertson, W. 1986. Recent records of megalopae of the crab *Varuna litterata* (Fabr.) entering Natal estuaries. South African Journal of Zoology 21: 184-185.
- Cooper, J., Brooke, R.K., Cyrus, D.P., Martin, A.P., Taylor, R.H. & Williams, A.J. 1992. Distribution, population size and conservation of the Caspian tern *Sterna caspia* in southern Africa. Ostrich 63: 58-67.
- Cooper, J. & Summers, R.W. 1976. Conservation of coastal habitats of waders in the south western Cape, South Africa. Biological Conservation 10: 239-247.
- Cooper, J.A.G. 1986. Sedimentation in the Mgeni Estuary, Natal, South Africa. MSc thesis, University of Natal, Durban: 210 pp.
- Cooper, J.A.G. 1987a. Texture and composition of sediments in the Mgeni estuary. Petros 13: 15-29.
- Cooper, J.A.G. 1987b. Sedimentation in Mhlanga lagoon, Natal north coast. University of Natal, Durban, S.E.A.L. Report 4: 1-39.
- Cooper, J.A.G. 1988. Sedimentary environments and facies of the subtropical Mgeni estuary, south-east Africa. Geological Journal 23: 59-73.
- Cooper, J.A.G. 1989. Fairweather versus flood sedimentation in Mhlanga lagoon, Natal: implications for environmental management. South African Journal of Geology 92: 279-294.
- Cooper, J.A.G. 1990. Ephemeral stream-mouth bars at flood-breach river-mouths: comparison with ebb-tidal deltas at barrier inlets. Marine Geology 95: 57-70.
- Cooper, J.A.G. 1991. Sedimentary models and geomorphological classification of river mouths on a subtropical, wave-dominated coast, Natal, South Africa. PhD thesis, University of Natal, Durban.
- Cooper, J.A.G. 1993a. Sedimentation in the cliff-bound, microtidal Mtamvuna estuary, South Africa. Marine Geology 112: 237-256.
- Cooper, J.A.G. 1993b. Sedimentary processes in the river-dominated Mvoti estuary, South Africa. Geomorphology 9: 271-300.
- Cooper, J.A.G. 1994a. Sedimentation in a river-dominated estuary. Sedimentology 40: 979-1017.
- Cooper, J.A.G. 1994b. Lagoons and microtidal coasts. In: Coastal Evolution. pp. 219-265. Carter, R.W.G. & Woodroffe, C. (eds). Cambridge University Press, Cambridge.
- Cooper, J.A.G. 2001. Geomorphological variability among microtidal estuaries from the wave-dominated South African coast. Geomorphology 40: 99-122.
- Cooper, J.A.G. & Harrison, T.D. 1992. Effects of nesting activities of *Oreochromis mossambicus* (Pisces: Cichlidae) on bank stability in small lagoons. South African Journal of Science 88: 398-401.
- Cooper, J.A.G., Harrison, T.D. & Ramm, A.E.L. 1995. The role of estuaries in large marine ecosystems: examples from the Natal coast, South Africa. In: Status and Future of Large Marine Ecosystems of the Indian Ocean. pp. 92-100. Okemwa, E., Ntiba, M.J. & Sherman, K. (eds). IUCN, Gland.
- Cooper, J.A.G., Harrison, T.D., Ramm, A.E.L. & Singh, R.A. 1992. Biological health of South African estuaries. Part 1. Tugela to Mtamvuna 1991. Report by Watertek, CSIR, to the Department of Environment Affairs, Pretoria.

- Cooper, J.A.G., Harrison, T.D., Ramm, A.E.L. & Singh, R.A. 1993a. Refinement, enhancement and application of the Estuarine Health Index to Natal estuaries, Tugela-Mtamvuna. Executive Report, Department of Environment Affairs, Pretoria.
- Cooper, J.A.G., Harrison, T.D., Ramm, A.E.L. & Singh, R.A. 1993b. Refinement, enhancement and application of the Estuarine Health Index to Natal estuaries, Tugela-Mtamvuna. Technical Report, Department of Environment Affairs, Pretoria.
- Cooper, J.A.G. & Mason, T.R. 1985. Barrier washover fans in the Beachwood mangrove area, Durban, South Africa: cause, morphology and environmental effect. *Journal of Shoreline Management* 2: 23-67.
- Cooper, J.A.G. & Mason, T. 1986. Subaerial washover fans in the Beachwood mangrove area, Durban. Department of Geology & Applied Geology, University of Natal, Durban, S.E.A.L. Report 1: 23 pp.
- Cooper, J.A.G. & Mason, T.R. 1987. Sedimentation in the Mgeni estuary. Department of Geology & Applied Geology, University of Natal, Durban, S.E.A.L. Report 2: 1-97.
- Cooper, J.A.G., Mason, T.R., Reddering, J.S.V. & Illenberger, W.K. 1990. Geomorphological effects of catastrophic fluvial flooding on a small subtropical estuary. *Earth Surface Processes and Landforms* 15: 25-41.
- Cooper, J.A.G. & McMillan, I.K. 1987. Foraminifera of the Mgeni estuary, Durban and their sedimentological significance. *South African Journal of Geology* 90: 489-498.
- Cooper, J.A.G., Ramm, A.E.L. & Harrison, T.D. 1994a. The Estuarine Health Index: a new approach to scientific information transfer. *Ocean & Coastal Management* 25: 103-141.
- Cooper, J.A.G., Ramm, A.E.L. & Harrison, T.D. 1994b. Scientific information transfer in coastal zone management. In: *Management Techniques in the Coastal Zone*. pp. 333-344. Whitmarsh, D. (ed.). Centre for Coastal Zone Management, University of Portsmouth, Portsmouth.
- Cooper, J.A.G., Wright, C.I. & Mason, T.R. 1999. Geomorphology and sedimentology. In: *Estuaries of South Africa*. pp. 5-25. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Cooper, K.H. 1968. A report on mangroves in South Africa. Wildlife Society, Natal Field Work Section Project Report 9: 1-9.
- Cooper, K.H. 1970. How St Lucia estuary could be saved. *African Wildlife* 24: 293-298.
- Council for Scientific and Industrial Research. 1972. New estuary for the Richards Bay lagoon: a preliminary investigation. National Mechanical Engineering Research Institute Contract Report ME 1143/1: 1-24.
- Council for Scientific and Industrial Research. 1974. Proposed Braamekraal Marina, Knysna model studies. CSIR Report C/SEA 746.
- Council for Scientific and Industrial Research. 1975. Hydrographic survey of Sedgfield lagoon. CSIR Report C/SEA 7513: 9 pp.
- Council for Scientific and Industrial Research. 1976. Knysna lagoon model investigation. CSIR Report C/SEA 7609: 43 pp.
- Council for Scientific and Industrial Research. 1980. Effect of the proposed Hangklip Dam on the Palmiet River mouth. CSIR Report C/SEA 8048: 1-26.
- Council for Scientific and Industrial Research. 1981a. Wilderness Report No. 1. Evaluation of prototype data and the application of a numerical model to the Wilderness lakes and Touw River floodplain. CSIR Report C/SEA 8113.

- Council for Scientific and Industrial Research. 1981b. Hydrological/hydraulic study of Natal estuaries. Mzumba NS 26. National Research Institute for Oceanology, Council for Scientific and Industrial Research, Stellenbosch, Data Report No. 5: 13 pp.
- Council for Scientific and Industrial Research. 1982a. Wilderness Report No. 2. Evaluation of prototype flood conditions and the application of the numerical model to conditions when the estuary mouth was opened. CSIR Report C/SEA 8255.
- Council for Scientific and Industrial Research. 1982b. Hydrological/hydraulic study of Natal estuaries. uMgababa NS 45. National Research Institute for Oceanology, Council for Scientific and Industrial Research, Stellenbosch, Data Report No. 9: 6 pp.
- Council for Scientific and Industrial Research. 1983a. Hydrological/hydraulic study of Cape estuaries. The Sondags estuary. National Research Institute for Oceanology, Stellenbosch, CSIR memorandum 8303.
- Council for Scientific and Industrial Research. 1983b. The effect of the Mvumase Project on the Tugela estuary and adjacent coastline. CSIR Report C/SEA 8251.
- Council for Scientific and Industrial Research. 1984-1986. Hydrological/hydraulic study of Cape estuaries. Sediment Dynamics Division, National Research Institute for Oceanology, Stellenbosch, CSIR Reports D/8401, 8407, 8502, 8602, 8603.
- Council for Scientific and Industrial Research. 1984a. Kaaimans River estuary: evaluation of infill to estuary from road widening of national route N2. CSIR Report, Stellenbosch, C/SEA 8441: 15 pp.
- Council for Scientific and Industrial Research. 1984b. The Kromme estuary. CSIR Report, Stellenbosch, C/SEA 8454: 21 pp.
- Council for Scientific and Industrial Research. 1984c. Effect of the Inanda Dam on the Mgeni estuary and adjacent coastline. CSIR Report C/SEA 8426.
- Council for Scientific and Industrial Research. 1985a. Freshwater requirements of the Orange River estuary. National Research Institute for Oceanology, Stellenbosch, CSIR Report C/SEA 8533.
- Council for Scientific and Industrial Research. 1985b. Nahoon estuary: removal of sand. NRIO, Stellenbosch, Report OX/CSE 44/1.
- Council for Scientific and Industrial Research. 1985c. The Mdloti Estuary. Status Report No. 15: 14 pp.
- Council for Scientific and Industrial Research. 1988. Dynamics of the Klein River with reference to the artificial breaching of the estuary mouth. CSIR Report EMA-C 8891: 16 pp. + Appendix.
- Council for Scientific and Industrial Research. 1990. Preliminary assessment of the potential for freshwater extraction from the Olifants estuary. CSIR Report EMA-C 9049: 17 pp. + Appendix.
- Council for the Environment. 1989. A policy for coastal zone management in the Republic of South Africa. Part 1. Principles and objectives. Council for the Environment, Pretoria: 11 pp.
- Council for the Environment. 1991. Estuaries, wetlands and coastal lakes. In: A policy for coastal zone management in the Republic of South Africa. Part 2. Guidelines for coastal land-use. Council for the Environment, Pretoria: 31-40.
- Cowan, G.I. 1995. South Africa and the Ramsar Convention. In: Wetlands of South Africa. pp. 1-20. Cowan, G.I. (ed.). Department of Environmental Affairs and Tourism, Pretoria.
- Coward, B.D. 1981. A review of the geology of the Cape West coast (Orange River to Berg River). CSIR Report T/SEA: 71 pp.
- Cowley, P.D. 1998. Fish population dynamics in a temporarily open/closed South African estuary. PhD thesis, Rhodes University, Grahamstown.

- Cowley, P.D. 2000. Jumping moonfish: a courtship dance or a feeding frenzy. *Ichthos* No. 63: 7.
- Cowley, P.D. & Whitfield, A.K. 2001a. Ichthyofaunal characteristics of a typical temporarily open/closed estuary on the southeast coast of South Africa. *Ichthyological Bulletin of the J.L.B. Smith Institute of Ichthyology* 71: 1-19.
- Cowley, P.D. & Whitfield, A.K. 2001b. Fish population size estimates from a small intermittently open estuary in South Africa, based on mark-recapture techniques. *Marine and Freshwater Research* 52: 283-290.
- Cowley, P.D. & Whitfield, A.K. 2002. Biomass and production estimates of a fish community in a small South African estuary. *Journal of Fish Biology* 61 (Supplement A), 74-89.
- Cowley, P.D., Whitfield, A.K. & Bell, K.N.I. 2001. The surf zone ichthyoplankton adjacent to an intermittently open estuary, with evidence of recruitment during marine overwash events. *Estuarine, Coastal and Shelf Science* 52(3), 339-348.
- Cowley, P.D., Whitfield, A.K. & Hecht, T. 1998. Estuarine mariculture in South Africa. Strategic options for development and management. South African Network for Coastal and Oceanic Research Occasional Report No.4: 80 pp.
- Cowling, R. & McKenzie, B. 1979. The conservation status of the Keiskamma River mouth region. *The Eastern Cape Naturalist* No. 66: 28-30.
- Crass, R.S. 1970. Management problems at St Lucia lake. *African Wildlife* 24: 36-48.
- Crass, R.S. 1978. Lake St Lucia - its value, management and problems. *Arena* 1(3): 23-25.
- Cretchley, R. 1996. Exploitation of the bait organism *Upogebia africana* (Crustacea: Anomura) in the Knysna estuary. MSc thesis, Rhodes University, Grahamstown.
- Crosby, H.M. 1993. The influence of marina design on water quality - a comparative study of three marinas on the eastern Cape coast. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Crowther, J. 1987. Basic physical geography/hydro data for "estuaries" of the southern Cape (CMS 0-50). National Research Institute for Oceanography Report D8706. CSIR, Stellenbosch.
- Crowther, J. 1988a. Sediment redistribution in the Uilkraals estuary as a consequence of human disturbance. MSc thesis, Department of Environmental and Geographical Science, University of Cape Town, Rondebosch.
- Crowther, J. 1988b. Basic physical geography/hydro data for "estuaries" of the Western Cape (CW 1-32). CSIR (Stellenbosch) Data Report D8802.
- Crowther, J. & Grange, N. 1994. Environmental impact assessment of land use options for Thesen Island, Knysna. CSIR (Stellenbosch) Report EMAS-C94070.
- CSIR Environmental Services. 1993a. Environmental impact assessment, eastern shores of Lake St Lucia (Kingsa/Tojan lease area). Volume 1 (Parts 1 and 2). Specialist reports and comments on the specialist reports. CSIR, Pretoria.
- CSIR Environmental Services. 1993b. Environmental impact assessment, eastern shores of Lake St Lucia (Kingsa/Tojan lease area). Volume 2. Reports on the key issues. CSIR, Pretoria.
- CSIR Environmental Services. 1993c. Environmental impact assessment, eastern shores of Lake St Lucia (Kingsa/Tojan lease area). Volume 3. Environmental impact report. CSIR, Pretoria.
- CSIR Environmental Services. 1994. Environmental impact assessment of land use options for Thesen Island, Knysna. Draft scoping document. CSIR Report EMAS-C 94085/A: 1-40.

- Cyrus, D.P. 1980. The biology of Gerridae Bleeker, 1859 (Teleostei) in Natal estuaries. MSc thesis, University of Natal, Pietermaritzburg.
- Cyrus, D.P. 1984. The influence of turbidity on fish distribution in Natal estuaries. 202 pages. PhD thesis, University of Natal, Pietermaritzburg.
- Cyrus, D.P. 1988a. Episodic events and estuaries: Effects of cyclonic flushing on the benthic fauna and diet of *Solea bleekeri* (Teleostei) in Lake St Lucia on the south-eastern Coast of Africa. *Journal of Fish Biology* 33 (Supplement A): 1-7.
- Cyrus, D.P. 1988b. Turbidity and other physical factors in Natal estuarine systems. Part 1: Selected estuaries. *Journal of the Limnological Society of Southern Africa* 14: 60-71.
- Cyrus, D.P. 1988c. Turbidity and other physical factors in Natal estuarine systems. Part 2: Estuarine lakes. *Journal of the Limnological Society of Southern Africa* 14: 72-81.
- Cyrus, D.P. 1989. The Lake St Lucia system - A research assessment. *Southern African Journal of Aquatic Sciences* 15: 3-27.
- Cyrus, D.P. 1991a. The biology of *Solea bleekeri* (Teleostei) in Lake St Lucia on the south east coast of Africa. *Netherlands Journal of Sea Research* 27: 209-216.
- Cyrus, D.P. 1991b. The reproductive biology of *Solea bleekeri* (Teleostei) in Lake St Lucia on the south east coast of Africa. *South African Journal of Marine Science* 10: 45-51.
- Cyrus, D.P. 1991c. Fish conservation in South African estuaries: pressures, problems and prospects. *Southern African Journal of Aquatic Sciences* 17: 19-27.
- Cyrus, D.P. 1992. Turbidity gradients in two Indo-Pacific estuaries and their influence on fish distribution. *Southern African Journal of Aquatic Sciences* 18: 51-63.
- Cyrus, D.P. 1998/99a. The state of knowledge of water quality and major biotic components of the Mhlathuze Estuary. *Southern African Journal of Aquatic Sciences* 24: 84-85.
- Cyrus, D.P. 1998/99b. A review of the aquatic avifauna of the Mhlathuze Estuary. *Southern African Journal of Aquatic Sciences* 24: 130-140.
- Cyrus, D.P. 2001. A preliminary assessment of the impacts on estuarine associated fauna resulting from an intra-basin transfer and fresh water abstraction from aquatic systems in the Richards Bay area of KwaZulu-Natal, South Africa. *African Journal of Aquatic Science* 26: 115-120.
- Cyrus, D.P. & Blaber, S.J.M. 1982a. Species identification, distribution and abundance of Gerreidae (Teleostei) Bleeker, 1859 in the estuaries of Natal. *South African Journal of Zoology* 17: 105-116.
- Cyrus, D.P. & Blaber, S.J.M. 1982b. Mouthpart structure and function and the feeding mechanisms of *Gerres* (Teleostei). *South African Journal of Zoology* 17: 117-121.
- Cyrus, D.P. & Blaber, S.J.M. 1983a. Diet of *Gerres* fry in the Kosi system. *South African Journal of Zoology* 18: 403-406.
- Cyrus, D.P. & Blaber, S.J.M. 1983b. The food and feeding ecology of Gerreidae, Bleeker 1859, in the estuaries of Natal. *Journal of Fish Biology* 22: 373-393.
- Cyrus, D.P. & Blaber, S.J.M. 1984a. The reproductive biology of *Gerres* in Natal estuaries. *Journal of Fish Biology* 24: 491-504.
- Cyrus, D.P. & Blaber, S.J.M. 1984b. Predation and sources of mortality of Gerreidae Bleeker, 1859 (Teleostei), in Natal estuaries with special reference to the Kosi system. *Lammergeyer* 32: 14-20.

- Cyrus, D.P. & Blaber, S.J.M. 1984c. The feeding ecology of Gerreidae (Teleostei) in the Kosi system, with special reference to their seasonal diet. *Lammergeyer* 32: 35-49.
- Cyrus, D.P. & Blaber, S.J.M. 1987a. The influence of turbidity on juvenile marine fish in the estuaries of Natal, South Africa. *Continental Shelf Research* 7: 1411-1416.
- Cyrus, D.P. & Blaber, S.J.M. 1987b. The influence of turbidity on juvenile marine fishes in estuaries. Part 1. Field studies at Lake St Lucia on the southeastern coast of Africa. *Journal of Experimental Marine Biology and Ecology* 109: 53-70.
- Cyrus, D.P. & Blaber, S.J.M. 1987c. The influence of turbidity on juvenile marine fishes in estuaries. Part 2. Laboratory studies, comparisons with field data and conclusions. *Journal of Experimental Marine Biology and Ecology* 109: 71-91.
- Cyrus, D.P. & Blaber, S.J.M. 1988. The potential effects of dredging activities and increased silt load on the St Lucia system, with special reference to turbidity and the estuarine fauna. *Water SA* 14: 43-47.
- Cyrus, D.P. & Forbes, A.T. 1996. Preliminary results on the role of KwaZulu-Natal harbours as nursery grounds for juveniles of selected marine organisms which utilize estuaries. *South African Journal of Wildlife Research* 26(1): 26-33.
- Cyrus, D.P. & Martin, T.J. 1988. Distribution and abundance of the benthos in the sediments of Lake Cubhu: a freshwater coastal lake in Zululand, South Africa. *Journal of the Limnological Society of Southern Africa* 14: 93-101.
- Cyrus, D.P. & Martin, T.J. 1991. The importance of estuaries in the life histories of flatfish species on the southern coast of Africa. *Netherlands Journal of Sea Research* 27: 255-260.
- Cyrus, D.P. & McLean, S. 1994. Water temperature and the reproductive success of Caspian terns *Sterna caspia* at Lake St Lucia, southeastern coast of Africa. *Marine Ornithology* 22: 193-203.
- Cyrus, D.P. & McLean, S. 1996. Water temperature and the 1987 fish kill at Lake St Lucia on the south eastern coast of Africa. *Southern African Journal of Aquatic Sciences* 22, 105-110.
- Cyrus, D.P., Wellmann, E.C. & Martin, T.J. 1993. Diet and reproductive activity of the estuarine roundherring *Gilchristella aestuaria* in Cubhu, a freshwater coastal lake in northern Natal, South Africa. *Southern African Journal of Aquatic Sciences* 19: 3-13.
- Cyrus, D.P. & Wepener, V. 1997. Dune mining and the Nhlabane system: can biodiversity and the nursery function be maintained? *Southern African Journal of Aquatic Sciences* 23: 103-113.
- Damstra, K.St.J. 1980. The ecology of the Onrus Lagoon. Habitat Working Group, University of Cape Town, Cape Town: 54 pp.
- Daniel, C. 1992. The use of garden forks vs prawn pumps to extract bait organisms from estuarine mudflats. *The Naturalist* 36(3): 22-24.
- Daniel, C. 1994a. Death by digging: the effect of bait digging on the African mudprawn *Upogebia africana* in the Swartkops estuary. *Ichthos* 41: 15-16.
- Daniel, C. 1994b. A comparative assessment of gill net and angler's catches in the Swartkops and Sundays estuaries, Eastern Cape. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Dardis, G. & Plumstead, E.E. 1988. Mudball genesis in a subtropical estuarine environment Mbashe River mouth, Transkei, southern Africa. In: *Geomorphological studies in southern Africa*. Dardis, G.F. & Moon, B.P. (ed.). Balkema, Rotterdam.
- Davey, J.E. 1975. Note on the mechanism of pollen release in *Bruguiera gymnorrhiza*. *South African Journal of Botany* 41: 269-272.

- Davies, B.R. 1980. The identification of the mytilids *Musculus virgiliae* Barnard, *Arcuatula capensis* (Krauss) and *Brachiodontes variabilis* Krauss, with corrections to the literature and a note on their distribution. Transactions of the Royal Society of South Africa 44: 225-236.
- Davies, B.R. 1982a. Interim management and research recommendations for Sandvlei. Unpublished report prepared for the Cape Town City Council: 7 pp.
- Davies, B.R. 1982b. Studies on the zoobenthos of some southern Cape coastal lakes. Spatial and temporal changes in the benthos of Swartvlei, South Africa, in relation to changes in the submerged littoral macrophyte community. Journal of the Limnological Society of Southern Africa 8: 33-45.
- Davies, B.R. 1984. The zoobenthos of the Touw River floodplain. Part 1. The benthos of the Wilderness lagoon, Touw River and the Serpentine, and the effects of submerged plant cutting. Journal of the Limnological Society of southern Africa 10: 76-78.
- Davies, B.R. 1987. Report on the likely limnological impacts of the proposed dam (Jakkalskraal Project) on the Piesang River and its estuary. Ninham Shand, Consulting Engineers, Cape Town: 11 pp.
- Davies, B.R. & Day, J.A. 1986. The biology and conservation of South Africa's vanishing waters. University of Cape Town, Rondebosch.
- Davies, B.R. & Day, J.A. 1995. Summary of an oral submission to the Saldanha Steel Board of enquiry - August 4, 1995. Bulletin of the Southern African Institute of Ecologists 14(2): 21-26.
- Davies, B.R. & Stewart, B.A. 1984. A note on salinity and oxygen stratification in the Marina Da Gama, Zandvlei. Journal of the Limnological Society of Southern Africa 10: 76-78.
- Davies, B.R., Stuart, V. & de Villiers, M. 1989. The filtration activity of a serpulid polychaete population [*Ficopomatus enigmaticus* (Fauvel)] and its effects on water quality in a coastal marina. Estuarine, Coastal and Shelf Science 29: 613-620.
- Davies, D.H. 1964. The miocene shark fauna of the southern St Lucia area. Oceanographic Research Institute Investigational Report No. 10.
- Davies, H.A. 1987. Factors affecting the distribution of zooplankton in Knysna estuary, South Africa. MSc thesis, University of Cape Town, Rondebosch.
- Davis, J.A., van Blerk, L.L., Kirby, R. & Hecht, T. 2003. Genetic variation in the mud crab *Scylla serrata* (Forskål, 1775) (Crustacea: Portunidae) in South African estuaries. African Zoology 38(2): 343-350.
- Day, J.A. 2000. Marine and estuarine studies in South Africa: an historical perspective. Transactions of the Royal Society of South Africa 55(2): 101-105.
- Day, J.H. 1951. The ecology of South African estuaries. Part 1. A review of estuarine conditions in general. Transactions of the Royal Society of South Africa 33: 53-91.
- Day, J.H. 1952. The ecology of South African estuaries. Natal Society for the Preservation of Wildlife 1(2): 5-8.
- Day, J.H. 1958. The biology of Langebaan lagoon: a study of the effect of shelter from wave action. Transactions of the Royal Society of South Africa 35: 475-547.
- Day, J.H. 1964. The origin and distribution of estuarine animals in South Africa. In: Ecological studies in southern Africa. Davis, D.H.S. (ed.). Monographia Biologicae 24: 159-173.
- Day, J.H. 1967. The biology of Knysna estuary, South Africa. In: Estuaries. pp. 397-407. Lauff, G.H. (ed.). American Association for the Advancement of Science, Washington.
- Day, J.H. 1974. A guide to marine life on South African shores. A.A. Balkema, Cape Town: 300 pp.
- Day, J.H. 1980. What is an estuary? South African Journal of Science 76: 198.

- Day, J.H. 1981a. The nature, origin and classification of estuaries. In: Estuarine ecology with particular reference to southern Africa. pp. 1-6. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981b. Coastal hydrodynamics, sediment transport and inlet stability. In: Estuarine ecology with particular reference to southern Africa. pp. 7-26. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981c. Estuarine currents, salinities and temperatures. In: Estuarine ecology with particular reference to southern Africa. pp. 27-44. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981d. Estuarine sediments, turbidity and the penetration of light. In: Estuarine ecology with particular reference to southern Africa. pp. 45-56. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981e. The chemistry and fertility of estuaries. In: Estuarine ecology with particular reference to southern Africa. pp. 57-76. Ed J.H. Day. A.A. Balkema, Cape Town.
- Day, J.H. 1981f. The estuarine flora. In: Estuarine ecology with particular reference to southern Africa. pp. 77-100. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981g. The estuarine fauna. In: Estuarine ecology with particular reference to southern Africa. pp. 147-178. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. 1981h. Summaries of current knowledge of 43 estuaries in southern Africa. In: Estuarine ecology with particular reference to southern Africa. pp. 251-330. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H., Blaber, S.J.M. & Wallace, J.H. 1981. Estuarine fishes. In: Estuarine ecology with particular reference to southern Africa. pp. 197-221. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. & Grindley, J.R. 1981a. The estuarine ecosystem and environmental constraints. In: Estuarine ecology with particular reference to southern Africa. pp. 345-372. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H. & Grindley, J.R. 1981b. The management of estuaries. In: Estuarine ecology with particular reference to southern Africa. pp. 373-397. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Day, J.H., Millard, N.A.H. & Broekhuysen, G.J. 1954. The ecology of South African estuaries. Part 4: The St Lucia system. Transactions of the Royal Society of South Africa 34: 129-156.
- Day, J.H., Millard, N.A.H. & Harrison, A.D. 1952. The ecology of South African estuaries. Part 3. Knysna: A clear open estuary. Transactions of the Royal Society of South Africa 33: 367-413.
- Day, J.H. & Morgans, J.F.C. 1956. The ecology of South African estuaries. Part 7: The biology of Durban Bay. Annals of the Natal Museum 13: 259-312.
- Deacon, N. & Hecht, T. 1995. Observations on the thermoregulatory behaviour of juvenile spotted grunter, *Pomadasys commersonnii* (Haemulidae: Pisces). Journal of Applied Ichthyology 11: 100-110.
- Deacon, N. & Hecht, T. 1996. The effect of temperature and photoperiod on the growth of juvenile spotted grunter *Pomadasys commersonnii* (Haemulidae: Pisces). South African Journal of Marine Science 17, 55-60.
- De Decker, H.P. 1986. Contributions to the ecology of the benthic macrofauna of the Bot River estuary. MSc thesis, University of Cape Town, Rondebosch.
- De Decker, H.P. 1987. Breaching the mouth of the Bot River estuary, South Africa: impact on its benthic macrofaunal communities. Transactions of the Royal Society of South Africa 46: 231-250.
- De Decker, H.P. 1989. Report No. 40: Klein (CSW 16). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 439: 87 pp.

- De Decker, H.P. & Bally, R. 1985. The benthic macrofauna of the Bot River estuary, South Africa, with a note on its meiofauna. *Transactions of the Royal Society of South Africa* 45: 379-396.
- De Decker, H.P. & Bennett, B.A. 1985. A comparison of the physiological condition of the southern mullet *Liza richardsoni* (Smith), in a closed estuary and the sea. *Transactions of the Royal Society of South Africa* 45: 427-436.
- de Freitas, A.J. 1980. The Penaeoidea of southeast Africa. PhD thesis, University of the Witwatersrand, Johannesburg: 480 pp.
- de Freitas, A.J. 1986. Selection of nursery areas by six southeast African Penaeidae. *Estuarine, Coastal and Shelf Science* 23: 901-908.
- de Keyser, J.M.N. 1987. Growth of the Pacific oyster *Crassostrea gigas* (Mollusca: Bivalvia) in the blue hole (Swartkops estuary) Port Elizabeth, South Africa. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- de Kock, A.C. 1985. Polychlorinated biphenyls and organochloride compounds in marine and estuarine systems. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- de Kock, A.C. & Lord, D. 1988. Kinetics of the uptake and elimination of polychlorinated biphenols by an estuarine fish species *Rhabdosargus holubi* after aqueous exposure. *Chemosphere* 17: 2381-2390.
- de Villiers, C.J. 1990. Aspects of the biology of the infaunal bivalve mollusc *Solen cylindraceus* (Hanley) in the Kariega estuary. PhD thesis, Rhodes University, Grahamstown: 187 pp.
- de Villiers, C.J. & Allanson, B.R. 1988. Efficiency of particle retention in *Solen cylindraceus* (Hanley)(Mollusca: Bivalvia). *Estuarine, Coastal and Shelf Science* 26: 421-428.
- de Villiers, C.J. & Allanson, B.R. 1989. Osmotic properties of an infaunal estuarine bivalve *Solen cylindraceus* (Hanley). *Journal of Molluscan Studies* 55: 45-51.
- de Villiers, C.J., Allanson, B.R. & Hodgson, A.N. 1989. The effect of temperature on the filtration rate of *Solen cylindraceus* (Hanley)(Mollusca: Bivalvia). *South African Journal of Zoology* 24: 11-17.
- de Villiers, C.J. & Hodgson, A.N. 1993. The filtration and feeding physiology of the infaunal estuarine bivalve *Solen cylindraceus* Hanley 1843. *Journal of Experimental Marine Biology and Ecology* 167: 127-142.
- de Villiers, C.J., Hodgson, A.N. & Allanson, B.R. 1989. The effect of temperature on the filtration rate and distribution of *Solen cylindraceus* (Hanley). In: *Reproduction, genetics and distributions of marine organisms*. pp. 459-465. Ryland, J.S. & Tyler, P.A. (eds). Olsen & Olsen, Denmark.
- de Villiers, C.J., Hodgson, A.N. & Forbes, A.T. 1999. Studies on estuarine macroinvertebrates. In: *Estuaries of South Africa*. pp. 167-207. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- de Villiers, L. 1988. Sedimentation changes in the Breede River estuary. MSc thesis, University of Cape Town, Rondebosch.
- de Wet, P.S. 1988. Aspects of the feeding ecology of *Rhabdosargus holubi* in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- de Wet, P.S. & Marais, J.F.K. 1990. Stomach content analysis of juvenile Cape stumpnose *Rhabdosargus holubi* in the Swartkops estuary, South Africa. *South African Journal of Marine Science* 9: 127-133.
- Demetriades, N.T. 1990. Some aspects of the population dynamics of the commercially important Natal penaeid prawns. MSc thesis, University of Natal, Durban.

- Dent, M. & Breen, C.M. 2001. Becoming involved in estuary management. In: Managing estuaries in South Africa. An introduction. pp. 32-39. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- Department of Constitutional Development & Planning. 1983. Knysna-Wilderness-Plettenberg Bay Guide Plan. Government Printer, Pretoria: 99 pp.
- Department of Planning. 1970. Riviermonde, strandmere en vleie. Vol. 4. Knysna-Wilderness meerkompleks. Department of Planning, Pretoria: 97 pp.
- Department of Planning. 1971. Investigation into the utilization of river mouths, lagoons and vleis in the Republic of South Africa. Department of Planning, Pretoria.
- Department of Water Affairs. 1978. St Lucia Lake: cross sections. Hydrographic Survey, Division of Planning Services Report.
- Department of Water Affairs. 1984. St Lucia Lake: cross sections. Hydrographic Survey, Division of Planning Services Report.
- Department of Water Affairs. 1985. St Lucia Lake: capacity determination. Directorate Survey Services, Department of Water Affairs, Report No. SW300/09/H002.
- Department of Water Affairs & Forestry. 1994a. Plettenberg Bay coastal catchment study. Department of Water Affairs & Forestry, Pretoria.
- Department of Water Affairs & Forestry. 1994b. Algoa reconnaissance flow assessment work session. Department of Water Affairs & Forestry, Pretoria.
- Dinkele, B. 1977. Problems at St Lucia. *Stywe lyne/Tight Lines* 18(3): 31.
- Donnelly, F.A. 1981. The schistosomiasis transmission potential of brackish waters. MSc thesis, University of Natal, Pietermaritzburg.
- Donnelly, F.A., Appleton, C.C., Begg, G. & Schutte, C. 1984. Bilharzia transmission in Natal's estuaries and lagoons: fact or fiction? *South African Journal of Science* 80: 455-460.
- Draper, J.R. 1965. St Lucia - barren wilderness or nature reserve? *Animals* 7(10): 271-272.
- Drennan, P.M. 1986. Aspects of salt excretion in some species of *Avicennia*. PhD thesis, University of Natal, Durban.
- Dundas, A. 1994. Comparative analysis of fish abundance and diversity in three semi-enclosed estuaries in the Eastern Cape. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- du Preez, H.H. 1987. Laboratory studies on the oxygen consumption of the marine teleost, *Lichia amia* (Linnaeus, 1758). *Comparative Biochemistry and Physiology* 88A: 523-532.
- du Preez, H.H. & Cockroft, A.C. 1988a. Nonfaecal and faecal losses of *Pomadasys commersonni* (Teleostei: Pomadasyidae) feeding on the surf clam, *Donax serra*. *Comparative Biochemistry and Physiology* 90A (1): 63-70.
- du Preez, H.H. & Cockroft, A.C. 1988b. Nonfaecal and faecal losses of the marine teleost, *Lichia amia* (Linnaeus, 1758), feeding on live southern mullett, *Liza richardsonii* (Smith, 1846). *Comparative Biochemistry and Physiology* 90A (1): 71-77.
- du Preez, H.H., McLachlan, A. & Marais, J.F.K. 1986a. Oxygen consumption of a shallow water teleost, the spotted grunter *Pomadasys commersonni* (Lacepede, 1802). *Comparative Biochemistry and Physiology* 84A: 61-70.

- du Preez, H.H., Strydom, W. & Winter, P.E.D. 1986b. Oxygen consumption of two marine teleosts, *Lithognathus mormyrus* (Linnaeus, 1758) and *Lithognathus lithognathus* (Cuvier, 1830)(Teleostei: Sparidae). Comparative Biochemistry and Physiology 85A: 313-331.
- Dutton, T.P. 1964. St Lucia: gem of the north coast. Lantern March Issue: 11-19.
- Dutton, P. 2004. St Lucia (rising). African Wildlife 58(2): 17.
- Duvenage, I.R. 1983. Getyrvieroppervlaktes van sommige getyrviere aan die Kaapse kus. National Research Institute for Oceanology, Stellenbosch, internal report: 6 pp. + 167 figs.
- Duvenage, I.R. & Morant, P.D. 1984. Report No. 31: Keurbooms/Bitou system (CMS 19) Piesang (CMS 18). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydom, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 430: 64 pp.
- Dye, A.H. 1977. An ecophysiological study of the benthic meiofauna of the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Dye, A.H. 1978a. An ecophysiological study of the meiofauna of the Swartkops estuary. 1. The sampling sites: Physical and chemical features. Zoologica Africana 13: 1-18.
- Dye, A.H. 1978b. Epibenthic algal production in the Swartkops estuary. Zoologica Africana 13: 157-158.
- Dye, A.H. 1978c. Seasonal fluctuations in the vertical distribution of meiofauna in the Swartkops estuary. Zoologica Africana 13: 207-212.
- Dye, A.H. 1979. Aspects of the ecology of the meiofauna in Mngazana estuary, Transkei. South African Journal of Zoology 14: 67-73.
- Dye, A.H. 1983a. Oxygen consumption by sediments in a southern African mangrove swamp. Estuarine, Coastal and Shelf Science 17: 473-478.
- Dye, A.H. 1983b. Composition and seasonal fluctuations of meiofauna in a southern African mangrove estuary. Marine Biology 73: 165-170.
- Dye, A.H. 1983c. Vertical and horizontal distribution of meiofauna in mangrove sediments in Transkei, southern Africa. Estuarine, Coastal and Shelf Science 16: 591-598.
- Dye, A.H., Erasmus, T. & Furstenburg, J.P. 1978. An ecophysiological study of the benthic meiofauna of the Swartkops estuary. 3. Partition of benthic oxygen consumption and the relative importance of the meiofauna. Zoologica Africana 13: 187-200.
- Dye, A.H. & Furstenburg, J.P. 1978. An ecophysiological study of the meiofauna of the Swartkops estuary. 2. The meiofauna: Composition, distribution, seasonal fluctuation and biomass. Zoologica Africana 13: 19-32.
- Dye, A.H. & Furstenberg, J.P. 1981. Estuarine meiofauna. In: Estuarine ecology with particular reference to southern Africa. pp. 179-186. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Dye, A.H. & Lasiak, T.A. 1986. Assimilation efficiencies of fiddler crabs and deposit -feeding gastropods from tropical mangrove sediments. Comparative Biochemistry and Physiology 87A: 341-344.
- Eagle, G.A. & Bartlett, P.D. 1984. Preliminary chemical studies in four Cape estuaries. CSIR Report T/SEA 8307: 46 pp.
- Edgcumbe, D.J. 1980. Some preliminary observations on the submerged aquatic *Zostera capensis* Setchell. Journal of South African Botany 46: 53-66.
- Edwards, K.Z. 1969. The Swartkops survey. Eastern Cape Naturalist 37: 14-16.

- Edwards, R. & Moll, E.J. 1972. The Beachwood mangroves and their present status and a plan for their conservation. Wildlife Society of South Africa, Natal Field Work Section Project Report 21: 1-12.
- Els, S.F. 1982. Distribution and abundance of two crab species on the Swartkops estuary saltmarshes and the energetics of the *Sesarma catenata* population. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- EMATEK. 1990. Great Brak River environmental study with reference to a management plan for the Wolwedans Dam. CSIR Report EMA-C9036.
- EMATEK. 1992. Great Brak estuary management programme. Report on the monitoring results for the period April 1990 to March 1992. Department of Water Affairs & Forestry, Pretoria.
- Emmerson, W.D. 1983. Tidal exchange of two decapod larvae *Palaemon pacificus* (Caridea) and *Upogebia africana* (Thalassinidae) between the Swartkops River estuary and adjacent coastal waters. South African Journal of Zoology 18: 326-330.
- Emmerson, W.D. 1985a. The nutrient status of the Swartkops River estuary, eastern Cape. Water SA 11: 189-198.
- Emmerson, W.D. 1985b. Fecundity, laboratory rearing and larval growth of *Palaemon pacificus* (Stimpson)(Decapoda, Palaemonidae). Crustaceana 49: 277-289.
- Emmerson, W.D. 1985c. Seasonal abundance, growth and production of *Palaemon pacificus* (Stimpson) in eastern Cape tidal pools. South African Journal of Zoology 20: 221-231.
- Emmerson, W.D. 1986. The ecology of *Palaemon pacificus* (Stimpson) associated with *Zostera capensis* Setchell. Transactions of the Royal Society of South Africa 46: 79-97.
- Emmerson, W.D. 1987. Tidal migration and feeding of the shrimp *Palaemon pacificus* (Stimpson). South African Journal of Science 83: 413-416.
- Emmerson, W.D. 1988. Estuaries in the Transkei: their past, present and future. South African National Scientific Programmes Report No. 155: 19-27.
- Emmerson, W.D. 1989. The nutrient status of the Sundays River estuary, South Africa. Water Research 23: 1059-1067.
- Emmerson, W.D. 1990. The effect of temperature and season on the aerial oxygen consumption of *Urca urvillei* (H. Milne Edwards)(Decapoda: Ocypodidae). Journal of Thermal Biology 15: 41-46.
- Emmerson, W.D. & Alexander, M.D. 1986. Shell utilization and morphometrics of the hermit crab *Diogenes brevisrostris* Stimpson. South African Journal of Zoology 21: 211-216.
- Emmerson, W.D., Cannicci, S. & Porri, F. 1986. New records for *Parasesarma leptosoma* (Hilgendorf, 1869) (Crustacea: Decapoda: Brachyura: Sesarmidae) from mangroves in Mozambique and South Africa. African Zoology 38(2): 351-355.
- Emmerson, W.D. & Erasmus, T. 1987. The nutrient status of the Kromme River estuary, South Africa. Hydrobiologia 148: 87-96.
- Emmerson, W.D. & McGwynne, L.E. 1992. Feeding and assimilation of mangrove leaves by the crab *Sesarma meinerti* de Man in relation to leaf-litter production in Mngazana, a warm-temperate southern African mangrove swamp. Journal of Experimental Biology and Ecology 157: 41-53.
- Emmerson, W.D., Watling, H.R. & Watling, R.J. 1982. Community analyses in the Kromme and Swartkops estuaries and in the Algoa Bay region. University of Port Elizabeth, Zoology Department Report No. 16: 1-128.
- Environmental Advisory Services. 1990a. Nhlabane wetland study. EAS Investigational Report No. 34: 28 pp.

- Environmental Advisory Services. 1990b. Victoria embankment waterfront project: environmental investigations. EAS Investigational Report No. 35: 67 pp.
- Environmental Advisory Services. 1990c. Preliminary EIA of N2 crossing of Mhlungwa lagoon. EAS Investigational Report No. 38: 57 pp.
- Environmental Advisory Services. 1991a. Environmental evaluation of Hyde Park (Blythedale Beach). Investigational Report No. 45: 25 pp.
- Environmental Advisory Services. 1991b. Preliminary environmental evaluation of the Mzamba-Mtentu region. Investigational Report No. 48: 17 pp.
- Environmental Advisory Services. 1992a. Red data book species of the Havaan forest and its immediate surrounds. Investigational Report No. 53: 13 pp.
- Environmental Advisory Services. 1992b. The effects of an increased discharge of treated sewage effluent into the Little Manzimtoti lagoon. Investigational Report No. 57: 20 pp.
- Environmental Advisory Services. 1993. Initial assessment of the potential EIA of constructing berths 605 and 606 at the port of Richards Bay. Investigational Report No. 63: 54 pp.
- Esterhuysen, K. 1982. The Seekoei estuary: example of disrupted sedimentary ecology. University of Port Elizabeth, Rosie Report No. 5: 92 pp.
- Esterhuysen, K. 1983. Sedimentary ecology of Seekoei estuary. *The Naturalist* 27(2): 6-11.
- Esterhuysen, K. & Reddering, J.S.V. 1985. Sedimentation in the Nahoon estuary. University of Port Elizabeth, ROSIE Report No. 10: 1-98.
- Esterhuysen, K. & Rust, I.C. 1987. Channel migration in the lower Swartkops estuary. *South African Journal of Science* 83: 521-525.
- Every, B. 1970. The birds of the Coega river mouth. *Eastern Cape Naturalist* No. 40: 22-23.
- Every, B. 1973. Wintering waders on the Swartkops River. *Bee-eater* 24(3): 7.
- Fairall, N. 1981. A study of the bioenergetics of the red-knobbed coot *Fulica cristata* on a South African estuarine lake. *South African Journal of Wildlife Research* 11: 1-4.
- Farrant, J.M. 1986. Some studies on the recalcitrant behaviour of propagules of *Avicennia marina*. MSc thesis, University of Natal, Durban.
- Farrant, J.M., Berjak, P. & Pammenter, N.W. 1987. Ecological significance of three-phase production of roots during germination and establishment of the recalcitrant propagules of *Avicennia marina*. *South African Journal of Science* 83: 236-237.
- Fearnhead, E.A. & Fabian, B.C. 1971. The ultrastructure of the gill of *Monodactylus argenteus* (a euryhaline teleost fish) with particular reference to morphological changes associated with changes in salinity. *Oceanographic Research Institute Investigational Report No. 26: 1-39.*
- Feely, J.M. 1962. Observations on the breeding of the white pelican, *Pelecanus onocrotalus*, at Lake St Lucia, Zululand, during 1957 and 1958. *Lammergeyer* 2: 10-20.
- Fielding, P.J., Damstra, K.St.J. & Branch, G.M. 1988. Benthic diatom biomass, production and sediment chlorophyll in Langebaan lagoon, South Africa. *Estuarine, Coastal and Shelf Science* 27: 413-426.
- Fielding, P.J., Forbes, A.T. & Demetriades, N.T. 1991. Chlorophyll concentrations and suspended particulate loads in St Lucia, a turbid estuary on the east coast of South Africa. *South African Journal of Marine Science* 11: 491-498.

- Fielding, P.J., Forbes, A.T., Mander, J., Taylor, R.H. & Demetriades, N.T. 1990. Prawns, salinities and lake levels in St Lucia, northern Natal. *South African Journal of Science* 86: 252-255.
- Fijen, A.P.M. 1995a. Wilderness lakes catchment, Touw and Duiwe rivers, water management strategy. Volume 2: water resources. Department of Water Affairs and Forestry, Pretoria: 57 pp.
- Fijen, A.P.M. 1995b. Wilderness lakes catchment, Touw and Duiwe rivers, water management strategy. Volume 3: water quality. Department of Water Affairs and Forestry, Pretoria: 52 pp.
- Fijen, A.P.M. 1995c. Swartvlei Lake catchment, Diep, Klein-Wolwe, Hoëkraal and Karatara rivers, water management strategy. Volume 2: water resources. Department of Water Affairs and Forestry, Pretoria: 47 pp.
- Fijen, A.P.M. 1995d. Swartvlei Lake catchment, Diep, Klein-Wolwe, Hoëkraal and Karatara rivers, water management strategy. Volume 3: water quality. Department of Water Affairs and Forestry, Pretoria: 51 pp.
- Fijen, A.P.M. & Kapp, J.F. 1995a. Wilderness, Swartvlei and Groenvlei lakes catchment, water management strategy. Introduction and orientation. Department of Water Affairs and Forestry, Pretoria: 16 pp.
- Fijen, A.P.M. & Kapp, J.F. 1995b. Wilderness lakes catchment, Touw and Duiwe rivers, water management strategy. Volume 1: present situation. Department of Water Affairs and Forestry, Pretoria: 116 pp.
- Fijen, A.P.M. & Kapp, J.F. 1995c. Swartvlei Lake catchment, Diep, Klein-Wolwe, Hoëkraal and Karatara rivers, water management strategy. Volume 1: present situation. Department of Water Affairs and Forestry, Pretoria: 115 pp.
- Fijen, A.P.M. & Kapp, J.F. 1995d. Wilderness, Swartvlei and Groenvlei lakes catchment, water management strategy. Proposed water management strategy, objectives and goals. Department of Water Affairs and Forestry, Pretoria: 40 pp.
- Fijen, A.P.M. & van Zyl, F. 1995a. Wilderness lakes catchment, Touw and Duiwe rivers, water management strategy. Data report. Department of Water Affairs and Forestry, Pretoria.
- Fijen, A.P.M. & van Zyl, F. 1995b. Swartvlei Lake catchment, Diep, Klein-Wolwe, Hoëkraal and Karatara rivers, water management strategy. Data report. Department of Water Affairs and Forestry, Pretoria.
- Forbes, A.T. 1973. An unusual abbreviated larval life in the estuarine burrowing prawn *Callinassa kraussi* (Crustacea: Decapoda: Thalassinidea) *Marine Biology* 22: 361-365.
- Forbes, A.T. 1974. Osmotic and ionic regulation in *Callinassa kraussi* Stebbing (Crustacea: Decapoda: Thalassinidea). *Journal of Experimental Marine Biology and Ecology* 16:301-311.
- Forbes, A.T. 1977. Breeding and growth of the burrowing prawn *Callinassa kraussi* Stebbing (Crustacea: Decapoda: Thalassinidea). *Zoologica Africana* 12: 149-161.
- Forbes, A.T. 1978. Maintenance of the non-breeding population of the estuarine prawn *Callinassa kraussi* (Crustacea: Anomura: Thalassinidea) *Zoologica Africana* 13: 33-40.
- Forbes, A.T. 1979. Distribution and status of the burrowing sandprawn in the Kosi lakes system. *Lammergeyer* 27: 41-45.
- Forbes, A.T. 1989. Mysid shrimps (Crustacea: Mysidacea) in the St Lucia Narrows before and after Cyclone Demoina. *Lammergeyer* 40: 21-29.
- Forbes, A.T. & Allanson, B.R. 1970. Ecology of the Sundays estuary. 1. Water chemistry. *Hydrobiologia* 36: 479-488.

- Forbes, A.T. 1982. Recruitment of post-larval penaeid prawns to the St Lucia system. In: Marine Research in Natal. Bowmaker, A.P., van der Zee, D. & Ridder, J.H. (eds). South African National Scientific Programmes Report No. 139: 87.
- Forbes, A.T. & Benfield, M.C. 1985. Aspects of the penaeid prawn fisheries in Natal. South African Journal of Science 81: 430-431.
- Forbes, A.T. & Benfield, M.C. 1986a. Penaeid prawns in the St Lucia Lake system: post larval recruitment and the bait fishery. South African Journal of Zoology 21: 224-228.
- Forbes, A.T. & Benfield, M.C. 1986b. Tidal behaviour of post-larval penaeid prawns (Crustacea: Decapoda: Penaeidae) in a southeast African estuary. Journal of Experimental Marine Biology and Ecology 102: 23-34.
- Forbes, A.T., Breen, C.M., Goodman, P.S. & Taylor, R.H. 1987. The Lake St Lucia research programme. Natal Parks Board, Pietermaritzburg, St Lucia Research Series No. 1: 1-33.
- Forbes, A.T. & Cyrus, D.P. 1991. Recruitment and origin of penaeid prawn postlarvae in two south-east African estuaries. Estuarine, Coastal and Shelf Science 33: 281-289.
- Forbes, A.T. & Cyrus, D.P. 1992. Impact of a major cyclone on a southeast African estuarine lake system. Netherlands Journal of Sea Research 30: 265-272.
- Forbes, A.T. & Cyrus, D.P. 1993. Biological effects of salinity gradient reversals in a southeast African estuarine lake. Netherlands Journal of Aquatic Ecology 27: 265-272.
- Forbes, A.T., Demetriades, N.T., Benzie, J.A.H. & Ballment, E. 1999. Allozyme frequencies indicate little geographic variation stocks of giant tiger prawn *Penaeus monodon* in the south-west Indian Ocean. South African Journal of Marine Science 21: 271-277.
- Forbes, A.T., Demetriades, N.T. & Cyrus, D.P. 1996. Biological significance of harbours as coastal environments in KwaZulu-Natal, South Africa. Aquatic Conservation: Marine and Freshwater Ecosystems 6:331-341.
- Forbes, A.T. & Hay, D.G. 1988. Effects of a major cyclone on the abundance and larval recruitment of the portunid crab *Scylla serrata* (Forsk.) in the St Lucia Estuary, Natal, South Africa. South African Journal of Marine Science 7: 219-225.
- Forbes, A.T. & Hill, B.J. 1969. The physiological ability of a marine crab *Hymenosoma orbiculare* Desm., to live in a subtropical freshwater lake. Transactions of the Royal Society of Southern Africa 38: 271-283.
- Forbes, A.T., Niedinger, S. & Demetriades, N. 1994. Recruitment and utilisation of nursery grounds by penaeid prawn postlarvae in Natal, South Africa. In: Changes in fluxes in estuaries: implications from science to management. pp. 379-384. Dyer, K.R. & Orth, R.J. (eds). Olsen & Olsen, Fredensborg, Denmark.
- Forrest, G.W. 1969a. Some bird notes from St Lucia. Lammergeyer 3: 89-91.
- Forrest, G.W. 1969b. The dying lake. Natal Wildlife 10(4): 16-19.
- Fowles, B.K. & Archibald, C.G. 1987. Zooplankton and estuarine (benthic) fauna in Lake Mzingazi, a freshwater coastal lake of Natal. Journal of the Limnological Society of Southern Africa. 13: 66-74.
- Fromme, G.A.W. 1985a. The dynamics of the mouth channel at Verlorenvlei (Western Cape). CSIR Report T/SEA 8516.
- Fromme, G.A.W. 1985b. The dynamics of Hout Bay estuary and beach. CSIR Research Report T/SEA 8508.
- Fromme, G.A.W. 1985c. The hydrology of the Bot River estuary. Transactions of the Royal Society of South Africa 45: 305-316.

- Fromme, G.A.W. 1985d. The dynamics of the Piesang estuary. CSIR Report T/SEA 8517.
- Fromme, G.A.W. 1985e. The dynamics of the Keurbooms-Bitou estuary. CSIR Report T/SEA 8511.
- Fromme, G.A.W. 1986a. Botrivierlei-Kleinmond surveys. CSIR Research Report T/SEA 8604.
- Fromme, G.A.W. 1986b. Dynamics of the Boknes, Boesmans, Kariega and Kasuka estuaries. CSIR Report T/SEA 8616.
- Fromme, G.A.W. 1988. Dynamics of the Swartkops estuary. CSIR Report EMA/T 8804.
- Fromme, G.A.W. 1989. The dynamics of the Duiwenhoks and Kafferkuils estuaries. CSIR Report EMA/T 8901.
- Fromme, G.A.W. & Badenhorst, P. 1987. The dynamics of the estuaries in St Francis Bay (Kromme, Seekoei and Kabeljous). CSIR Report T/SEA 8707: 39 pp.
- Froneman, P.W. 2000. Preliminary study of the food web structure of two contrasting estuaries along the Eastern Cape coast. *African Journal of Aquatic Science* 25: 13-22.
- Froneman, P.W. 2001a. Seasonal changes in zooplankton biomass and grazing in a temperate estuary, South Africa. *Estuarine, Coastal and Shelf Science* 52: 543-553.
- Froneman, P.W. 2001b. Feeding ecology of the mysid, *Mesopodopsis wooldridgei*, in temperate estuary along the eastern seaboard of South Africa. *Journal of Plankton Research* 23: 999-1008.
- Froneman, P.W. 2001c. Stable isotope ($\delta^{13}\text{C}$) composition of the food web of the temperate Kariega estuary (Eastern Cape). *African Journal of Aquatic Science* 26(1): 49-56.
- Froneman, P.W. 2002a. Food web structure in three contrasting estuaries using stable carbon isotope ($\delta^{13}\text{C}$) analysis. *African Journal of Aquatic Science* 27(2): 107-115.
- Froneman, P.W. 2002b. Seasonal changes in selected physico-chemical and biological variables in the temporarily open/closed Kasouga estuary, Eastern Cape, South Africa. *African Journal of Aquatic Science* 27(2): 117-123.
- Froneman, P.W. 2004a. Food web dynamics in a temperate temporarily open/closed estuary (South Africa). *Estuarine, Coastal and Shelf Science* 59: 87-95.
- Froneman, P.W. 2004b. Zooplankton community structure and biomass in a southern African temporarily open/closed estuary. *Estuarine, Coastal and Shelf Science* 60: 125-132.
- Froneman, P.W. & McQuaid, C.D. 1997. Preliminary investigation of the ecological role of microzooplankton in the Kariega Estuary, South Africa. *Estuarine, Coastal and Shelf Science* 45: 689-695.
- Froneman, P.W. & Vorwerk, P. 2003. Predation impacts of juvenile *Gilchristella aestuaria* (Clupeidae) and *Atherina breviceps* (Atherinidae) on the zooplankton in the temperate Kariega estuary, South Africa. *African Journal of Aquatic Science* 28(1): 35-41.
- Gaigher, C.M. 1984. The effects of bridge building on the bloodworm population in the Uilkraal River estuary. *The Naturalist* 28(1): 16-18.
- Gaigher, C.M. 1985. Wetlands. Cape Department of Nature and Environmental Conservation, Cape Conservation Series 6: 24 pp.
- Gaigher, I.G. & Thorne, S.C. 1979. The relative densities and length compositions of fish in the Sandvlei estuarine lake, Muizenberg, Western Cape. Cape Department of Nature & Environmental Conservation Report: 1-27.
- Gaillard, T.R.M.G. & Huizinga, P. 1988. Hydrodynamic model study of the Kariega and Great Fish estuaries. CSIR Report EMA/T 8801: 1-46.

- Gardner, B.D., Connell, A.D., Eagle, G.A., Moldan, A.G. & Watling, R.J. 1985. South African marine pollution survey report 1979-1982. S.A. National Scientific Programmes Report No. 115: 81 pp.
- Gardner, B.D., Eagle, G.A., Oliff, W.D., Connell, A.D., Moldan, A.G.S., Watling, R.J. & Orren, M.J. 1983. South African marine pollution survey report 1976-1979. South African National Scientific Programmes Report No. 73.
- Garland, I. 1944. Skimmers again nesting and other birds observed at Lake St Lucia. Ostrich March Issue: 75-76.
- Garratt, P.A. 1993. Spawning of riverbream, *Acanthopagrus berda*, in Kosi estuary. South African Journal of Zoology 28: 26-31.
- Geldenhuys, N.D. 1979. Guidelines for the future utilization of Knysna estuary. Department of Environmental Planning and Energy, Pretoria, Unpublished Report: 11 pp.
- Genade, A.B. & Hirst, A.L. 1986. 'n Perdjie van 'n ander kleur. Custos 15(9): 34-36.
- Gerber, H. 1992. Population structure, growth, mortality and feeding ecology of two species of the family Gobiidae (Pisces) and two species of the family Clinidae (Pisces) in the Bushmans Estuary, Eastern Cape. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Gess, R. 1995. Unlocking Grahamstown's past - an upper Devonian estuary. The Naturalist 39(1): 20-25.
- Geydu-Ababio, T.K. 2002. Ecotoxicological studies on the meiofauna of two estuarine ecosystems in the Eastern Cape, South Africa. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Giffen, M.H. 1963. Contributions to the diatom Flora of South Africa. I. Diatoms of the estuaries of the eastern Cape Province. Hydrobiologia 21: 201-265.
- Gilchrist, J.D.F. 1918. Report on nettings in the Zwartkops River. Union of South Africa Marine Biological Report 4: 56-72.
- Glen, R.P. 1980. The nanoplankton of the Swartkops estuary, Port Elizabeth. MSc thesis, University of the Witwatersrand, Johannesburg.
- Görgens, A.H.M. & Hughes, D.A. 1982. An analysis of medium and long duration extreme rainfalls in the southern Cape coastal lakes region for the purposes of flood hydrograph generation. Water SA 8: 16-22.
- Graham, M.A. 1994. Association of juveniles of four fish species with sandbanks in Durban Bay, KwaZulu-Natal. MSc thesis, University of Natal, Durban. 91 pp.
- Grange, N. 1992. The influence of contrasting freshwater inflows on the feeding ecology and food resources of zooplankton in two eastern Cape estuaries, South Africa. PhD thesis, Rhodes University, Grahamstown.
- Grange, N. & Allanson, B.R. 1994. The Knysna Basin Project. Report to Southern African Nature Foundation, Stellenbosch: 49 pp.
- Grange, N. & Allanson, B.R. 1995. The influence of freshwater inflow on the nature, amount and distribution of seston in estuaries of the Eastern Cape, South Africa. Estuarine, Coastal and Shelf Science 40: 403-420.
- Grange, N. & Cretchley, R. 1995. A preliminary investigation of the reproductive behaviour of the Knysna seahorse, *Hippocampus capensis* Boulenger, 1900. Southern African Journal of Aquatic Sciences 21: 103-104.

- Grange, N., Scott, P.J. & O'Keeffe, J.H. 1992. Water quality monitoring of the Kowie River estuary at Port Alfred - A report to the Municipality of Port Alfred. Institute for Water Research, Rhodes University, Grahamstown.
- Grange, N., Whitfield, A.K., de Villiers, C.J. & Allanson, B.R. 2000. The response of two South African east coast estuaries to altered river flow regimes. *Aquatic Conservation: Marine and Freshwater Ecosystems* 10: 155-177.
- Griffiths, M.H. 1996. Life history of the dusky kob *Argyrosomus japonicus* (Sciaenidae) off the east coast of South Africa. *South African Journal of Marine Science* 17: 135-154.
- Griffiths, M.H. & Hecht, T. 1995. Age and growth of dusky kob *Argyrosomus japonicus* (Sciaenidae) based on otoliths. *South African Journal of Marine Science* 16: 119-128.
- Grindley, J.R. 1959. Birds of the Orange River estuary. *Ostrich* 30: 127-129.
- Grindley, J.R. 1964. Effect of low-salinity water on the vertical migration of estuarine plankton. *Nature, London* 203: 781-782.
- Grindley, J.R. 1972. The vertical migration behaviour of estuarine plankton. *Zoologica Africana* 7: 13-20.
- Grindley, J.R. 1973. Estuaries of the Garden route threatened by proposed highway. *The Naturalist* 50: 9-12.
- Grindley, J.R. 1974. Estuaries: an endangered habitat. *African Wildlife* 28(1): 23-26.
- Grindley, J.R. 1976. Report on ecology of Knysna estuary and proposed Braamekraal Marina. School for Environmental Studies, University of Cape Town, Unpublished Report: 123 pp.
- Grindley, J.R. 1977. The zooplankton of Langebaan lagoon and Saldanha Bay. *Transactions of the Royal Society of South Africa* 42: 341-370.
- Grindley, J.R. 1980. Conservation of the habitats of estuarine invertebrates. In: *Proceedings of an International Symposium on Habitats and their Influence on Wildlife*. pp. 35-43. Walker, C. (ed.). Endangered Wildlife Trust.
- Grindley, J.R. 1981. Estuarine plankton. In: *Estuarine ecology with particular reference to southern Africa*. pp. 117-146. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Grindley, J.R. 1982. Report No. 16: Eerste (CSW 6). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 415: 51 pp.
- Grindley, J.R. 1985. Report No. 30: Knysna (CMS 13). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 429: 82 pp.
- Grindley, J.R. 1986. An assessment of the ecological consequences of the proposed road adjoining Knysna lagoon. Environmental Evaluation Unit, University of Cape Town, Report No. 4/86/77.
- Grindley, J.R. & Cooper, K.H. 1979. Proposals for the establishment of estuarine reserves for South Africa. Wildlife Society of South Africa, Durban, Unpublished Report.
- Grindley, J.R. & Dudley, S. 1988. Report No. 28: Rietvlei (CW 24) and Diep (CW 25). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 427: 90 pp.
- Grindley, J. & Eagle, G.A. 1978. Environmental effects of the discharge of sewage effluent into Knysna estuary. University of Cape Town, School of Environmental Studies. Unpublished Report: 62 pp.

- Grindley, J.R. & Heydorn, A.E.F. 1970. Red water and associated phenomena in St Lucia. *South African Journal of Science* 67: 210-213.
- Grindley, J.R. & Heydorn, A.E.F. 1979. Mans impact on estuarine environments. *South African Journal of Science* 75: 554-560.
- Grindley, J.R. & Snow, C.S. 1983. Environmental effects of the discharge of sewage effluent into Knysna lagoon. School of Environmental Studies, University of Cape Town, Rondebosch, Unpublished Report: 55 pp.
- Grindley, J.R. & von Schirnding, Y. 1983. Features of some sandy estuary systems. In: *Sandy beaches as ecosystems*. pp. 747-748. McLachlan, A. & Erasmus, T. (eds). W. Junk, The Hague.
- Grindley, J.R. & Wooldridge, T. 1974. The plankton of Richards Bay. *Hydrobiological Bulletin* 8: 201-212.
- Grindley, S.A. 1988. Report No. 29: Hout Bay (CW 27). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 428: 76 pp.
- Grobber, N.G. 1987. Sedimentary environments of Mdloti, uMgababa and Lovu lagoons, Natal, South Africa. MSc thesis, University of Natal, Durban.
- Grobber, N.G., Mason, T.R. & Cooper, J.A.G. 1987. Sedimentology of Mtati lagoon. University of Natal, Durban, S.E.A.L. Report 3: 1-43.
- Grobber, N.G., Mason, T.R. & Cooper, J.A.G. 1988. uMgababa lagoon: pre- and post-flood sedimentology. University of Natal, Durban, S.E.A.L. Report 5: 1-48.
- Grobler, N.J., Christison, K.W., Olivier, P.A.S. & van As, J.G. 2003. Observations on the development of *Udonella caligorum* Johnston, 1835 (Mongenea: Polyonchoinea) on a parasitic copepod species of *Caligulus* (Copepoda: Caligidae), collected from Lake St Lucia, South Africa. *African Zoology* 38(2): 393-396.
- Guastella, L.A-M. 1994. A quantitative assessment of recreational angling in Durban harbour, South Africa. *South African Journal of Marine Science* 14: 187-203.
- Guillet, A. & Furness, R.W. 1985. Energy requirements of a great white pelican (*Pelecanus onocrotalus*) population and its impact on fish stocks. *Journal of Zoology, London* 205: 573-583.
- Gundry, J.M. 1985. Salt resistance in pre- and post-abscised propagules of *Bruguiera gymnorrhiza*. MSc thesis, University of Natal, Durban.
- Haigh, E.H. & Whitfield, A.K. 1993. Larval development of *Gilchristella aestuaria* (Gilchrist, 1914)(Pisces: Clupeidae) from southern Africa. *South African Journal of Zoology* 28: 168-172.
- Hall, C.M. 1985. Some aspects of the ecological structure of a segmented barrier lagoon system with particular reference to the distribution of fishes. MSc thesis, Rhodes University, Grahamstown.
- Hall, C.M., Whitfield, A.K. & Allanson, B.R. 1987. Recruitment, diversity and the influence of constrictions on the distribution of fishes in the Wilderness lakes system, South Africa. *South African Journal of Zoology* 22: 163-169.
- Hamman, K.C.D. & Gaigher, C.M. 1979. Freshwater and estuarine fish of the Cape Province. Cape Department of Nature and Environmental Conservation, Unpublished Report: 15 pp.
- Hanekom, N.M. 1980. A study of two thalassinid prawns in the non-*Spartina* regions of the Swartkops estuary. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Hanekom, N. 1982. An ecological study of the *Zostera* beds in the Kromme estuary. University of Port Elizabeth, Zoology Department Report No. 18: 1-163.

- Hanekom, N. 1986. Growth and somatic production estimates of *Dosinia hepatica* (Lamarck)(Mollusca: Bivalvia) in the Swartkops estuary, South Africa. *South African Journal of Zoology* 21: 325-330.
- Hanekom, N. 1989. A note on the effects of a flood of medium intensity on macrobenthos of soft substrata in the Swartkops estuary, South Africa. *South African Journal of Marine Science* 8: 349-355.
- Hanekom, N. & Baird, D. 1984. Fish community structures in *Zostera* and non-*Zostera* regions of the Kromme estuary, St Francis Bay. *South African Journal of Zoology* 19: 295-301.
- Hanekom, N.M. & Baird, D. 1987. Oxygen consumption of *Callinassa kraussi* Stebbing (Thalassinidae, Decapoda, Crustacea) in relation to various environmental conditions. *South African Journal of Zoology* 22: 183-189.
- Hanekom, N. & Baird, D. 1988. Distribution and variations in seasonal biomass of eelgrass *Zostera capensis* in the Kromme estuary, St Francis Bay, South Africa. *South African Journal of Marine Science* 7: 51-59.
- Hanekom, N. & Baird, D. 1992. Growth, production and consumption of the thalassinid prawn *Upogebia africana* (Ortmann) in the Swartkops estuary. *South African Journal of Zoology* 27: 130-139.
- Hanekom, N., Baird, D. & Erasmus, T. 1988. A quantitative study to assess standing biomasses of macrobenthos in soft substrata of the Swartkops estuary, South Africa. *South African Journal of Marine Science* 6: 163-174.
- Hanekom, N. & Erasmus, T. 1988. Variations in size compositions of populations of *Upogebia africana* (Ortmann) (Decapoda:Crustacea) within the Swartkops estuary and possible influencing factors. *South African Journal of Zoology* 23: 259-265.
- Hanekom, N. & Erasmus, T. 1989. Determinations of the reproductive output of a thalassinid prawn *Upogebia africana* (Ortmann) in the Swartkops estuary. *South African Journal of Zoology* 24: 244-250.
- Hanekom, N. & Russell, I.A. 1991. The distribution and abundance of *Echinodiscus bisperforatus* (Leske) in the Knysna estuary. National Parks Board, Wilderness. Unpublished Report.
- Harding, W.R. 1993. Faecal coliform densities and water quality criteria in three coastal recreation lakes in the SW Cape, South Africa. *Water SA* 19: 235-246.
- Harding, W.R. 1994. Water quality trends and the influence of salinity in a highly regulated estuary near Cape Town, South Africa. *South African Journal of Science* 90: 240-246.
- Harman, M.A.J., Blaber, S.J.M. & Cyrus, D.P. 1982. The biology and taxonomic status of an estuarine population of *Pranesus pinguis* (Lacepede) (Teleostei: Atherinidae) in south east Africa. *South African Journal of Zoology* 17: 15-23.
- Harris, J.M., Seiderer, L.J. & Lucas, M.I. 1991. Gut microflora of two saltmarsh detritivore thalassinid prawns *Upogebia africana* and *Callinassa kraussi*. *Microbial Ecology* 21: 277-296.
- Harris, S.A. 1991. Bioenergetics and growth of white steenbras, *Lithognathus lithognathus*, under culture conditions. MSc thesis, University of Cape Town, Cape Town.
- Harris, S.A., Bennett, B.A. & Branch, G.M. 1988. An assessment of the role of the sand shark *Rhinobatos annulatus* as a predator in Langebaan lagoon. *South African Journal of Marine Science* 7: 153-160.
- Harris, S.A. & Cyrus, D.P. 1994. Utilization of the St Lucia estuary by larval fish. In: Fourth Indo-Pacific Fish Conference Proceedings, Faculty of Fisheries, Kasertart University, Thailand. pp. 410-425.
- Harris, S.A. & Cyrus, D.P. 1995. Occurrence of fish larvae in the St Lucia Estuary, KwaZulu-Natal, South Africa. *South African Journal of Marine Science* 16: 333-350.
- Harris, S.A. & Cyrus, D.P. 1996. Larval and juvenile fishes in the surf zone adjacent to the St Lucia Estuary mouth, KwaZulu-Natal, South Africa. *Marine and Freshwater Research* 47: 465-482.

- Harris, S.A. & Cyrus, D.P. 1997. Composition, abundance and seasonality of larval fish in Richards Bay harbour, KwaZulu-Natal, South Africa. *Southern African Journal of Aquatic Sciences* 23: 56-78.
- Harris, S.A. & Cyrus, D.P. 1999. Composition, abundance and seasonality of fish larvae in the mouth of Durban Harbour, KwaZulu-Natal, South Africa. *South African Journal of Marine Science* 21: 19-39.
- Harris, S.A. & Cyrus, D.P. 2000. Comparison of larval fish assemblages in three large estuarine systems, KwaZulu-Natal, South Africa. *Marine Biology* 137: 527-541.
- Harris, S.A., Cyrus, D.P. & Forbes, A.T. 1995. The larval fish assemblage at the mouth of the Kosi Estuary, KwaZulu-Natal, South Africa. *South African Journal of Marine Science* 16: 351-364.
- Harrison, T.D. 1991. A note on the diet and feeding selectivity of juvenile riverbream, *Acanthopagrus berda* (Forsk., 1775), in a subtropical mangrove creek. *South African Journal of Zoology* 26: 36-42.
- Harrison, T.D. 1993. Ecology of the ichthyofauna in three temporarily open/closed estuaries on the Natal coast. MSc thesis, Rhodes University, Grahamstown.
- Harrison, T.D. 1997a. A preliminary survey of coastal river systems on the South African west coast, Orange River - Groot Berg, with particular reference to the fish fauna. *Transactions of the Royal Society of South Africa* 52: 277-321.
- Harrison, T.D. 1997b. A preliminary survey of coastal river systems on the South African west coast, Cape Columbine - Cape Point, with particular reference to the fish fauna. *Transactions of the Royal Society of South Africa* 52: 323-344.
- Harrison, T.D. 1998. A preliminary survey of the coastal river systems of False Bay, south-west coast of South Africa, with particular reference to the fish fauna. *Transactions of the Royal Society of South Africa* 53: 1-31.
- Harrison, T.D. 1999a. A preliminary survey of the estuaries on the south-west coast of South Africa, Cape Hangklip-Cape Agulhas, with particular reference to the fish fauna. *Transactions of the Royal Society of South Africa* 54: 257-283.
- Harrison, T.D. 1999b. A preliminary survey of the estuaries on the south coast of South Africa, Cape Agulhas-Cape St Blaize, with particular reference to the fish fauna. *Transactions of the Royal Society of South Africa* 54: 285-310.
- Harrison, T.D. 2001. Length-weight relationships of fishes from South African estuaries. *Journal of Applied Ichthyology* 17: 46-48.
- Harrison, T.D. 2002. Preliminary assessment of the biogeography of fishes in South African estuaries. *Marine and Freshwater Research* 53: 479-490.
- Harrison, T.D. 2004. Physico-chemical characteristics of South African estuaries in relation to the zoogeography of the region. *Estuarine, Coastal and Shelf Science* 61, 73-87.
- Harrison, T.D., Cerff, E. & Ramm, A.E.L. 1986. A low-cost effective trap for use in sampling estuarine and lagoonal fauna. *Aquaculture* 58: 145-149.
- Harrison, T.D. & Cooper, J.A.G. 1991. Active migration of juvenile grey mullet (Teleostei: Mugilidae) into a small lagoonal system on the Natal coast. *South African Journal of Science* 87: 395-396.
- Harrison, T.D. & Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1994a. Health of South African estuaries, Orange River - Buffels (Oos). Technical Report, Catchment and Coastal Environmental Programme, CSIR, Durban.

- Harrison, T.D., Cooper, J.A.G. & Ramm, A.E.L. 2000. State of South African estuaries – geomorphology, ichthyofauna, water quality and aesthetics. Department of Environmental Affairs and Tourism, State of the Environment Series Report No. 2: 127 pp.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1994b. Health of South African estuaries, Orange River - Buffels (Oos). Executive Report, Catchment and Coastal Environmental Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1995a. Health of South African estuaries, Palmiet - Sout. Technical Report, Catchment and Coastal Environmental Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1995b. Health of South African estuaries, Palmiet - Sout. Executive Report, Catchment and Coastal Environmental Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1996a. Application of the Estuarine Health Index to South Africa's estuaries, Groot (Wes) - Great Fish. Technical Report, Coastal and Catchment Environmental Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1996b. Health of South African estuaries, Groot (Wes) - Great Fish. Executive Report, Coastal and Catchment Environmental Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1997a. Application of the Estuarine Health Index to South Africa's estuaries, Old Woman's - Great Kei. Technical Report, East Coast Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1997b. Health of South African estuaries, Old Woman's - Great Kei. Executive Report, East Coast Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1998a. Application of the Estuarine Health Index to South Africa's estuaries, Transkei. Technical Report, East Coast Programme, CSIR, Durban.
- Harrison, T.D., Cooper, J.A.G., Ramm, A.E.L. & Singh, R.A. 1998b. Health of South African estuaries, Transkei. Executive Report, East Coast Programme, CSIR, Durban.
- Harrison, T.D. & Whitfield, A.K. 1990. Composition, distribution and abundance of ichthyoplankton in the Sundays River estuary. *South African Journal of Zoology* 25: 161-168.
- Harrison, T.D. & Whitfield, A.K. 1995. Fish community structure in three temporarily open/closed estuaries on the Natal coast. *Ichthyological Bulletin of the J.L.B. Smith Institute of Ichthyology* 64: 1-80.
- Harrison, T.D. & Whitfield, A.K. 2004. A multi-metric fish index to assess the environmental condition of estuaries. *Journal of Fish Biology* 65: 683-710.
- Hart, R.C. 1981. Population dynamics and demography of an estuarine copepod (*Pseudodiaptomus hessei*) in Lake Sibaya, a subtropical freshwater coastal lake. *Journal of the Limnological Society of Southern Africa* 7: 13-23.
- Hart, R.C. 1995. South African coastal lakes. In: *Wetlands of South Africa*. pp. 103-130. Cowan, G.I (ed.). Department of Environmental Affairs and Tourism, Pretoria.
- Hart, R.C. & Allanson, B.R. 1975. Preliminary estimates of production by a calanoid copepod in subtropical Lake Sibaya. *Verhandlungen des Internationale Vereinigung für Theoretische und Angewandte Limnologie* 19: 1434-1441.
- Hart, R.C. & Allanson, B.R. 1976. The distribution and diel vertical migration of *Pseudodiaptomus hessei* (Mrázek) (Calanoida: Copepoda) in a subtropical lake in southern Africa. *Freshwater Biology* 6: 183-198.
- Harty, J. 1952. The tragedy of St Lucia. *Natal Society for the Preservation of Wildlife* 1(3): 2-4.

- Haw, P.M. 1984. Freshwater requirements of the Knysna estuary. MSc thesis, School of Environmental Studies, University of Cape Town, Rondebosch.
- Hay, D.G. 1985. The macrobenthos of the St Lucia narrows. MSc thesis, University of Natal, Pietermaritzburg.
- Hecht, T. 1973. The ecology of the Kromme estuary with special reference to *Sesarma catenata*. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Hecht, T. & van der Lingen, C.D. 1992. Turbidity-induced changes in feeding strategies of fish in estuaries. *South African Journal of Zoology* 27: 95-107.
- Heineken, T.J.E. 1981. Report No. 7: Gamtoos (CMS 48). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 406: 40 pp.
- Heineken, T.J.E. 1982a. Report No. 8: Rooiels (CSW 10). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 407: 35 pp.
- Heineken, T.J.E. 1982b. Report No. 13: Silvermine (CSW 3). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 412: 43 pp.
- Heineken, T.J.E. 1985. Wildevoëlvei/Noordhoek (CW 28). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 426: 58 pp.
- Heineken, T.J.E., Bickerton, I.B. & Heydorn, A.E.F. 1983. A summary of studies of the pollution input by rivers and estuaries entering False Bay. CSIR Report T/SEA 8301: 1-21.
- Heineken, T.J.E., Bickerton, I.B. & Morant, P.D. 1982. Report No. 12: Buffels (WES)(CSW 1), Elsie (CSW 2), Sir Lowrys Pass (CSW 8), Steenbras (CSW 9) and Buffels (Oos)(CSW 11). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 411: 70 pp.
- Heineken, T.J.E. & Damstra, K.St.J. 1983. Report No. 24: Onrus (CSW 14). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 423: 37 pp.
- Heineken, T.J.E. & Grindley, J.R. 1982. Report No. 10: Kowie (CSE 10). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 409: 58 pp.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975a. 1. The Kosi Bay estuarine lakes. CSIR Natal Annual Report pp. 131-164.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975b. 2. Richards Bay. (a) Pre-development survey of 1969-70. CSIR Natal Annual Report pp. 165-198.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975c. 2. Richards Bay. (b) Continuation of pre-development survey June - November 1970. CSIR Natal Annual Report pp. 199-227.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975d. 3. The Umlalazi estuary. CSIR Natal Annual Report pp. 252-277.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975e. 4. The Amatikulu estuary. CSIR Natal Annual Report pp. 278-295.

- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975f. 5. The Umgeni estuary. (b) Detailed environmental survey of the estuary during 1972. CSIR Natal Annual Report pp. 314-338.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975g. 6. The Ifafa estuary. (a) Environmental survey of December 1970. CSIR Natal Annual Report pp. 340-357.
- Hemens, J.H., Metz, H., Simpson, D.E., Warwick, R.J. & McClurg, T.P. 1975h. 8. The Umtamvuna estuary. CSIR Natal Annual Report pp. 481-509.
- Hemens, J.H., Simpson, D.E. & Warwick, R.J. 1986. The Mtamvuna estuary. In: The chemistry and biology of some Natal estuaries, 1970-72. NIWR (Durban) Report: 10 pp.
- Hemens, J.H. & Warwick, R.J. 1972. The effects of fluoride on estuarine organisms. *Water Research* 6: 1301-1308.
- Hemens, J.H., Warwick, R.J. & Oliff, W.D. 1975. Effect of extended exposure to low fluoride concentration on estuarine fish and crustacea. *Progress in Water Technology* 7: 579-585.
- Henry, J.L., Mostert, S.A. & Christie, N.D. 1977. Phytoplankton production in Langebaan lagoon and Saldanha Bay. *Transactions of the Royal Society of South Africa* 42: 383-398.
- Heydorn, A.E.F. 1972a. South African estuaries, their function and the threat to their existence. *Findiver* 32: 18-19.
- Heydorn, A.E.F. 1972b. South African estuaries - an economic asset or a natural resource being squandered? *Scientiae* 13: 2-6.
- Heydorn, A.E.F. 1973. The interdependence of marine and estuarine ecosystems in South Africa. *South African Journal of Science* 69: 18-24.
- Heydorn, A.E.F. 1976. *Wisselwerking tussen land en see, of, die ekologie van die kuswaters van Natal*. *Tegnikon* 24: 3-7.
- Heydorn, A.E.F. 1977. Agriculture and earthworks - death knell of Natal's estuaries. *African Wildlife* 31(6): 27-30.
- Heydorn, A.E.F. 1979. Overview of present knowledge on South African estuaries and requirements for their management. *South African Journal of Science* 75: 544-546.
- Heydorn, A.E.F. 1981a. Research on estuary and coast. *Scientiae* 22: 6-9.
- Heydorn, A.E.F. (ed.) 1981b. Proceedings of workshop on research in Cape estuaries (Stellenbosch 23 April 1981). CSIR Report T/SEA 8111: 131 pp.
- Heydorn, A.E.F. 1982. Coastal ecology for engineers: South African coastal resources and their management. CSIR Report T/SEA 8214.
- Heydorn, A.E.F. (ed.) 1986. An assessment of the state of the estuaries of the Cape and Natal in 1985/86. *South African National Scientific Programmes Report No. 130*: 39 pp.
- Heydorn, A.E.F. 1989. The conservation status of southern African estuaries. In: *Biotic diversity in southern Africa: Concepts and Conservation*. pp. 290-297. Huntley, B.J. (ed.). Oxford University Press, Cape Town.
- Heydorn, A.E.F. & Bickerton, I.B. 1982. Report No. 9: Uilkraals (CSW 17). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 408: 37 pp.
- Heydorn, A.E.F. & Tinley, K.L. 1980. Estuaries of the Cape. Part 1. Synopsis of the Cape coast - Natural features, dynamics and utilization. CSIR Research Report 380: 1-97.

- Heydorn, H.J. 1989. Report No. 38: Gourits (CSW 25). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 437: 66 pp.
- Heyl, C.W. & Currie, M.H. 1985. Variations in the use of the Bot River estuary by waterbirds. Transactions of the Royal Society of South Africa 45: 397-418.
- Heymans, J.J. 1992. Energy flow model and network analysis of the Kromme estuary, St Francis Bay, South Africa. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Heymans, J.J. & Baird, D. 1995. Energy flow in the Kromme estuarine ecosystem, St Francis Bay, South Africa. Estuarine, Coastal and Shelf Science 41: 39-59.
- Hill, B.J. 1966. A contribution to the ecology of the Umlalazi estuary. Zoologica Africana 2: 1-24.
- Hill, B.J. 1967. Contributions to the ecology of the anomuran mud prawn *Upogebia africana* (Ortmann). PhD thesis, Rhodes University, Grahamstown.
- Hill, B.J. 1971. Osmoregulation by an estuarine and a marine species of *Upogebia* (Anomura, Crustacea). Zoologica Africana 6: 229-236.
- Hill, B.J. 1974. Salinity and temperature tolerance of zoeae of the portunid crab *Scylla serrata*. Marine Biology 25: 21-24.
- Hill, B.J. 1975a. The origin of southern African coastal lakes. Transactions of the Royal Society of South Africa 41: 225-240.
- Hill, B.J. 1975b. Abundance, breeding and growth of the crab *Scylla serrata* in two South African estuaries. Marine Biology 32: 119-126.
- Hill, B.J. 1976. Natural food, foregut clearance rate and activity of the crab *Scylla serrata* in an estuary. Marine Biology 34: 109-116.
- Hill, B.J. 1977. The effect of heated effluent on egg production in the estuarine prawn *Upogebia africana* (Ortmann). Journal of Experimental Marine Biology and Ecology 29: 291-302.
- Hill, B.J. 1978. Activity track and speed of movement of the crab *Scylla serrata* in an estuary. Marine Biology 47: 135-141.
- Hill, B.J. 1979a. Aspects of feeding strategy of the predatory crab *Scylla serrata*. Marine Biology 55: 209-214.
- Hill, B.J. 1979b. Biology of the crab *Scylla serrata* (Forsk.) in the St Lucia system. Transactions of the Royal Society of South Africa 44: 55-62.
- Hill, B.J. 1980. Effects of temperature on feeding and activity in the crab *Scylla serrata*. Marine Biology 59: 189-192.
- Hill, B.J. 1981a. Respiratory adaptations of three species of *Upogebia* (Thalassinidae, Crustacea) with special reference to low tide period. Biological Bulletin 160: 272-279.
- Hill, B.J. 1981b. Adaptations to temperature and salinity stress in southern African estuaries. In: Estuarine ecology with particular reference to southern Africa. pp. 187-196. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Hill, B.J. & Allanson, B.R. 1971. Temperature tolerance of the estuarine prawn *Upogebia africana* (Anomura, Crustacea). Marine Biology 11: 337-343.
- Hill, B.J., Blaber, S.J.M. & Bolt, R.E. 1975. The limnology of Lagoa Poelala. Transactions of the Royal Society of South Africa 41: 263-271.

- Hill, B.J. & Forbes, A.T. 1979. Biology of *Hymenosoma orbiculare* Desm in Lake Sibaya. South African Journal of Zoology 14: 75-79.
- Hill, B.J. & Koopowitz, H. 1975. Heart-rate of the crab *Scylla serrata* (Forsk.) in the air and in hypoxic conditions. Comparative Biochemistry and Physiology 52: 385-387.
- Hill, Kaplan, Scott & Partners. 1984. Environmental study, Swartkops River basin. Port Elizabeth City Engineer, Port Elizabeth. Technical Data Report, Part 2, Volume 5.
- Hill, T. & Brown, J. 1996. Conservation/development conflict? A case study from Haga-Haga. The Naturalist 40(1): 7-13.
- Hiller, N. & Stavrakis, N. 1982. Reversed currents over a point bar in the Great Fish River. Transactions of the Geological Society of South Africa 85: 215-219.
- Hilmer, T. 1984. The primary production of different phytoplankton size fractions in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth: 203 pp.
- Hilmer, T. 1990. Factors influencing the estimation of primary production in small estuaries. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Hilmer, T. 1991. Take care of our estuaries. Muniviro 8(4): 7.
- Hilmer, T. 1992. Fresh water flowing into the sea is not wasted. The Naturalist 36(1): 20-23.
- Hilmer, T. & Bate, G. 1983. Observations on the effect of outboard motor fuel oil on phytoplankton cultures. Environmental Pollution (Series A) 32: 307-316.
- Hilmer, T. & Bate, G. 1987. Hydrocarbon levels in the Swartkops estuary: a preliminary study. Water SA 13: 181-184.
- Hilmer, T. & Bate, G.C. 1990. Covariance analysis of chlorophyll distribution in the Sundays River estuary. Southern African Journal of Aquatic Sciences 16: 37-59.
- Hilmer, T. & Bate, G.C. 1991. Vertical migration of a flagellate-dominated bloom in a shallow South African estuary. Botanica Marina 34: 113-121.
- Hobday, D.K. 1965. The geomorphology of the Lake St Lucia area. MSc thesis, University of Natal, Pietermaritzburg.
- Hobday, D.K. 1975. Quaternary sedimentation and development of the lagoonal complex, Lake St Lucia, Zululand. Annals of the South African Museum 71: 93-113.
- Hobday, D.K. 1979. Geological evolution and geomorphology of the Zululand coastal plain. In: Lake Sibaya. Allanson, B.R. (ed.). Monographiae Biologicae 36: 1-20.
- Hockey, P.A.R., Navarro, R.A., Kalejta, B. & Velásquez, C.R. 1992. The riddle of the sands: why are shorebird densities so high in southern estuaries? American Naturalist 140: 961-979.
- Hockey, P.A.R. & Turpie, J.K. 1999. Estuarine birds in South Africa. In: Estuaries of South Africa. pp. 235-268. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Hodgson, A.N. 1987. Distribution and abundance of the macrobenthic fauna of the Kariega estuary. South African Journal of Zoology 22: 153-162.
- Hodgson, A.N., Allanson, B.R. & Cretchley, R. 2000a. An estimation of the standing stock and population structure of *Upogebia africana* (Crustacea: Thalassinidae) in the Knysna Estuary. Transactions of the Royal Society of South Africa 55(2): 187-196.

- Hodgson, A.N., Allanson, B.R. & Cretchley, R. 2000b. The exploitation of *Upogebia africana* (Crustacea: Thalassinidae) for bait in the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 197-204.
- Hodgson, A.N. & de Villiers, C.J. 1986. Notes on the biology of pencilbait (*Solen capensis* and *Solen cylindraceus*). *The Naturalist* 30(1): 16-19.
- Hodgson, A.N., de Villiers, C.J. & Bernard, R.T.F. 1987. Comparative spermatology of two morphologically similar species of *Solen* (Mollusca: Bivalvia). *South African Journal of Zoology* 22: 264-268.
- Hops, J.M. 1990. The effect of industrial and domestic effluents on the settlement, growth, reproduction and mortality of the brown mussel, *Perna perna*, in the outlet of the Papenskuils River, Algoa Bay, South Africa. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Howard-Williams, C. 1977. The distribution of nutrients in Swartvlei, a southern Cape coastal lake. *Water SA* 3: 213-217.
- Howard-Williams, C. 1978. Growth and production of aquatic macrophytes in a south temperate saline lake. *Internationale Vereinigung für Theoretische und Angewandte Limnologie* 20: 1153-1158.
- Howard-Williams, C. 1980. Aquatic macrophytes of the coastal wetlands of Maputaland. In: *Studies on the ecology of Maputaland*. pp. 42-51. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- Howard-Williams, C. 1980. Aquatic macrophyte communities of the Wilderness lakes: community structure and the associated environmental conditions. *Journal of the Limnological Society of Southern Africa* 6: 85-92.
- Howard-Williams, C. 1981. Studies on the ability of a *Potamogeton pectinatus* community to remove dissolved nitrogen and phosphorous compounds from lake water. *Journal of Applied Ecology* 18: 619-637.
- Howard-Williams, C. & Allanson, B.R. 1979. The ecology of Swartvlei: research for planning and future management. Water Research Commission, Pretoria. 26 pp.
- Howard-Williams, C. & Allanson, B.R. 1981a. Phosphorous cycling in a dense *Potamogeton pectinatus* L. bed. *Oecologia* 49: 56-66.
- Howard-Williams, C. & Allanson, B.R. 1981b. An integrated study on littoral and pelagic primary production in a southern African coastal lake. *Archiv für Hydrobiologie* 92: 507-534.
- Howard-Williams, C. & Davies, B.R. 1979. The rates of dry matter and nutrient loss from decomposing *Potamogeton pectinatus* in a brackish south-temperate coastal lake. *Freshwater Biology* 9: 13-21.
- Howard-Williams, C. & Liptrot, M.R. 1980. Submerged macrophyte communities in a brackish South African estuarine-lake system. *Aquatic Botany* 9: 101-116.
- Hughes, D.A. 1970. The southern limits of distribution of commercially important penaeid prawns in South Africa. *Annals of the Cape Provincial Museums (Natural History)* 8(9): 79-83.
- Hughes, D.A. 1982a. The relationship between mean annual rainfall and physiographic variables applied to a coastal region of southern Africa. *South African Geographical Journal* 64: 41-50.
- Hughes, D.A. 1982b. Conceptual catchment model parameter transfer studies using monthly data from the southern Cape coastal lakes region. Rhodes University, Hydrological Research Unit Report No. 1/82: 124 pp.
- Hughes, D.A. 1983a. The estimation of long term runoff ratios in the southern Cape coastal region. Rhodes University, Hydrological Research Unit Report No. 2/83.

- Hughes, D.A. 1983b. Preliminary investigations into isolated flood event modelling with specific reference to the southern Cape coastal lakes region. Rhodes University, Hydrological Research Unit Report No. 3/83.
- Hughes, D.A. 1983c. Conceptual catchment model parameter transfer studies: application of models to ungauged catchments in the southern Cape coastal lakes region. Rhodes University, Hydrological Research Unit Special Report No. 4/83.
- Hughes, D.A. & Görgens, A.H.M. 1983. Hydrological investigations and research in the southern Cape coastal lakes region, 1979-1983: summary and guide to HRU Reports 1/81, 1/82 and 1/83 and HRU Special Reports 1/79, 1/80, 2/83 and 4/83. Hydrological Research Unit, Rhodes University, Grahamstown.
- Hughes, P., Brundrit, G.B., Swart, D.H. & Bartels, A. 1993. The possible impacts of sea-level rise on the Diep River/Rietvlei system, Cape Town. *South African Journal of Science* 89: 488-493.
- Huizinga, P. 1984. Application of NRIO 1-D hydrodynamic model to the Swartkops estuary. CSIR Research Report 560: 19 pp.
- Huizinga, P. 1985a. A dynamic one-dimensional water quality model. CSIR Research Report 562: 23 pp.
- Huizinga, P. 1985b. Mathematical model study of the Knysna estuary. The effect of river flow on salinity distributions. CSIR Report T/SEA 8506: 43 pp.
- Huizinga, P. 1987. Hydrodynamic model studies of the Swartvlei estuary. CSIR Report T/SEA 8709: 22 pp.
- Huizinga, P. (ed.) 1991. Sedimentation in the Krom estuary. CSIR Report for the Department of Water Affairs, Pretoria.
- Huizinga, P. & Barwell, L. 1989. Report on the investigation of siltation in the Green Hole, Knysna, and technical evaluation of remedial measures. CSIR Report EMA/C 8920.
- Huizinga, P. & Gaillard, T.R. 1985. Documentation: one-dimensional hydrodynamic and water-quality model program. CSIR Report T/SEA 8507: 58 pp.
- Huizinga, P. & Gaillard, T.R. 1987. Hydrodynamic model study of the Keurbooms-Bitou estuary. CSIR (Stellenbosch), NRIO Memorandum 8718: 10 pp.
- Huizinga, P. & Haw, P.M. 1986. A mathematical transport-dispersion model of the Knysna estuary. *Civil Engineer in South Africa* 28: 267-270.
- Huizinga, P. & Luger, S. 1988. Preliminary review of tidal recording, analysis and prediction in South Africa. CSIR Report EMA/T 8813.
- Huizinga, P. & van Niekerk, L. 2001. The breaching of an estuary mouth. *SA Waterbulletin* 27(6): 14.
- Hutchison, I.P.G. 1977. Lake St Lucia - the computer points the way. *African Wildlife* 31(2): 25-27.
- Hutchison, I.P.G. & Midgley, D.C. 1978. Modelling the water and salt balance in a shallow lake. *Ecological Modelling* 4: 211-235.
- Hutchison, I.P.G. & Pitman, W.V. 1977. Lake St Lucia: mathematical modelling and evaluation of ameliorative measures. *The Civil Engineer in South Africa* 19: 75-82.
- Illenberger, W.K. 1988. The Holocene evolution of the Sundays estuary and adjacent coastal dunefields, Algoa Bay, South Africa. In: *Geomorphological Studies in Southern Africa*. pp. 389-408. Dardis, G.F. & Moon, B.P. (eds). A.A. Balkema, Rotterdam.
- Illenberger, W. 1991. Sediment dynamics of the Sundays estuary, South Africa. *The Naturalist* 35(2): 24-26.

- Illenberger, W.K. 1992. Sediment dynamics of the Sundays River mouth area, Algoa Bay. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Institute of Natural Resources. 1993a. Development of a conceptual basis for the environmental management of the port of Durban. INR Investigational Report IR 78: 39 pp.
- Institute of Natural Resources. 1993b. Development of a conceptual basis for the environmental management of the port of Richards Bay. INR Investigational Report IR 79: 41 pp.
- Institute of Natural Resources. 1993c. Environmental management workshop, port of Durban (30/08/93): overview of proceedings. INR Working Paper WP 102: 24 pp.
- Institute of Natural Resources. 1993d. Environmental management workshop, port of Richards Bay (22/04/93): overview of proceedings. INR Working Paper WP 103: 24 pp.
- Institute of Natural Resources. 1993e. The possible environmental impacts of proposed port development on the Mhlathuzi floodplain. INR Investigational Report IR 83: 6 pp.
- Jackson, L.F., Lipschitz, S. & van der Merwe, H., et al. 1984. Coastal sensitivity atlas of southern Africa. RSA Department of Transport Report: 86 pp.
- Jackson, R.N. 2002. The effect of heavy metals lead (Pb²⁺) and zinc (Zn) on the brood and larval development of the burrowing crustacean *Callinassa kraussii*. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Jackson, S. 1984. Predation by pied kingfishers and whitebreasted cormorants on fish in the Kosi estuary system. *Ostrich* 55: 113-132.
- Jacobi, E.F. 1971. Het stervende meer. *Artis* 16(5): 177-179.
- Jacot Guillarmod, A. 1982. Checklist of the aquatic and floodplain vegetation of the Wilderness lakes, southern Cape. *Bontebok* 2: 41-51.
- Jacot Guillarmod, A. & Allanson, B.R. (eds) 1981a. The Touw River floodplain. Part I. Summary and recommendations. Institute for Freshwater Studies, Rhodes University, Grahamstown: 22 pp.
- Jacot Guillarmod, A. & Allanson, B.R. (eds) 1981b. The Touw River floodplain. Part II. Hydrology and hydraulics. Institute for Freshwater Studies, Rhodes University, Grahamstown: 36 pp.
- Jacot Guillarmod, A. & Allanson, B.R. (eds) 1981c. The Touw River floodplain. Part III. The chemical and biological environment and the impact of Man. Institute for Freshwater Studies, Rhodes University, Grahamstown: 137 pp.
- James, N.C. 2001. The status of the riverbream, *Acanthopagrus berda* (Sparidae) in estuarine systems of northern KwaZulu-Natal, South Africa. MSc thesis, University of Natal, Durban.
- James, N.C., Beckley, L.E., Mann, B.Q. & Kyle, R. 2001. The recreational fishery in the Kosi estuarine lake system, South Africa. *African Zoology* 36(2): 217-228.
- James, N.C., Mann, B.Q., Beckley, L.E. & Govender, A. 2003. Age and growth of the estuarine-dependent sparid *Acanthopagrus berda* in northern KwaZulu-Natal, South Africa. *African Zoology* 38(2): 265-271.
- James, N.C., Mann, B.Q. & Radebe, P.V. 2004. Mortality estimates and biological reference points for the Natal stumpnose *Rhabdosargus sarba* (Pisces: Sparidae) in KwaZulu-Natal, South Africa. *African Journal of Aquatic Science* 29(1): 67-74.
- James, W. & Horne, C.W.D. 1969. Numerical computations for tidal propagation in the St Lucia estuary. *The Civil Engineer in South Africa*, December Issue.

- Jerling, H.L. 1988. Biology and ecology of *Pseudodiaptomus hessei* in the Sunday River estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Jerling, H.L. 1994. Feeding ecology of mesozooplankton in the Sundays River estuary. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Jerling, H.L. 1998/99. Zooplankton of the Mhlathuze (Richards Bay) Estuary: an overview, with comments on freshwater requirements. *Southern African Journal of Aquatic Sciences* 24: 141-147.
- Jerling, H.L. & Wooldridge, T.H. 1989. The developmental stages of *Pseudodiaptomus hessei* (Copepoda: Calanoida). *South African Journal of Zoology* 24: 139-145.
- Jerling, H.L. & Wooldridge, T.H. 1991. Population dynamics and estimates of production for the calanoid copepod *Pseudodiaptomus hessei* in a warm temperate estuary. *Estuarine, Coastal and Shelf Science* 33: 121-135.
- Jerling, H.L. & Wooldridge, T.H. 1992. Lunar influence on distribution of a calanoid copepod in the water column of a shallow, temperate estuary. *Marine Biology* 112: 309-312.
- Jerling, H.L. & Wooldridge, T.H. 1994a. The effect of periodic inlet closure on recruitment in the estuarine mudprawn, *Upogebia africana* (Ortmann). In: *Changes in fluxes in estuaries: implications from science to management*. pp. 301-306. K.R. Dyer & R.J. Orth (eds). Olsen & Olsen, Fredensborg, Denmark.
- Jerling, H.L. & Wooldridge, T.H. 1994b. Comparative morphology of the feeding appendages of four zooplankton species in the Sundays River estuary. *South African Journal of Zoology* 29: 252-257.
- Jerling, H.L. & Wooldridge, T.H. 1995a. Plankton distribution and abundance in the Sundays River estuary, South Africa, with comments on potential feeding interactions. *South African Journal of Marine Science* 15: 169-184.
- Jerling, H.L. & Wooldridge, T.H. 1995b. Relatively negative $\delta^{13}\text{C}$ ratios of mesozooplankton in the Sundays River estuary, comments on potential carbon sources. *Southern African Journal of Aquatic Sciences* 21: 71-77.
- Jerling, H.L. & Wooldridge, T.H. 1995c. Feeding of two mysid species on plankton in a temperate South African estuary. *Journal of Experimental Marine Biology and Ecology* 188: 243-259.
- Jezewski, W.A. & Roberts, C.P.R. 1986. Estuarine and lake freshwater requirements. Department of Water Affairs Technical Report No. TR 129: 36 pp.
- Johnson, I.M. 1977. A study of the phytoplankton of the St Lucia system. MSc thesis, University of Natal, Pietermaritzburg.
- Joubert, F. 1953. St. Luciabaai - hengelparadys nou n spookdorp. *The South African Angler* 8(3): 18.
- Joubert, L.S. 1964. A preliminary report on the penaeid prawns of Durban Bay. *Investigational Report of the Oceanographic Research Institute* 11: 1-32.
- Joubert, L.S. 1967. The penaeid prawns of the St Lucia Lake system. *Natal Wildlife* 8(3): 2-7.
- Joubert, L.S. & Davies, D.H. 1966. The penaeid prawns of the St Lucia lake system. *Investigational Report of the Oceanographic Research Institute* No. 13: 40 pp.
- Jubb, R.A. 1972. An osprey and three African skimmers visit the Bushmans estuary, eastern Cape. *Eastern Cape Naturalist* No. 45: 18-20.
- Jubb, R.A. 1979. Cichlid fish mortality: Kasouga River estuary. *Lammergeyer* 27: 51.
- Kalejta, B. 1991. Aspects of the ecology of migrant shorebirds (Aves: Charadrii) at the Berg River estuary, South Africa. PhD thesis, University of Cape Town, Cape Town.

- Kalejta, B. 1992a. Time budgets and predatory impact of waders at the Berg River estuary, South Africa. *Ardea* 80: 327-342.
- Kalejta, B. 1992b. Distribution, biomass and production of *Ceratonereis erythraeensis* (Fauvel) and *Ceratonereis keiskama* (Day) at the Berg River estuary, South Africa. *South African Journal of Zoology* 27: 121-129.
- Kalejta, B. 1993a. Diets of shorebirds at the Berg River estuary, South Africa: spatial and temporal variation. *Ostrich* 64: 123-133.
- Kalejta, B. 1993b. Intense predation cannot always be detected experimentally: a case study of shorebird predation on nereid polychaetes in South Africa. *Netherlands Journal of Sea Research* 31: 385-393.
- Kalejta, B. & Hockey, P.A.R. 1991. Distribution, abundance and productivity of benthic invertebrates at the Berg River estuary, South Africa. *Estuarine, Coastal and Shelf Science* 33: 175-191.
- Kalejta, B. & Hockey, P.A.R. 1994. Distribution of shorebirds at the Berg River estuary, South Africa, in relation to foraging mode, food supply and environmental features. *Ibis* 136: 233-239.
- Kallicharran, S. 1990. Proposals for the rehabilitation and management of the Isipingo lagoon and estuary. MSc thesis, University of Natal, Durban.
- Kennedy, M.A. 1983. Mathematical model of Lake St Lucia. B.Sc. Eng. thesis, University of Natal, Durban.
- Kibirige, I. & Perissinotto, R. 2003a. *In situ* feeding rates and grazing impact of zooplankton in a South African temporarily open estuary. *Marine Biology* 142:357-367.
- Kibirige, I. & Perissinotto, R. 2003b. The zooplankton community of the Mpenjati Estuary, a South African temporarily open/closed system. *Estuarine Coastal and Shelf Science* 58: 727-741.
- Kibirige, I., Perissinotto, R. & Nozais, C. 2002. Alternative food sources of zooplankton in a temporarily-open estuary: evidence from $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$. *Journal of Plankton Research* 24: 1089-1095.
- Kibirige, I., Perissinotto, R. & Nozais, C. 2003. Grazing rates and feeding preferences of the mysid shrimp *Gastrosaccus brevifissura* in a temporarily-open estuary, South Africa. *Marine Ecology Progress Series* 251: 201-210.
- King, J.M., Bally, R.P.A. & Silberbauer, M.J. 1989. Kleinriviersvlei: Report of an investigation into the likely effects of discharging purified sewage effluent into the Kleinriviersvlei (Hermanus Lagoon). Zoology Department, University of Cape Town, Unpublished Report: 20 pp.
- Klinger, H.C. & Kennedy, W.J. 1980. The Umzamba formation at its type section, Umzamba estuary (Pondoland, Transkei), the ammonite content and paleogeographical distribution. *Annals of the South African Museum* 81: 207-222.
- Kok, H.M. & Whitfield, A.K. 1986. The influence of open and closed mouth phases on the marine fish fauna of the Swartvlei estuary. *South African Journal of Zoology* 21: 309-315.
- Kokkinn, M.J. & Allanson, B.R. 1985. On the flux of organic carbon in a tidal salt marsh, Kowie River estuary, Port Alfred, South Africa. *South African Journal of Science* 81: 613-617.
- Kokot, D.F. 1952. The tragedy of St Lucia. *Lantern* 1: 430-432.
- Kokot, D.F. 1959. Reclamation of St Lucia estuary. *Construction in Southern Africa* 3: 26-32.
- Koop, K. 1982. Report No. 18: Bot/Kleinmond system (CSW 13). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems.* Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 417: 62 pp.

- Koop, K., Bally, R. & McQuaid, C.D. 1983. The ecology of South African estuaries. Part 12: The Bot River, a closed estuary in the south-western Cape. *South African Journal of Zoology* 18: 1-10.
- Koringa, P. 1956. Oyster culture in South Africa. Hydrological, biological and osteological observations in the Knysna lagoon, with notes on conditions in other South African waters. Investigational Report of the Division of Sea Fisheries of South Africa 20: 1-85.
- Kovács, Z. 1988. Preliminary hydrological assessment of the Natal flood. *The Civil Engineer in South Africa* 1988: 7-13.
- Kovács, Z.P., du Plessis, D.B., Bracher, P.R., Dunn, P. & Mallory, G.C.L. 1985. Documentation of the 1984 Domoina floods. Directorate of Hydrology, Department of Water Affairs, Technical Report TR 122.
- Kriel, J.P. (ed.) 1966. Report of the Commission of Inquiry into the alleged threat to animal and plant life in St Lucia Lake, 1964-1966. Government Printer, Pretoria: 371 pp.
- Kyle, R. 1980. Aspects of the ecology and exploitation of the fishes of the Kosi Bay system, KwaZulu, South Africa. PhD thesis, University of Natal, Pietermaritzburg: 245 pp.
- Kyle, R. 1989a. Two interesting fish records from Maputaland. *Lammergeyer* 40: 40-41.
- Kyle, R. 1989b. A mass mortality of fish at Kosi Bay. *Lammergeyer* 40: 39.
- Kyle, R. 1993a. Towards the wise use of the fishes of the Kosi Bay Nature Reserve. In: Fish, fishers and fisheries. pp. 107-122. Beckley, L.E. & van der Elst, R.P. (eds). Oceanographic Research Institute Special Publication No. 2: 215 pp.
- Kyle, R. 1993b. Kosi Bay sets an example - this wetland is wisely utilised. *South African Wetlands* No. 4: 3-4.
- Kyle, R. 1995. Wise use of wetlands by rural indigenous people. The Kosi Bay nature reserve: a case study. In: Wetlands of South Africa. pp. 273-291. Cowan, G.I. (ed.). Department of Environmental Affairs and Tourism, Pretoria.
- Kyle, R. 1996. Evidence of extended parental care in the southern redbreast tilapia *Tilapia rendalli*. *Lammergeyer* 44: 41-42.
- Kyle, R. & Robertson, W.D. 1997. Preliminary estimates of population size and capture rates of mature *Acanthopagus berda* in the Kosi lakes system, South Africa, using mark-recapture methods. *South African Journal of Zoology* 32, 124-128.
- Lambert, G., Steinke, T.D. & Naidoo, Y. 1987. Algae associated with mangroves in southern African estuaries. 1. Rhodophyceae. *South African Journal of Botany* 53: 349-361.
- Lambert, G., Steinke, T.D. & Naidoo, Y. 1989. Algae associated with mangroves in southern African estuaries: Cyanophyceae. *South African Journal of Botany* 55: 476-491.
- Lamberth, S. & Turpie, J. 2003a. The role of estuaries in South African fisheries: economic importance and management implications. Water Research Commission Report No. 756/2/03: 36 pp.
- Lamberth, S. & Turpie, J. 2003b. The role of estuaries in South African fisheries: economic importance and management implications. *African Journal of Science* 25: 131-157.
- Largier, J.L. 1986. Structure and mixing in the Palmiet estuary. *South African Journal of Marine Science* 4: 139-152.
- Largier, J.L. 1992. Tidal intrusion fronts. *Estuaries* 15: 26-39.
- Largier, J.L., Attwood, C. & Harcourt-Baldwin, J-L. 2000. The hydrographic character of the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 107-122.

- Largier, J.L. & Slinger, J.H. 1991. Circulation in highly stratified southern African estuaries. *Southern African Journal of Aquatic Sciences* 17: 103-115.
- Largier, J.L., Slinger, J.H. & Taljaard, S. 1991. The stratified hydrodynamics of the Palmiet - a prototypical bar-built estuary. In: *Dynamics and exchanges in estuaries and the coastal zone*. pp. 135-153. Prandle, D. (ed.). Springer-Verlag, New York.
- Largier, J.L. & Taljaard, S. 1991. The dynamics of tidal intrusion, retention, and removal of seawater in a bar-built estuary. *Estuarine, Coastal and Shelf Science* 33: 325-338.
- Lasiak, T. 1981. Nursery grounds of juvenile teleosts: evidence from the surf zone of Kings Beach, Port Elizabeth. *South African Journal of Science* 77: 388-390.
- Lasiak, T. 1983a. Recruitment and growth patterns of juvenile marine teleosts caught at Kings Beach, Algoa Bay. *South African Journal of Zoology* 18: 25-30.
- Lasiak, T. 1983b. Aspects of the reproductive biology of the southern mullet, *Liza richardsoni*, from Algoa Bay, South Africa. *South African Journal of Zoology*. 18: 89-95.
- Lasiak, T. 1984. The reproductive biology of the moony, *Monodactylus falciformis*, in Algoa Bay. *South African Journal of Zoology* 19: 250-252.
- Le Quesne, W.J.F. 2000. Nekton utilisation of intertidal estuarine marshes in the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 205-214.
- Lee, J. 1993. Instream flow requirements for the Algoa region. Report by Ninham Shand Consulting Engineers to the Department of Water Affairs & Forestry, Pretoria.
- Leverton, B.J. 1975. Richards Bay: past, present and future. *Lantern* 25(1): 82-87.
- Lindley, A.J. & Scott, D.F. 1987. The effect of pine plantations on the ground-water resources of the eastern shores of Lake St Lucia. *South African Forestry Research Institute Report JFRC 87/01*.
- Lindsay, P., Mason, T.R., Pillay, S. & Wright, C.I. 1996a. Sedimentology and dynamics of the Mfolozi estuary, north KwaZulu-Natal, South Africa. *South African Journal of Geology* 99:
- Lindsay, P., Mason, T.R., Pillay, S. & Wright, C.I. 1996b. Suspended particulate matter and dynamics of the Mfolozi estuary, north KwaZulu-Natal, South Africa. *Environmental Geology* 28: 40-51.
- Liptrot, M.R.N. 1978. Community metabolism and phosphorus dynamics in a seasonally closed South African estuary. MSc thesis, Rhodes University, Grahamstown.
- Liptrot, M.R.N. & B.R. Allanson. 1978. Community metabolism and phosphorus dynamics in the Swartvlei estuary. Institute for Freshwater Studies, Rhodes University, Grahamstown, Special Report No. 78/4. 125 pp.
- Loubser, H. 1992. Larval biology of the estuarine mudprawn, *Upogebia africana*. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Loudon, A.A. 1984. Report on stabilisation and protection of the north bank of the estuary at St. Lucia. A.A. Loudon & Partners.
- Lubke, R.A. 1985. Estuaries and estuarine plants of the eastern Cape coast. *The Naturalist* 29(2): 19-21.
- Lubke, R.A. 1988. The ecology of coastal regions. In: *A field guide to the eastern Cape coast*. pp. 317-367. Lubke, R.A., Gess, F.W. & Bruton, M.N. (eds). Wildlife Society of Southern Africa, Grahamstown.
- Lubke, R.A. 1998. Estuarine plants. In: *Field Guide to the Eastern and Southern Cape Coasts* (ed. R.A. Lubke & I.J. de Moor), pp. 187-197. University of Cape Town Press, Cape Town.

- Lubke, R.A. & van Wijk, Y. 1988. Estuarine plants. In: A field guide to the eastern Cape coast. pp. 133-151. Lubke, R.A., Gess, F.W. & Bruton, M.N. (eds). Wildlife Society of Southern Africa, Grahamstown.
- Lucas, A.B. 1986. The distribution of chlorophyll pigments in relation to cyclic, sporadic and episodic events in the Great Fish River estuary. MSc Limnology Project Report, Department of Zoology & Entomology, Rhodes University, Grahamstown: 79 pp.
- Lucas, M.I. & Newell, R.C. 1984. Utilization of saltmarsh detritus by two estuarine bivalves: carbohydrase activity of crystalline style enzymes of the oyster *Crassostrea virginica* (Gmelin) and the mussel *Geukensia demissa* (Dillwyn). *Marine Biology Letters* 5: 275-290.
- Lucas, M.I., Newell, R.C., Shumway, S.E., Seiderer, L.J. & Bally, R. 1987. Particle clearance and yield in relation to bacterioplankton and suspended particulate availability in estuarine and open coast populations of the mussel *Mytilus edulis*. *Marine Ecology Progress Series* 36: 215-224.
- Lusher, J.A. (ed.) 1984. Water quality criteria for the South African coastal zone. South African National Scientific Programmes Report No. 94: 25 pp.
- Mackay, C.F. & Cyrus, D.P. 1998/99. A review of the macrobenthic fauna of the Mhlathuze Estuary: setting the ecological reserve. *Southern African Journal of Aquatic Sciences* 24: 111-129.
- Mackay, C.F. & Cyrus, D.P. 2001. Available information on macroinvertebrates of the Mhlathuze coastal lakes: setting the ecological reserve. *African Journal of Aquatic Science* 26: 85-98.
- MacKay, H.M. 1988. Water structures and circulation in the Sundays River estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- MacKay, H.M. 1989. Water structures and circulation in the Sundays River estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- MacKay, H.M. 1993. The impact of urban runoff on the water quality of the Swartkops estuary: implications for water quality management. WRC Report KV 45/93: 217 pp.
- MacKay, H.M. 1994. Management of water quality in an urban estuary. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- MacKay, H.M. & Schumann, E.H. 1990. Mixing and circulation in the Sundays River estuary, South Africa. *Estuarine, Coastal and Shelf Science* 31: 203-216.
- MacKay, H.M. & Schumann, E.H. 1991. Tidal and long-period water level variations in the Sundays River estuary, South Africa. *South African Journal of Science* 87: 597-600.
- Macnae, W. 1956. Aspects of life on muddy shores in South Africa. *South African Journal of Science* 53: 40-43.
- Macnae, W. 1957a. The ecology of the plants and animals in the intertidal regions of the Zwartkops estuary near Port Elizabeth, South Africa. Part 1. *Journal of Ecology* 45: 113-131.
- Macnae, W. 1957b. The ecology of the plants and animals in the intertidal regions of the Zwartkops estuary near Port Elizabeth, South Africa. Part 2. *Journal of Ecology* 45: 361-387.
- Macnae, W. 1963. Mangrove swamps in South Africa. *Journal of Ecology* 51: 1-25.
- Malan, D.E. 1982. The effects of Qatar light crude oil on the saltmarsh crab *Sesarma catenata* (Crustacea: Grapsidae) in the Swartkops estuary, Port Elizabeth, South Africa. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Malan, D.E. 1986. Effects of Qatar light crude oil on adult salt crab *Sesarma catenata* and implications in the field: respiration, oxygen diffusion and hypoxia. *South African Journal of Marine Science* 4: 265-275.

- Malan, D.E., Erasmus, T. & Baird, D. 1988. Aspects of *Sesarma catenata* (Grapsidae, Crustacea) burrows and its implications in the event of an oil spill. *Estuarine, Coastal and Shelf Science* 26: 95-104.
- Mander, M. 2001. The value of estuaries. In: *Managing estuaries in South Africa. An introduction*. pp. 2-9. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- Manley, J.H. 1976. A methodology of environmental and recreational planning with special reference to the George-Knysna lakes region. *Zambezia* 4: 19-39.
- Mann, B.Q. 1993a. Who needs St Lucias fish? *Ichthos* 39: 6.
- Mann, B.Q. 1993b. Fishing in St Lucia - Lets look at the facts. *Tight Lines* (December): 16-17.
- Mann, B.Q. 1995. Fish by-catch in the St Lucia bait prawn fishery. *Lammergeyer* 43: 30-38.
- Mann, B.Q. 1996. Casting off conflict. A subsistence net fishery for Lake St Lucia. *African Wildlife* 50(1): 26-27.
- Mann, F.D. & Steinke, T.D. 1988. Photosynthetic and respiratory responses of the mangrove-associated red algae, *Bostrychia radicans* and *Caloglossa leprieurii*. *South African Journal of Botany* 54: 203-207.
- Mann, F.D. & Steinke, T.D. 1989. Biological nitrogen fixation (acetylene reduction) associated with blue-green algal (cynobacterial) communities in the Beachwood Mangrove Nature Reserve. I. The effect of environmental factors on acetylene reduction activity. *South African Journal of Botany* 55: 438-446.
- Mann, F.D. & Steinke, T.D. 1992. Biological nitrogen fixation (acetylene reduction) associated with decomposing *Avicennia* leaves in the Beachwood Mangrove Nature Reserve. *South African Journal of Botany* 58: 533-536.
- Mann, F.D. & Steinke, T.D. 1993. Biological nitrogen fixation (acetylene reduction) associated with blue-green algal (cynobacterial) communities in the Beachwood Mangrove Nature Reserve. II. Seasonal variation in acetylene reduction activity. *South African Journal of Botany* 59: 1-8.
- Mann-Lang, J. 1997. St Lucia and Kosi Bay estuarine angling: catch details. *Tight Lines* January Edition: 9-11.
- Marais, J.F.K. 1976. The nutritional ecology of mullets in the Swartkops estuary. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Marais, J.F.K. 1977-79. *Visse van die Swartkopsriviermonding*. 1. *Mugil cephalus* 2. *Liza dumerili* 3. *Liza richardsoni* 4. *Liza tricuspidens* 5. *Pomadasyss commersonni* 6. *Lichia amia* 7. *Lithognathus lithognathus*. *The Eastern Cape Naturalist* No. 60-66.
- Marais, J.F.K. 1978. Routine oxygen consumption of *Mugil cephalus*, *Liza dumerili* and *L. richardsoni* at different temperatures and salinities. *Marine Biology* 50: 9-16.
- Marais, J.F.K. 1980. Aspects of food intake, food selection, and alimentary canal morphology of *Mugil cephalus* (Linnaeus, 1958), *Liza tricuspidens* (Smith, 1935), *L. richardsoni* (Smith, 1846), and *L. dumerili* (Steindachner, 1869). *Journal of Experimental Marine Biology and Ecology* 44: 193-209.
- Marais, J.F.K. 1981. Seasonal abundance, distribution and catch per unit effort using gill-nets, of fishes in the Sundays estuary. *South African Journal of Zoology* 16: 144-150.
- Marais, J.F.K. 1982. The effects of river flooding on the fish populations of two eastern Cape estuaries. *South African Journal of Zoology* 17: 96-104.
- Marais, J.F.K. 1983a. Seasonal abundance, distribution and catch per unit effort of fishes in the Krom estuary, South Africa. *South African Journal of Zoology* 18: 96-102.
- Marais, J.F.K. 1983b. Fish abundance and distribution in the Gamtoos estuary with notes on the effects of floods. *South African Journal of Zoology* 18: 103-109.

- Marais, J.F.K. 1984. Feeding ecology of major carnivorous fish from four eastern Cape estuaries. *South African Journal of Zoology* 19: 210-223.
- Marais, J.F.K. 1985. Some factors influencing the size of fishes caught in gill nets in eastern Cape estuaries. *Fisheries Research* 3: 251-261.
- Marais, J.F.K. 1988. Some factors that influence fish abundance in South African estuaries. *South African Journal of Marine Science* 6: 67-77.
- Marais, J.F.K. 1990. Body composition of ten migrants and one freshwater fish species caught in estuaries of the eastern Cape, South Africa. *South African Journal of Marine Science* 9: 135-140.
- Marais, J.F.K. & Baird, D. 1980a. Analysis of anglers catch data from the Swartkops estuary. *South African Journal of Zoology* 15: 61-65.
- Marais, J.F.K. & Baird, D. 1980b. Seasonal abundance, distribution, and catch per unit effort of fishes in the Swartkops estuary. *South African Journal of Zoology* 15: 66-71.
- Marais, J.F.K. & Erasmus, T. 1977a. Body composition of *Mugil cephalus*, *Liza dumerili*, *Liza richardsoni* and *Liza tricuspidens* (Teleostei: Mugilidae) caught in the Swartkops estuary. *Aquaculture* 10: 75-86.
- Marais, J.F.K. & Erasmus, T. 1977b. Chemical composition of alimentary canal contents of mullet (Teleostei: Mugilidae) caught in the Swartkops estuary near Port Elizabeth, South Africa. *Aquaculture* 10: 263-273.
- Marais, J.F.K. & Prinsloo, J.F. 1980. Species composition and catch per unit effort of fishes in four Transkeian estuaries. Unpublished Report, Zoology Department, University of Transkei, Umtata.
- Marais, J.F.K. & Venter, D.J.L. 1991. Changes in body composition associated with growth and reproduction in *Galeichthys feliceps* (Teleostei: Ariidae). *South African Journal of Marine Science* 10: 149-157.
- Marais, J.F.K. & Winter, P.E.D. 1988. Factors that determine fish abundance in Eastern Cape estuaries. In: Towards an environmental plan for the eastern Cape. Bruton, M.N. & Gess, F.W. (eds). Rhodes University, Grahamstown.
- Maree, B. 2000. Structure and status of the intertidal wetlands of the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 163-176.
- Maree, R.C., Whitfield, A.K. & Booth, A.J. 2000. Effect of water temperature on the biogeography of South African estuarine fish species associated with the subtropical/warm temperate subtraction zone. *South African Journal of Science* 96, 184-188.
- Maree, R.C., Whitfield, A.K. & Quinn, N.W. 2003. Prioritization of South African estuaries based on their potential importance to estuarine-associated fish species. Water Research Commission Report No. TT 203/03: 56 pp.
- Marine Reserves Task Group. 1997. Towards a new policy on marine protected areas for South Africa. South African Network for Coastal and Oceanic Research, Occasional Report No. 2: 127 pp.
- Marker, M.E. 2000. A descriptive account of sand movement in the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 129-139.
- Marker, M.E. & Miller, D.E. 1993. A Mid-Holocene high stand of the sea at Knysna. *South African Journal of Science* 89: 100-101.
- Marshall, D.J., Perissinotto, R., Nozias, C., Haines, C.-J. & Proches, S. 2001. Occurrence of the astigmatid mite *Tyrophagus* in the estuarine environment. *Journal of the Marine Biological Association* 81: 889-890.

- Marshall, D.J., Perissinotto, R. & Holley, J.-F.. 2003. Respiratory responses of the mysid *Gastrosaccus brevifissura* (Peracarida: Mysidacea), in relation to body size, temperature and salinity. *Journal of Plankton Research* 24(10): 1089-1095.
- Martin, A.K. 1987. Comparison of sedimentation rates in the Natal valley, south-west Indian Ocean, with modern sediment yields of rivers on the east coast of southern Africa. *South African Journal of Science* 83: 716-724.
- Martin, A.P. 1984. Non-waders on the Swartkops estuary. *Bee-eater* 35: 28-29.
- Martin, A.P. 1991a. Feeding ecology of birds on the Swartkops estuary, South Africa. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Martin, A.P. 1991b. Numbers and feeding habits of birds on the Swartkops estuary. *The Naturalist* 35(2): 27-31.
- Martin, A.P. & Baird, D. 1987. Seasonal abundance and distribution of birds on the Swartkops estuary. *Ostrich* 58: 122-134.
- Martin, A.P. & Baird, D. 1988. Management plan for a proposed nature reserve in the Swartkops valley, Port Elizabeth. Unpublished Report to the South African Nature Foundation: 68 pp.
- Martin, A.P., von Korff, J. & Watt, L. 2000. Abundance and distribution of waterbirds on the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 215-222.
- Martin, A.R.H. 1962. Evidence relating to the Quarternary history of the Wilderness lakes. *Transactions of the Geological Society of South Africa* 65: 19-42.
- Martin, T.J. 1983. The biology of Ambassidae (Cuvier)(Teleostei) in Natal estuaries. PhD thesis, University of Natal, Pietermaritzburg.
- Martin, T.J. 1988. Interaction of salinity and temperature as a mechanism for spatial separation of three co-existing species of Ambassidae (Cuvier)(Teleostei) in estuaries on the south-east coast of Africa. *Journal of Fish Biology* 33 (Supplement A): 9-15.
- Martin, T.J. 1989. Niche separation in *Ambassis* (Pisces: Perciformes) species co-existing in estuaries of south-east Africa. *Journal of Fish Biology* 35 (Supplement A): 321-328.
- Martin, T.J. 1990. Osmoregulation in three species of Ambassidae (Osteichthyes: Perciformes) from estuaries in Natal. *South African Journal of Zoology* 25: 229-234.
- Martin, T.J. & Blaber, S.J.M. 1983. The feeding ecology of Ambassidae (Osteichthyes: Perciformes) in Natal estuaries. *South African Journal of Zoology* 18: 353-362.
- Martin, T.J. & Blaber, S.J.M. 1984. Morphology and histology of the alimentary tracts of Ambassidae (Cuvier)(Teleostei) in relation to feeding. *Journal of Morphology* 182: 295-305.
- Martin, T.J., Cyrus, D.P. & Forbes, A.T. 1992. Episodic events: the effects of cyclonic flushing on the ichthyoplankton of St Lucia estuary on the southeast coast of Africa. *Netherlands Journal of Sea Research* 30: 273-278.
- Martin, T.J. & Heemstra, P.C. 1988. Identification of *Ambassis* species (Pisces: Perciformes, Ambassidae) from South Africa. *South African Journal of Zoology* 23: 7-12.
- Masson, H.L. 1975. Diatoms in estuaries. *The Eastern Cape Naturalist* No. 56: 11-13.
- Masson, H. & Marais, J.F.K. 1975. Stomach content analyses of mullet from the Swartkops estuary. *Zoologica Africana* 10: 193-207.
- Mastenbroek, W.K. 2002. Fish and macro-invertebrate migration through a fishway on the Nhlabane Estuary in KwaZulu-Natal, South Africa. MSc thesis, University of Natal, Durban. 83 pp.

- Mbande, S. 2003. Fishes of the Mngazi and Mngazana estuaries, with particular emphasis on the community structure and primary carbon sources. MSc thesis, Rhodes University, Grahamstown. 97 pp.
- Mbande, S., Froneman, W. & Whitfield, A.K. 2004. The primary carbon sources utilised by fishes in the Mngazi and Mngazana estuaries, South Africa: a preliminary assessment. *African Journal of Aquatic Science* 29(2), 195-204.
- McClurg, T.P. 1979. The effects of some pollutants on *Penaeus indicus* (Crustacea: Penaeidea: Penaeidae) with particular reference to Richards Bay. MSc thesis, University of Natal, Durban.
- McClurg, T.P., Connell, A.D., Gardner, B.D., Stanton, R.C., Engelbrecht, E., Delpont, J.A., Butler, A.C. & Sibbald, R.R. 1982. I. Monitoring survey of Richards Bay harbour and sanctuary - December 1981. Section A. Marine Pollution. NIWR/CSIR Durban, Seventh Annual Report, pp. 1-2 & 2 figures and 4 tables.
- McCormick, S., Cooper, J.A.G. & Mason, T.R. 1992. Fluvial sediment yield to the Natal coast: a review. *Southern African Journal of Aquatic Sciences* 18: 74-88.
- McGill, G. 1980. Evaluating the effectiveness of the Mfolozi-St Lucia link by numerical modelling. University of the Witwatersrand, Hydrological Research Unit Report No. 3/80.
- McGill, G. 1982. The effects of Mkuze irrigation abstractions on St Lucia lake salinity. University of the Witwatersrand, Hydrological Research Unit Report No. 716/2036.
- McKenzie, M. 2001. Policy and law. In: *Managing estuaries in South Africa. An introduction.* pp. 50-61. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- McLachlan, A. 1972. Studies on burrowing bivalves in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- McLachlan, A. 1974. Notes on the biology of some estuarine bivalves. *Zoologica Africana* 9: 15-34.
- McLachlan, A. 1975. The burrowing fauna of the Swartkops estuary. Swartkops Trust, Port Elizabeth.
- McLachlan, A. & Erasmus, T. 1974. Temperature tolerances and osmoregulation in some estuarine bivalves. *Zoologica Africana* 9: 1-14.
- McLachlan, A. & Grindley, J.R. 1974. Distribution of macrobenthic fauna of soft substrata in Swartkops estuary with observations on the effects of floods. *Zoologica Africana* 9: 147-160.
- Mehl, J.A.P. 1973. Ecology, osmoregulation and reproductive biology of the white steenbras *Lithognathus lithognathus* (Teleostei: Sparidae). *Zoologica Africana* 8: 157-230.
- Meineke, E.N. 1960. Floods in the south-eastern coastal area, May 1959. *Transactions of the South African Institution of Civil Engineers* 2: 191-199.
- Melville-Smith, R. 1978. Aspects of the ecology of fish larvae in the Swartkops estuary, Port Elizabeth. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Melville-Smith, R. 1981. The ichthyoplankton of the Kromme River estuary. *South African Journal of Zoology* 16: 71-72.
- Melville-Smith, R. & Baird, D. 1980. Abundance, distribution and species composition of fish larvae in the Swartkops estuary. *South African Journal of Zoology* 15: 72-78.
- Melville-Smith, R., Baird, D. & Wooldridge, T. 1981. The utilization of tidal currents by the larvae of an estuarine fish. *South African Journal of Zoology* 16: 10-13.

- Millard, N.A.H. 1950. On a collection of sessile barnacles from the Knysna estuary, South Africa. Transactions of the Royal Society of South Africa. 32(3): 265-272.
- Millard, N.A.H. & Broekhuysen, G.J. 1970. The ecology of South African estuaries. Part 10. St Lucia. A second report. Zoologica Africana 5: 277-307.
- Millard, N.A.H. & Harrison, A.D. 1954. The ecology of South African estuaries. Part 5: Richards Bay. Transactions of the Royal Society of South Africa 34: 157-179.
- Millard, N.A.H. & Scott, K.M.F. 1954. The ecology of South African estuaries. Part 6: Milnerton estuary and the Diep river, Cape. Transactions of the Royal Society of South Africa 34: 279-324.
- Miller, D.E. 1990. A southern African Late Quaternary sea-level curve. South African Journal of Science 86: 456-458.
- Moes, J. 1979. n Wiskundige model vir die bepaling van stabiliteit van getymondings aan sediment kuste. MSc thesis, University of Stellenbosch, Stellenbosch: 395 pp.
- Moll, E.J. 1970. St Lucias mangroves. Natal Wildlife 11(3): 10-12.
- Moll, E.J. 1972. Beachwood mangroves die. Natal Wildlife 13(2): 5-6.
- Moll, E.J. 1978. How secure is the ecology of the Kosi system? Lammergeyer 24: 44-47.
- Moll, E.J., Ward, C.J., Steinke, T.D. & Cooper, K.H. 1971. Our mangroves threatened. African Wildlife 25(3): 103-107.
- Moll, E.J. & Werger, M.J.A. 1978. Mangrove communities. In: Biogeography and ecology of southern Africa. Werger, M.J.A. & van Bruggen, A.C. (eds). Junk, The Hague.
- Morant, P.D. 1981. Wetland classification: a review of existing wetland classification systems and their applicability in southern Africa. MSc thesis, University of Cape Town, Cape Town: 180pp.
- Morant, P.D. 1983. Wetland classification: towards an approach for southern Africa. Journal of the Limnological Society of southern Africa 9: 76-84.
- Morant, P.D. 1983. Report No. 20: Groot Brak (CMS 3). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 419: 51 pp.
- Morant, P.D. 1984. Report No. 26: Olifants (CW 10). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 425: 54 pp.
- Morant, P.D. 1987. Attempted piscivory and piracy of waders by Hartlaubs gulls *Larus hartlaubii* at the Uilkraals estuary. Cormorant 15: 96-97.
- Morant, P.D. 1991. The estuaries of False Bay. Transactions of the Royal Society of South Africa 47: 629-640.
- Morant, P.D. & Bickerton, I.B. 1983. Report No. 19: Groot (Wes)(CMS 23) and Sout (CMS 22). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 418: 54 pp.
- Morant, P.D. & Grindley, J.R. 1982. Report No. 14: Sand (CSW 4). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report No. 413: 70 pp.
- Morant, P.D. & O'Callaghan, M. 1990. Some observations on the impact of the March 1988 flood on the biota of the Orange River mouth. Transactions of the Royal Society of South Africa 47: 295-305.

- Morant, P.D. & Quinn, N.W. 1999. Influence of Man and management of South African estuaries. In: Estuaries of South Africa. pp. 289-320. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Mundree, S., Perissinotto, R. & Nozias, C. 2003. Seasonal variations in the vertical distribution of benthic microalgae in the upper sediment of the Mdloti Estuary, South Africa. *Botanica Marina* 46: 323-331.
- Munnik, V. 1993. Scramble for paradise. Part 2. The fish kraals and death lists of Kosi Bay. *New Ground* No. 12: 10-14.
- Mzimela, H.M., Wepener, V. & Cyrus, D.P. 2002. The sublethal effects of copper and lead on the haematology and acid base balance of the groovy mullet, *Liza dumerili*. *African Journal of Aquatic Science* 27(1): 39-46.
- Naidoo, G. 1980. Mangrove soils of the Beachwood area, Durban. *Journal of South African Botany* 46: 293-304.
- Naidoo, G. 1983. Effects of flooding on leaf water potential and stomatal resistance in *Bruguiera gymnorhiza* (L.) Lam. *New Phytologist* 93: 369-376.
- Naidoo, G. 1985. Effects of waterlogging and salinity on plant water relations and on the accumulation of solutes in three mangrove species. *Aquatic Botany* 22: 133-143.
- Naidoo, G. 1986. Responses of the mangrove, *Rhizophora mucronata* Lam. to high salinities and low osmotic potentials. *South African Journal of Botany* 52: 124-128.
- Naidoo, G. 1987. Effects of salinity and nitrogen on growth and plant water relations in the mangrove *Avicennia marina*. *New Phytologist* 107: 317-325.
- Naidoo, G. 1988. Seasonal plant water relations in a South African mangrove swamp. *Aquatic Botany* 33: 87-100.
- Naidoo, G. 1990. Effects of nitrate, ammonium and salinity on the growth of the mangrove *Bruguiera gymnorhiza*. *Aquatic Botany* 38: 209-219.
- Naidoo, G., McKee, K.L. & Mendelssohn, I.A. 1992. Anatomical and metabolic responses to waterlogging and salinity in *Spartina alterniflora* and *S. patens*. *American Journal of Botany* 79: 765-770.
- Naidoo, G. & Mundree, S.G. 1993. Relationship between morphological and physiological responses to waterlogging and salinity in *Sporobolus virginicus* (L.) Kunth. *Oecologia* 93: 360-366.
- Naidoo, G. & Naicker, K. 1992. Seed germination in the coastal halophytes *Triglochin bulbosa* and *Triglochin striata*. *Aquatic Botany* 42: 217-229.
- Naidoo, G. & Naidoo, S. 1992. Waterlogging responses of *Sporobolus virginicus* (L.) Kunth. *Oecologia* 90: 445-450.
- Naidoo, G. & Naidoo, D.K. 1981. Field studies on diurnal leaf diffusive resistance of mangrove leaves at various soil moisture tensions and photosynthetic active radiation. *Journal of South African Botany* 47: 627-636.
- Naidoo, G. & Raiman, F. 1982. Some physical and chemical properties of mangrove soils at Isipingo and Mgeni, Natal. *South African Journal of Botany* 1: 85-90.
- Naidoo, G., Rogolla, H. & von Willert, D.J. 1997. Gas exchange responses of a mangrove species, *Avicennia marina*, to waterlogged and drained conditions. *Hydrobiologia* 352: 39-47.
- Naidoo, G. & Rughunanan, R. 1990. Salt tolerance in the succulent coastal halophyte, *Sarcocornia natalensis*. *Journal of Experimental Botany* 41: 497-502.

- Naidoo, Y., Naidoo, G. & Lawton, J.R. 1991. Further investigations of the secretory structures on the leaves of *Sporobolus virginicus*. *Electron Microscope Society of Southern Africa* 21: 133-134.
- Natal Parks Board. 1976a. Lake St Lucia flooded. *Omgewing/Environment RSA* 3(8): 3-4.
- Natal Parks Board. 1976b. Travelling pelicans of St Lucia. *Omgewing/Environment RSA* 3(10): 7-8.
- Natal Town and Regional Planning Commission. 1987. Rehabilitation of the Isipingo estuary and lagoon. Natal Town and Regional Planning Commission, Pietermaritzburg, Supplementary Report, Volume 25.
- National Research Institute for Oceanology. 1975a. The Umgeni estuary investigation: field studies. CSIR/NRIO Confidential Report C/SEA 75/1: 1-45.
- National Research Institute for Oceanology. 1975b. The Umgeni estuary investigation: model studies for the Durban Corporation. CSIR/NRIO Confidential Report C/SEA 75/12: 1-35.
- National Research Institute for Oceanology. 1977. Training of the Umzimkulu estuary mouth: a feasibility report. CSIR/NRIO Report C/SEA 7707: 1-8.
- National Research Institute for Oceanology. 1981a. Hydrological/hydraulic study of Natal estuaries: Data Report No. 1. Mtamvuna NS1. CSIR/NRIO Confidential Report: 1-18.
- National Research Institute for Oceanology. 1981b. Hydrological/hydraulic study of Natal estuaries: Data Report No. 5. Mzumbe NS26. CSIR/NRIO Confidential Report: 1-13.
- National Research Institute for Oceanology. 1981c. Hydrological/hydraulic study of Natal estuaries: Data Report No. 3. Mahlongwa NS41. CSIR/NRIO Confidential Report: 1-15.
- National Research Institute for Oceanology. 1981d. Hydrological/hydraulic study of Natal estuaries: Data Report No. 2. Zinkwasi NN10. CSIR/NRIO Confidential Report: 1-25.
- National Research Institute for Oceanology. 1982a. Hydrological/hydraulic study of Natal estuaries: Data Report No. 10. Mkomazi NS43. CSIR/NRIO Confidential Report: 1-24.
- National Research Institute for Oceanology. 1982b. Hydrological/hydraulic study of Natal estuaries: Data Report No. 6. Lovu NS47. CSIR/NRIO Confidential Report: 1-13.
- National Research Institute for Oceanology. 1982c. Hydrological/hydraulic study of Natal estuaries: Data Report No. 7. Mgeni NN1. CSIR/NRIO Confidential Report: 1-13.
- National Research Institute for Oceanology. 1982d. Hydrological/hydraulic study of Natal estuaries: Data Report No. 9. Mdloti NN3. CSIR/NRIO Confidential Report: 1-12.
- National Research Institute for Oceanology. 1982e. Hydrological/hydraulic study of Natal estuaries: Data Report No. 8. Tongati NN4. CSIR/NRIO Confidential Report: 1-19.
- National Research Institute for Oceanology. 1983a. Hydrological/hydraulic study of Natal estuaries: Data Report No. 11. Mpambanyoni NS40. CSIR/NRIO Confidential Report: 1-26.
- National Research Institute for Oceanology. 1983b. Hydrological/hydraulic study of Natal estuaries: Data Report No. 13. Mhlali NN5. CSIR/NRIO Confidential Report: 1-25.
- National Research Institute for Oceanology. 1983c. Hydrological/hydraulic study of Natal estuaries: Data Report No. 12. Mvoti NN7. CSIR/NRIO Confidential Report: 1-23.
- National Research Institute for Oceanology. 1986. Basic physical geography - hydro data for Natal estuaries. CSIR/NRIO Data Report D8607: 6 pp.
- National Research Institute for Oceanology. 1987. Basic physical geography/hydro data for estuaries of the south-eastern Cape (CSE 1-59). CSIR/NRIO Data Report D/8703.

- National Research Institute for Oceanology, VISKOR. 1980. Knysna pleisierboot hawe uitvoorbaarheids ondersoek. Deel I en Deel II (aanhangel). National Research Institute for Oceanology and VISKOR, Stellenbosch: 29 pp. + figs.
- Neethling, J. & Jubb, R.A. 1973. Fiddler crabs in the Kariega river estuary, Kenton-on-sea. Eastern Cape Naturalist No.45: 3.
- Neira, F.J., Beckley, L.E. & Whitfield, A.K. 1988. Larval development of the Cape silverside, *Atherina breviceps* Cuv. & Val., 1835 (Teleostei, Atherinidae) from southern Africa. South African Journal of Zoology 23: 176-183.
- Nel, A. 1980. Palmietrivier ekologiese impakstudie Volume I en II. Division of Special Tasks, Directorate of Water Affairs, Pretoria.
- Newman, B.K. 1993. Aspects of the biology and ecology of the estuarine cirrolanid isopod *Cirolana fluviatilis* in two eastern Cape estuaries. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Ngcobo, D., Sihlophe, N. & McKenzie, M. 2001. Local management of estuaries: An integrated approach in the Eastern Cape. SA Waterbulletin 27(6): 8-9.
- Nixon, A. 1975. Avifaunal additions to "The Swartkops Estuary" check list. Bee-eater 26(2): 2-3.
- Noble, R.G. & Hemens, J. 1978. Inland water ecosystems in South Africa - a review of research needs. South African National Scientific Programmes Report No. 34: 150 pp.
- Nozais, C., Perissonotto, R. & Mundree, S. 2001. Annual cycle of microalgal biomass in a South African temporarily-open estuary: nutrient versus light limitation. Marine Ecology Progress Series 223: 39-48.
- O'Callaghan, M. 1990a. The ecology of the False Bay estuarine environments, Cape, South Africa. 1. The coastal vegetation. Bothalia 20: 105-112.
- O'Callaghan, M. 1990b. The ecology of the False Bay estuarine environments, Cape, South Africa. 2. Changes during the last fifty years. Bothalia 20: 113-122.
- O'Callaghan, M. 1994a. Saltmarshes of the Cape (South Africa): vegetation dynamics and interactions. PhD thesis, University of Stellenbosch, Stellenbosch.
- O'Callaghan, M. 1994b. The marsh vegetation of Kleinmond lagoon. Bothalia 24: 235-240.
- Oliff, W.D., Turner, W.D., Gardner, B.G. & Sharp, J.B. 1975. 5. The Umgeni estuary. (a) Sediment analysis as a means of characterising conditions in estuaries. CSIR Natal Annual Report pp. 297-312.
- Olivier, P.A.S. & van Niekerk, J.P. 1995. New morphological information on the parasitic copepod *Lernanthropus sarbae* Kensley & Grindley, 1973 (Copepoda: Lernanthropidae) from Lake St Lucia, South Africa, using scanning electron microscopy. Koedoe 38(2): 99-104.
- Orme, A.R. 1973. Barrier and lagoon systems along the Zululand coast, South Africa. In: Coastal Geomorphology. pp. 181-217. Coates, R.D. (ed.). State University of New York, Binghamton, New York.
- Orme, A.R. 1974. Estuarine sedimentation along the Natal coast, South Africa. Technical Report 5, Office of Naval Research, U.S.A.: 53 pp.
- Orme, A.R. 1975a. Ecological stress in a subtropical coastal lagoon: Lake St Lucia, Zululand. Geoscience and Management 12: 9-22.
- Orme, A.R. 1975b. Late Pleistocene channels and Flandrian sediments beneath Natal estuaries: a synthesis. Annals of the South African Museum 71: 77-85.

- Orren, M.J., Eagle, G.A., Fricke, A.H., Greenwood, P.J., Henning, H.F. & Bartlett, P.D. 1981. Preliminary pollution surveys around the southwestern Cape coast. Part 4. Salt River mouth, Table Bay. South African Journal of Science 77: 183-188.
- Owen, R.K. 1992. The effects of sediment disturbance on the macrobenthos of the St Lucia Narrows, Natal. MSc thesis, University of Natal, Durban.
- Owen, R.K. 1998/99. A comment on the status and distribution of the genus *Paratylo diplax* Serène (Brachyura: Ocypodidae) in southern Africa. Southern African Journal of Aquatic Sciences 24: 148-152.
- Owen, R.K. 2003. A short note on factors affecting the geographic distribution of the burrowing ocypodid crab, *Paratylo diplax blephariskios*: temperature, habitat and competition. African Journal of Aquatic Science 28(1): 57-60.
- Owen, R.K. & Forbes, A.T. 1997. Salinity, floods and the infaunal macrobenthic community of the St Lucia estuary, KwaZulu-Natal, South Africa. Southern African Journal of Aquatic Sciences 23: 14-30.
- Owen, R.K. & Forbes, A.T. 1997. Managing the St Lucia estuary - messages from the mud. Southern African Journal of Aquatic Sciences 23: 114-118.
- Owen, R.K., Forbes, A.T., Cyrus, D.P. & Piper, S.E. 2000. Physical determinants of the distribution and abundance of the burrowing ocypodid crab *Paratylo diplax blephariskios* Stebbing in the St Lucia and Mhlathuze estuaries, KwaZulu-Natal, South Africa. African Journal of Aquatic Science 25: 23-32.
- Owen, R.K. & Forbes, A.T. 2002. Salinity tolerance of the burrowing ocypodid crab, *Paratylo diplax blephariskios*, in the St Lucia and Mhlathuze estuaries, KwaZulu-Natal, South Africa. African Journal of Aquatic Science 27(1): 21-29.
- Painter, D.W. 1966. Game fish in the Swartkops River. Eastern Cape Naturalist 28: 14-15.
- Palmer, C.G. 1980a. Some aspects of the biology of *Nassarius kraussianus* (Dunker) (Gastropoda: Prosobranchia: Nasseridae), in the Bushmans River estuary with particular reference to recolonization after floods. MSc thesis, Rhodes University, Grahamstown.
- Palmer, C. 1980b. An estuarine scavenger. The Eastern Cape Naturalist 24(3): 14-15.
- Paterson, A.W. 1995a. Preliminary observations on the ecology of the blackspotted electric ray. The Naturalist 39(1): 32-34.
- Paterson, A.W. 1995b. *Torpedo fuscomaculata* - a real shocker! Ichthos 47: 23-25.
- Paterson, A.W. 1998. Aspects of the ecology of fishes associated with salt marshes and adjacent habitats in a temperate South African estuary. PhD thesis, Rhodes University, Grahamstown: 200 pp.
- Paterson, A.W. & Whitfield, A.K. 1996. The fishes associated with an intertidal salt marsh creek in the Kariega Estuary, South Africa. Transactions of the Royal Society of South Africa 51: 195-218.
- Paterson, A.W. & Whitfield, A.K. 1997. A stable carbon isotope study of the food-web in a freshwater-deprived South African estuary, with particular emphasis on the ichthyofauna. Estuarine, Coastal and Shelf Science 45: 705-715.
- Paterson, A.W. & Whitfield, A.K. 2000a. The ichthyofauna associated with an intertidal creek and adjacent eelgrass beds in the Kariega Estuary, South Africa. Environmental Biology of Fishes 58: 145-156.
- Paterson, A.W. & Whitfield, A.K. 2000b. Do shallow water habitats function as refugia for juvenile fishes? Estuarine, Coastal and Shelf Science 51: 359-364.
- Pearce, M.W. & Schumann, E.H. 1997. The effect of land use on Gamtoos Estuary water quality. WRC Report No. 503/1/97: 1-170.

- Pederson, C., Everett, B.I., Fielding, P.J., Robertson, W.D. & Kyle, R. 2003. Subsistence utilization of the crab *Neosarmatium meinerti* in the Kosi Lakes ecosystem, KwaZulu-Natal, South Africa. *African Zoology* 38(1): 15-28.
- Pereyra Lago, R. 1986. Larval development of *Sesarma catenata* Ortmann (Brachyura: Grapsidae) and behavioural responses of larvae to environmental stimuli in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Pereyra Lago, R. 1987. Larval development of *Sesarma catenata* Ortmann (Brachyura, Grapsidae, Sesarminae) reared in the laboratory. *South African Journal of Zoology* 22: 200-212.
- Pereyra Lago, R. 1988. Phototactic behaviour and the nature of the shadow response in larvae of the estuarine crab *Sesarma catenata*. *South African Journal of Zoology* 23: 150-154.
- Pereyra Lago, R. 1989. The larval development of the red crab *Sesarma meinerti* de Man (Brachyura: Grapsidae) reared in the laboratory. *South African Journal of Zoology* 24: 199-211.
- Pereyra Lago, R. 1993a. Tidal exchange of larvae of *Sesarma catenata* (Decapoda, Brachyura) in the Swartkops estuary, South Africa. *South African Journal of Zoology* 28: 182-191.
- Pereyra Lago, R. 1993b. The zoeal development of *Sesarma eulimene* de Man (Decapoda, Brachyura, Grapsidae), and identification of larvae of the genus *Sesarma* in South African waters. *South African Journal of Zoology* 28: 173-181.
- Perissinotto, R. & Wooldridge, T. 1989. Short-term thermal effects of a power-generating plant on zooplankton in the Swartkops estuary, South Africa. *Marine Ecology* 10: 205-219.
- Perissinotto, R., Blair, A., Connell, A., Demetriades, N.T., Forbes, A.T., Harrison, T.D., Iyer, K., Joubert, M., Kibirige, I., Mundree, S., Simpson, H., Stretch, D., Thomas, C., Thwala, X. & Zietsman, I. 2004. Contributions to information requirements for the implementation of Resource Directed Measures for estuaries. Volume 2. Responses of the biological communities to flow variation and mouth state in two KwaZulu-Natal temporarily open/closed estuaries. WRC Report No. 1247:166 pp.
- Perissinotto, R., Walker, D.R., Webb, P., Wooldridge, T. H. & Bally, R. 2000. Relationships between zoo- and phytoplankton in a warm-temperate, semi-permanently closed estuary, South Africa. *Estuarine, Coastal and Shelf Science* 51: 1-11.
- Perissinotto, R., Nozias, C. & Kibirige, I. 2002. Spatio-temporal dynamics of phytoplankton and microphytobenthos in a South African temporarily-open estuary. *Estuarine, Coastal and Shelf Science* 54: 363-374.
- Perissinotto, R., Nozias, C., Kibirige, I. & Anandraj, A. 2003. Planktonic food webs and benthic-pelagic coupling in South African temporarily-open estuaries. *Acta Oecologia* 24: 307-316.
- Perry, J.E. 1981-1988. Hydrological/hydraulic study of Natal estuaries. National Research Institute for Oceanology, Stellenbosch, Data Reports D8301-8307, 8402, 8405, 8408, 8504, 8604-8608, 8702.
- Perry, J.E. 1989. The impact of the September 1987 floods on the estuaries of Natal/Kwazulu; a hydro-photographic perspective. CSIR Research Report No. 640: 29 pp.
- Phillips, A., Lambert, G., Granger, J.E. & Steinke, T.D. 1994. Horizontal zonation of epiphytic algae associated with *Avicennia marina* (Forssk.) Vierh. pneumatophores at Beachwood Mangroves Nature Reserve, Durban, South Africa. *Botanica Marina* 37: 567-576.
- Phillips, A., Lambert, G., Granger, J.E. & Steinke, T.D. 1996. Vertical zonation of epiphytic algae associated with *Avicennia marina* (Forssk.) Vierh. pneumatophores at Beachwood Mangroves Nature Reserve, Durban, South Africa. *Botanica Marina* 39: 167-175.
- Pierce, S.M. 1979. The contribution of *Spartina maritima* (Curtis) Fernald to the primary production of the Swartkops estuary. MSc thesis, Rhodes University, Grahamstown.

- Pierce, S.M. 1982. What is *Spartina* doing in our estuaries? South African Journal of Science 78: 229-230.
- Pierce, S.M. 1983. Estimation of the non-seasonal production of *Spartina maritima* (Curtis) Fernald in a South African estuary. Estuarine Coastal and Shelf Science 16: 241-254.
- Pitman, W.V. 1980. Hydrology of the coastal lakes of Maputaland with special reference to St Lucia and Sibaya. In: Studies on the ecology of Maputaland. pp. 12-17. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- PLAN Associates. 1986. Port Alfred environmental impact assessment. Phase 1: Baseline data. Phase 2: Marina small craft harbour impacts. Documentation prepared by PLAN Associates for the Port Alfred Municipality.
- Plumstead, E.E. 1984. The occurrence and distribution of fish in selected Transkei estuaries. MSc thesis, University of Transkei, Umtata.
- Plumstead, E.E. 1990. Changes in ichthyofaunal diversity and abundance within the Mbashe estuary, Transkei, following construction of a river barrage. South African Journal of Marine Science 9: 399-407.
- Plumstead, E.E., Prinsloo, J.F. & Schoonbee, H.J. 1985. A survey of the fish fauna of Transkei estuaries. Part 1. Kei River estuary. South African Journal of Zoology 20: 213-220.
- Plumstead, E.E., Prinsloo, J.F. & Schoonbee, H.J. 1989a. A survey of the fish fauna of Transkei estuaries. Part 2: The Mbashe estuary. South African Journal of Zoology 24: 273-281.
- Plumstead, E.E., Prinsloo, J.F. & Schoonbee, H.J. 1989b. A survey of the fish fauna of Transkei estuaries. Part 3: The Mtata River estuary. South African Journal of Zoology 24: 282-289.
- Plumstead, E.E., Prinsloo, J.F. & Schoonbee, H.J. 1991. A survey of the fish fauna of Transkei estuaries. Part 4: The Mntafufu and Mzamba River estuaries. South African Journal of Zoology 26: 153-163.
- Pocock, M.A. 1955. Seaweeds of Swartkops estuary. South African Journal of Science 52: 73-75.
- Pooley, A.C. 1973. Notes on the ecology of the Lake St Lucia crocodile population. IUCN Supplementary Paper 41: 81-89.
- Pooley, A.C. 1975. New fish records for Ndumu Game Reserve. Lammergeyer No. 22: 50-51.
- Pooley, A.C. 1982. The ecology of the Nile crocodile *Crocodylus niloticus* in Zululand. MSc thesis, University of Natal, Pietermaritzburg.
- Pooley, A.C. & Forrest, G.W. 1972. Field observations on the effect of the salinization of Lake St Lucia on the crocodile population. Unpublished Report, Natal Parks Board, Pietermaritzburg.
- Porter, R.N. & Forrest, G.W. 1974. First successful breeding of greater flamingo in Natal, South Africa. Lammergeyer 21:26-33.
- Potter, I.C., Beckley, L.E., Whitfield, A.K. & Lenanton, R.C.J. 1990. Comparisons between the roles played by estuaries in the life cycles of fishes in temperate Western Australia and Southern Africa. Environmental Biology of Fishes 28: 143-178.
- Pradervand, P. 1999. An assessment of recreational angling in Eastern Cape estuaries. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Pradervand, P. & Baird, D. 2002. Assessment of the recreational line fishery in selected Eastern Cape estuaries: Trends in catches and effort. South African Journal of Marine Science 24: 87-101.
- Prins, J.G. 1990. Assessment of environmental water requirement of the Orange River mouth. Department of Water Affairs Report No. V/D400/01/E001.

- Puttick, G.M. 1977. Spatial and temporal variations in intertidal animal distribution in Langebaan lagoon, South Africa. *Transactions of the Royal Society of South Africa* 42: 403-440.
- Puttick, G.M. 1980. Energy budgets of curlew sandpipers at Langebaan lagoon, South Africa. *Estuarine and Coastal Marine Science* 11: 207-215.
- Quick, A.J.R. & Harding, W.R. 1994. Management of a shallow estuarine lake for recreation and as a fish nursery: Zandvlei, Cape Town, South Africa. *Water SA* 20(4): 289-297.
- Quinn, N.W, Breen, C.M., Hearne, J.W. & Whitfield, A.K. 1998. Decision support systems for environmental management: A case study on estuary management. *Orion* 14(2),17-35.
- Quinn, N.W., Whitfield, A.K., Hearne, J.W. & Breen, C.M. 1999. An index for the management of South African estuaries for juvenile fish recruitment from the marine environment. *Fisheries Management and Ecology* 6: 421-436.
- Rajkaran, A., Adams, J.B. & du Preez, D. 2004. A method for monitoring mangrove harvesting in the Mngazana estuary, South Africa. *African Journal of Aquatic Science* 29(1): 57-65.
- Ramm, A.E.L. 1988. The community degradation index; a new method for assessing the deterioration of aquatic habitats. *Water Research* 22: 293-301.
- Ramm, A.E.L. 1990. Application of a community degradation index to South African estuaries. *Water Research* 24: 383-389.
- Ramm, A.E.L. 1992. Some aspects of the biogeochemistry of sulphur in Lake Mpungwini, southern Africa. *Estuarine, Coastal and Shelf Science* 34: 253-261.
- Ramm, A.E.L., Cerff, E.C. & Harrison, T.D. 1986. Natal Estuary Status Reports Nos 1-65, National Institute for Water Research, CSIR, Durban.
- Ramm, A.E.L., Cerff, E.C. & Harrison, T.D. 1987. Monitoring the recovery of a severely degraded coastal estuary. *Journal of Shoreline Management* 3: 1-9.
- Ramm, A.E.L., Cooper, J.A.G., Harrison, T.D. & Singh, R.A. 1994. The estuarine health index: a new approach to scientific information transfer. In: *Classification of Rivers, and Environmental Health Indicators*. pp. 271-280. Uys, M.C. (ed.). *Water Research Commission Report No. TT 63/94*.
- Ramm, A.E.L., Harrison, T.D. & Seillier, R. 1992. A waste load allocation assessment of the effects of a proposed expansion of the Kingsburgh sewage works (Illovu development project) on the Little Manzimtoti river and lagoon. *Watertek Report No. EFES 92051201*: 46 pp.
- Ratte, T.W. 1982. n Opname van die visbevolkings van die Breëriviermond. *Bontebok No. 2*: 13-18.
- Ratte, T.H. 1989. Population structure, production, growth, reproduction and the ecology of *Atherina breviceps* Valenciennes, 1935 (Pisces: Atherinidae) and *Gilchristella aestuaria* (Gilchrist, 1914) (Pisces: Clupeidae), from two southern Cape coastal lakes. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Read, G.H.L. 1982. An ecophysiological study of the effects of changes in salinity and temperature on the distribution of *Macrobrachium petersi* (Hilgendorf) in the Keiskamma River and estuary. PhD thesis, Rhodes University, Grahamstown: 177 pp.
- Read, G.H.L. 1983a. The effect of a dry and wet summer on the thermal and salinity structure of the middle and upper reaches of the Keiskamma estuary, Ciskei. *Transactions of the Royal Society of South Africa* 45: 45-62.

- Read, G.H.L. 1983b. Possible influence of high salinity and low temperature on the distribution of *Macrobranchium petersi* (Hilgendorf) (Crustacea:Caridea) along the south east coast of South Africa. Transactions of the Royal Society of South Africa 45: 35-44.
- Read, G.H.L. 1984. Intraspecific variation in the osmoregulatory capacity of larval, post larval, juvenile and adult *Macrobranchium petersi* (Hilgendorf). Comparative Biochemistry and Physiology 78: 501-506.
- Read, G.H.L. 1985a. Factors affecting the distribution and abundance of *Macrobranchium petersi* (Hilgendorf) in the Keiskamma river and estuary, South Africa. Estuarine, Coastal and Shelf Science 21: 313-324.
- Read, G.H.L. 1985b. Aspects of larval, post-larval and juvenile ecology of *Macrobranchium petersi* (Hilgendorf) in the Keiskamma estuary, South Africa. Estuarine, Coastal and Shelf Science 21: 501-510.
- Read, G.H.L. 1986. A surface response analysis of the role of salinity in the development of larval and post larval *Macrobranchium petersi* (Hilgendorf). Comparative Biochemistry and Physiology 84(a): 159-168.
- Read, G.H.L. & Whitfield, A.K. 1989. The response of *Grandidierella lignorum* (Barnard)(Crustacea: Amphipoda) to episodic flooding in three eastern Cape estuaries. South African Journal of Zoology 24: 99-105.
- Reavell, P.E. & Cyrus, D.P. 1989. Preliminary observations on the macrocrustacea of coastal lakes in the vicinity of Richards Bay, South Africa. Southern African Journal of Aquatic Sciences 15: 103-128.
- Reddering, J.S. 1980. What is an estuary? South African Journal of Science 76: 341.
- Reddering, J.S.V. 1981. The sedimentology of the Keurbooms estuary. MSc thesis, Department of Geology, University of Port Elizabeth, Port Elizabeth: 131 pp.
- Reddering, J.S.V. 1983. An inlet sequence produced by migration of a small microtidal inlet against longshore drift: the Keurbooms inlet, South Africa. Sedimentology 30: 201-218.
- Reddering, J.S.V. 1985. "X-area" and associated programmes: calculations for estuary dimensions. Department of Geology, University of Port Elizabeth, Port Elizabeth, ROSIE Report No. 11: 19 pp.
- Reddering, J.S.V. 1987. Subtidal occurrences of ladder-back ripples: their significance in paleo-environmental reconstruction. Sedimentology 34: 253-257.
- Reddering, J.S.V. 1988a. Coastal and catchment basin controls on estuary morphology of the south-eastern Cape coast. South African Journal of Science 84: 154-157.
- Reddering, J.S.V. 1988b. Prediction of the effects of reduced river discharge of the estuaries of the south-eastern Cape Province, South Africa. South African Journal of Science 84: 726-730.
- Reddering, J.S.V. 1988c. Evidence for a mid-Holocene transgression, Keurbooms estuary, South Africa. Paleocology of Africa 19: 79-86.
- Reddering, J.S.V. 1993. Proposed diversion of the course of the Sout River, Knysna. Geological Survey, Port Elizabeth, Unpublished Report: 15 pp.
- Reddering, J.S.V. 1994. Supply of land-derived sediment and its dispersal in the Knysna estuary: an environmental appraisal. Council for Geoscience (formerly Geological Survey), Port Elizabeth, Report No. 1994-0024 (restricted).
- Reddering, J.S.V. & Esterhuysen, K. 1981a. The sedimentary ecology of the Swartkops estuary. University of Port Elizabeth, ROSIE Report No. 1: 1-111.
- Reddering, J.S.V. & Esterhuysen, K. 1981b. Sedimentation in the Bushmans estuary. University of Port Elizabeth, ROSIE Report No. 2: 1-42.

- Reddering, J.S.V. & Esterhuysen, K. 1981c. Sedimentation in the Sundays estuary. University of Port Elizabeth, ROSIE Report No. 3: 1-48.
- Reddering, J.S.V. & Esterhuysen, K. 1982. Fluvially dominated sedimentation in the Great Fish estuary. University of Port Elizabeth, ROSIE Report No. 4: 1-62.
- Reddering, J.S.V. & Esterhuysen, K. 1983a. Management proposals to counter undesirable sediment accumulation in the Keurbooms estuary. Transactions of the Geological Society of South Africa 86: 87-91.
- Reddering, J.S.V. & Esterhuysen, K. 1983b. Sedimentation in the Kromme estuary. University of Port Elizabeth, ROSIE Report No. 6: 1-92.
- Reddering, J.S.V. & Esterhuysen, K. 1984a. Sedimentation in the Gamtoos estuary. University of Port Elizabeth, ROSIE Report No. 7: 1-85.
- Reddering, J.S.V. & Esterhuysen, K. 1984b. Sedimentation in the Kabeljous estuary. University of Port Elizabeth, ROSIE Report No. 8: 1-42.
- Reddering, J.S.V. & Esterhuysen, K. 1984c. Sedimentation in the Knysna estuary. University of Port Elizabeth, ROSIE Report No. 9: 1-79.
- Reddering, J.S.V. & Esterhuysen, K. 1987a. Sediment dispersal in the Knysna estuary: environmental management considerations. South African Journal of Geology 90: 448-457.
- Reddering, J.S.V. & Esterhuysen, K. 1987b. The effects of river floods on sediment dispersal in small estuaries: a case study from East London. South African Journal of Geology 90: 458-470.
- Reddering, J.S.V. & Rust, I.C. 1990. Historical changes and sedimentary characteristics of southern African estuaries. South African Journal of Science 86: 425-428.
- Reddering, J.S.V. & Scarr, N.G. 1990a. The physical characteristics of the Gamtoos estuary. Institute for Coastal Research Report No. 23: 39 pp.
- Reddering, J.S.V. & Scarr, N.G. 1990b. Sediment dispersal in the Gamtoos estuary. Institute for Coastal Research Report No. 24: 35 pp.
- Riddin, T. 1999. The botanical importance of the Nhlabane estuary. MSc thesis, Department of Botany, University of Port Elizabeth: 177 pp.
- Robarts, R.D. 1976a. Primary productivity of the upper reaches of a South African estuary (Swartvlei). Journal of Experimental Marine Biology and Ecology 24: 93-102.
- Robarts, R.D. 1976b. A preliminary study of the uptake of dissolved organic compounds by the heterotrophic microbial populations of Swartvlei, South Africa. Transactions of the Rhodesian Scientific Association 57: 35-44.
- Robarts, R.D. 1979. Heterotrophic utilization of acetate and glucose in Swartvlei, South Africa. Journal of the Limnological Society of Southern Africa 5: 84-88.
- Robarts, R.D. & Allanson, B.R. 1977. Meromixis in the lake-like upper reaches of a South African estuary. Archiv für Hydrobiologie 80: 531-540.
- Robb, F., Davies, B.R., Cross, R., Kenyon, C. & Howard-Williams, C. 1979. Cellulolytic bacteria as primary colonizers of *Potamogeton pectinatus* L. (sago pond weed) from a brackish south-temperate coastal lake. Microbial Ecology 5: 167-177.
- Roberts, C.H. 1985. The ecological role of bacteria in the Bot River estuary. MSc thesis, University of Cape Town, Cape Town.

- Roberts, C.H., Branch, G.M. & Robb, F.T. 1985a. The effect of salinity and temperature variations on the bacterial population in the Bot River estuary. *Transactions of the Royal Society of South Africa* 45: 347-352.
- Roberts, C.H., Branch, G.M. & Robb, F.T. 1985b. The annual cycle of free-floating bacteria in the Bot River estuary. *Transactions of the Royal Society of South Africa* 45: 353-362.
- Roberts, M. 1992. Conservation status and habitat preference of *Peringueyis* leaf-toed gecko in the eastern Cape. *The Naturalist* 36(3): 15-16.
- Robertson, T.C. 1971. Special issue: Lake St Lucia. *The Caltex Circle* 12(2): 1-16.
- Robertson, T.C. 1977. Sciences last word on the fate of St Lucia. *Veldtrust March Issue*: 4-8.
- Robertson, H.G. 1981. Annual summer and winter fluctuations of Palaearctic and resident waders (Charadrii) at Langebaan lagoon, South Africa, 1975-1979. In: *Proceedings of the symposium on birds of the sea and shore*. pp. 335-345. Cooper, J. (ed.). African Seabird Group, Cape Town.
- Robertson, W.D. 1984. Aspects of the ecology of the shrimp *Palaemon pacificus* (Stimpson)(Decapoda, Palaemonidae) in the Bushmans River estuary. MSc thesis, Rhodes University, Grahamstown: 79 pp.
- Robertson, W.D. 1987. Biology and ecology of the mangrove crab, *Scylla serrata* (Forskål). In: *Marine Research in Natal*. Bowmaker, A.P., van der Zee, D. & Ridder, J.H. (eds). South African National Scientific Programmes Report No. 139: 91-93.
- Robertson, W.D. 1989. Factors affecting catches of the crab *Scylla serrata* (Forskål)(Decapoda: Portunidae) in baited traps: soak time, time of day and accessibility of the bait. *Estuarine, Coastal and Shelf Science* 29: 533-547.99999
- Robertson, W.D. 1996. Abundance, population structure and size at maturity of *Scylla serrata* (Forskål) (Decapoda: Portunidae) in Eastern Cape estuaries, South Africa. *South African Journal of Zoology* 31: 177-185.
- Robertson, W.D. & Kruger, A. 1994. Size at maturity, mating and spawning in the portunid crab *Scylla serrata* (Forskål) in Natal, South Africa. *Estuarine, Coastal and Shelf Science* 29: 533-547.
- Robinson, G.A. & de Graaff, G. 1994. *Marine protected areas of the Republic of South Africa*. Council for the Environment, Pretoria: 203 pp.
- Robson, T. 1949. Come with me to St Lucia and the lakes in Zululand. *The South African Angler* February Issue: 9.
- Rodriguez, F.D.G. 1993. The determination and distribution of microbenthic chlorophyll-a in selected south Cape estuaries. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Rogers, J. 1985. Geomorphology, offshore bathymetry and quaternary lithostratigraphy around the Bot River estuary. *Transactions of the Royal Society of South Africa* 45: 211-238.
- Rogers, J. 1986. Cenozoic geology of the southern coastal plain, particularly the area between the Kafferskuils and Gouritz estuaries. *Paleoecology of Africa* 17: 3-12.
- Romer, G.S. 1990. Surf zone fish community and species response to a wave energy gradient. *Journal of Fish Biology* 36: 279-287.
- Romer, G.S. & McLachlan, A. 1986. Mullet grazing on surf diatom accumulations. *Journal of Fish Biology* 28: 93-104.
- Rothmann, C.E. 1992. Water resource development in the Palmiet River. Department of Water Affairs Report No. V/G400/04/E024.

- Rowlands, B.W. 1983. The effects of recreational activities on aquatic avifauna. M.Sc thesis, University of Cape Town, Cape Town.
- Russell, I.A. 1994. Mass mortality of marine and estuarine fish in the Swartvlei and Wilderness lake systems, southern Cape. *Southern African Journal of Aquatic Sciences* 20: 93-96.
- Russell, I.A. 1996a. Fish abundance in the Wilderness and Swartvlei lake systems: changes relative to environmental factors. *South African Journal of Zoology* 31: 1-9.
- Russell, I.A. 1996b. Water quality in the Knysna estuary. *Koedoe* 39(1): 1-8.
- Russell, I.A. 2003. Changes in the distribution of emergent aquatic plants in a brackish South African estuarine-lake system. *African Journal of Aquatic Science* 28(2): 103-122.
- Rust, I.C. & Reddering, J.S.V. 1983. Sedimentology of the Keurbooms estuary and Robberg formation. In: Guidebook for SEDPLETT 83, a field seminar held at Plettenberg Bay in October, 1983. Department of Geology, University of Port Elizabeth, Port Elizabeth: 73 pp.
- Ryan, P.G., Cooper, J., Hockey, P.A.R. & Berruti, A. 1986. Waders (Charadrii) and other water birds on the coast and adjacent wetlands of Natal, 1980-81. *Lammergeyer* 36: 1-33.
- Ryan, P.G., Underhill, L.G., Cooper, J. & Waltner, M. 1988. Waders (Charadrii) and other waterbirds on the coast, adjacent wetlands and off-shore islands of the southwestern Cape Province, South Africa. *Bontebok* No. 6: 1-19.
- SANCOR 1983. The SANCOR Estuaries Programme 1982-1986. South African National Scientific Programmes Report No. 67: 43 pp.
- SANCOR 1984. Summary report on marine research 1983. South African National Scientific Programmes Report No. 80: 46 pp.
- SANCOR 1985. Summary report on marine research 1985. South African National Scientific Programmes Report No. 123: 52 pp.
- SANCOR 1988. Summary report on marine research 1987. South African National Scientific Programmes Report No. 148: 54 pp.
- SANCOR Secretariat. 1989. Survey of September 1987 Natal floods. South African National Scientific Programmes Report No. 164: 134 pp.
- Sauermann, H.B. 1966. Hydraulic model study of St Lucia estuary. *Transactions of the South African Institution of Civil Engineers* 8(4): 126-134.
- Sauermann, H.B. 1967. Hydraulic model study of St Lucia estuary. *Transactions of the South African Institution of Civil Engineers* 9(6): 139-146.
- Scharler, U.M. 2000. Response of nutrient status and biotic communities to variable freshwater input regimes in Eastern Cape estuaries, South Africa, including a network analysis approach. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Scharler, U.M. & Baird, D. 2000. The effects of a single artificial freshwater release into the Kromme Estuary. 1: General description of the study area and physico-chemical responses. *Water SA* 26: 291-300.
- Scharler, U.M., Baird, D. & Winter, P.E.D. 1997. Diversity and productivity of biotic communities in relation to freshwater inputs in three Eastern Cape estuaries. WRC Report No. 463/1/98: 196 pp.
- Schlacher, T.A. & Wooldridge, T.H. 1994. Tidal influence on distribution and behaviour of the estuarine opossum shrimp, *Gastrosaccus brevifissura*. In: Changes in fluxes in estuaries: implications from science to management. pp. 307-312. Dyer, K.R. & Orth, R.J. (eds). Olsen & Olsen, Fredensborg, Denmark.

- Schlacher, T.A. & Wooldridge, T.H. 1995. Small-scale distribution and variability of demersal zooplankton in a shallow, temperate estuary: tidal and depth effects on species-specific heterogeneity. *Cahiers de Biologie Marine* 36: 211-227.
- Schlacher, T.A. & Wooldridge, T.H. 1996a. Axial zonation patterns of subtidal macrozoobenthos in the Gamtoos estuary, South Africa. *Estuaries* 19: 680-696.
- Schlacher, T.A. & Wooldridge, T.H. 1996b. Patterns of selective predation by juvenile, benthivorous fish on estuarine macrofauna. *Marine Biology* 125: 241-247.
- Schlacher, T.A. & Wooldridge, T.H. 1996c. Ecological responses to reductions in freshwater supply and quality in South Africa's estuaries: lessons for management and conservation. *Journal of Coastal Conservation* 2: 115-130.
- Schleyer, M.H. 1986a. Energy sources in estuarine water: the Siyaya catchment project. Oceanographic Research Institute, Durban, unpublished report 40: 1-12.
- Schleyer, M.H. 1986b. Decomposition in estuarine ecosystems. *Journal of the Limnological Society of Southern Africa* 12: 90-98.
- Schleyer, M.H. & Roberts, G.A. 1987. Detritus cycling in a shallow coastal lagoon in Natal, South Africa. *Journal of Experimental Marine Biology and Ecology* 110: 27-40.
- Schleyer, M.H. & Wallace, J.H. 1986. Stomach contents of some shore-caught teleosts of Natal, South Africa. *South African Journal of Zoology* 21: 272-274.
- Schmidt, E.J. 1985. Controlling the sedimentation of our estuaries: the Umhlali River catchment project. *Arena* 8: 22-26.
- Schoonbee, H.J. 1963. The lower Umgeni at Durban: a report on estuarine pollution. CSIR Special Report W23: 1-42.
- Schramm, M. 1989. Some trypanorhynch tapeworms found in marine fish. *The Naturalist* 33(1): 22-26.
- Schramm, M. 1991. *Grillotia perelica* (Cestoda: Trypanorhyncha) plerocercoids in mullet (Pisces: Mugilidae) from estuaries in Transkei, southern Africa. *South African Journal of Marine Science* 11: 169-178.
- Schulze, R.E., Scott, D.F., Ashton, P.J. & Silberbauer, M. 1988. River flows and estuaries - surface water hydrology. South African National Scientific Programmes report No. 157: 183-200.
- Schumann, E.H. 2000. Oceanic exchanges and temperature variability in the Knysna Estuary. *Transactions of the Royal Society of South Africa* 55(2): 123-128.
- Schumann, E. 2001. Estuarine sedimentation in South Africa. *SA Waterbulletin* 27(6): 13.
- Schumann, E.H., Gray, R.R.W. & Shone, R.W. 2001. Tidal flow structures and sedimentation in the lower Kowie estuary, Port Alfred, South Africa. *Transactions of the Royal Society of South Africa* 56: 11-24.
- Schumann, E.H., Largier, J.L. & Slinger, J.H. 1999. Estuarine hydrodynamics. In: *Estuaries of South Africa*. pp. 27-52. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Schumann, E.H. & Pearce, M.W. 1997. Freshwater inflow and estuarine variability in the Gamtoos estuary, South Africa. *Estuaries* 20: 124-133.
- Schumann, E.H. & de Meillon, L. 1993. Hydrology of the St Francis Bay marina, South Africa. *Transactions of the Royal Society of South Africa* 48: 323-337.
- Scott, K.M.F. 1954. Notes on the birds of the Diep River and Rietvlei. *Ostrich* 25: 25-31.

- Scott, K.M.F., Harrison, A.D. & Macnae, W. 1952. The ecology of South African estuaries. Part 2: the Klein River estuary, Hermanus, Cape. Transactions of the Royal Society of South Africa 33: 282-331.
- Seagrief, S.C. 1976. The colonization of estuarine canals by seaweeds at Sea Vista. Eastern Cape Naturalist 59: 10-12.
- Seaman, M.T. & van As, J.G. 1998. The environmental status of the Orange River mouth as reflected by the fish community. WRC Report No. 505/1/98: 73 pp.
- Shackleton, L. 1993. A management perspective of marine and coastal research carried out in South Africa 1975-1991. Department of Environment Affairs, Pretoria: 44 pp.
- Shannon, L.V. & Stander, G.H. 1977. Physical and chemical characteristics of water in Saldanha Bay and Langebaan lagoon. Transactions of the Royal Society of South Africa 42: 441-459.
- Shewell, E.L. 1950. Birds of the Gamtoos estuary. Ostrich 21:97-102.
- Siegfried, W.R. 1978. Estuaries, ecology and conservation in South Africa. South African Journal of Science 74: 406-407.
- Siegfried, W.R. 1981. The estuarine avifauna of southern Africa. In: Estuarine ecology with particular reference to southern Africa. pp. 223-250. Day, J.H. (ed.). A.A. Balkema, Cape Town.
- Silberbauer, M.J. 1981. A study of phosphorus dynamics in the main basin of Swartvlei, September-December 1980. MSc Limnology Project Report, Department of Zoology & Entomology, Rhodes University: 52 pp.
- Silberbauer, M.J. 1982. Phosphorous dynamics in the monimolimnion of Swartvlei. Journal of the Limnological Society of Southern Africa. 8: 54-60.
- Sinclair, S.A., Lane, S.B. & Grindley, J.R. 1986. Report No. 32: Verlorenvlei (CW 13). In: Estuaries of the Cape. Part 2. Synopses of available information on individual systems. Heydorn, A.E.F. & Morant, P.D. (eds). CSIR Research Report No. 431: 95 pp.
- Singh, N. & Steinke, T.D. 1992. Colonization of decomposing leaves *Bruguiera gymnorrhiza* (Rhizophoraceae) by fungi, and *in vitro* cellulytic activity of the isolates. South African Journal of Botany 58: 525-529.
- Singh, N., Steinke, T.D. & Lawton, J.R. 1991. Morphological changes and the associated fungal colonization during decomposition of leaves of a mangrove, *Bruguiera gymnorrhiza* (Rhizophoraceae). South African Journal of Botany 57: 151-155.
- Skelton, E.E. 1993. Larval development and larval dynamics of *Paratyloidiplax edwardsii* in the Gamtoos estuary, Eastern Cape. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Skelton, P.H., Whitfield, A.K. & James, N.P.E. 1989. Distribution and diversity of Mkuze swamp fishes during a summer flood. Southern African Journal of Aquatic Sciences 15: 50-66.
- Slinger, J.H. 1990. The potential for freshwater extraction from the Olifants estuary. CSIR (Stellenbosch) Research Report 690: 16 pp. + Appendix.
- Slinger, J.H. 1996. Modelling of the physical dynamics of estuaries for management purposes. PhD thesis, University of Natal, Pietermaritzburg.
- Slinger, J.H. 2000. Decision support for the conservation and management of estuaries. Final report of the productive capability sub-project of the co-ordinated research programme. Water Research Commission Report No. 577/2/00: 136 pp.
- Slinger, J.H. & Breen, C.M. 1995. Integrated research into estuarine management. Water Science and Technology 32: 79-86.

- Slinger, J.H. & Largier, J.L. 1990. The evolution of thermocline structure in a closed estuary. *Southern African Journal of Aquatic Sciences* 16: 60-77.
- Slinger, J.H. & Taljaard, S. 1994. Preliminary investigation of seasonality in the Great Berg estuary. *Water SA* 20: 279-288.
- Slinger, J.H., Taljaard, S. & Largier, J.L. 1994. Changes in estuarine water quality in response to a freshwater flow event. In: *Changes in fluxes in estuaries: implications from science to management*. pp. 51-56. Dyer, K.R. & Orth, R.J. (eds). Olsen & Olsen, Fredensborg, Denmark.
- Slinger, J.H., Taljaard, S., Rossouw, M. & Huizinga, P. 1998. Water quality modelling of estuaries. WRC Report No. 664/1/98.
- Smakhtin, V.U. 2004. Simulating the hydrology and mouth conditions of small, temporarily closed/open estuaries. *Wetlands* 24 (1): 123-132.
- Smale, M.J. & Kok, H.M. 1983. The occurrence and feeding of *Pomatomus saltatrix* (elf) and *Lichia amia* (leervis) juveniles in two Cape south coast estuaries. *South African Journal of Zoology* 18: 337-342.
- Smith, M.M. 1981. The seahorse of the Knysna lagoon. *African Wildlife* 35(6): 5-7.
- Smith, M.M. & Heemstra, P.C. (eds) 1990. *Smiths sea fishes*. Southern Book Publishers, Johannesburg: 1047 pp.
- Snow, G.C. 1999. Structure and dynamics of microalgae in the Gamtoos estuary. MSc thesis, Department of Botany, University of Port Elizabeth: 104 pp.
- Snow, G.C., Adams, J.B. & Bate, G.C. 2000a. Effect of river flow on estuarine microalgal biomass and distribution. *Estuarine, Coastal and Shelf Science* 51, 255-266.
- Snow, G.C., Bate, G.C. & Adams, J.B. 2000b. The effects of a single artificial freshwater release into the Kromme Estuary. 2: Microalgal response. *Water SA* 26: 301-310.
- Sowman, M.R. 1988. Socio-economic factors affecting estuarine degradation: a case study of the Kafferkuils River. University of Cape Town, Environmental Evaluation Unit Report No. 4/88/27.
- Sowman, M.R. 1990a. Summary report on the recreation carrying capacity of the Kromme estuary. Environmental Evaluation Unit, University of Cape Town, EEU Report 10/90/55: 5 pp.
- Sowman, M.R. 1990b. Environmental evaluation procedure for coastal developments in South Africa. *Ocean & Shoreline Management* 14: 133-150.
- Sowman, M.R. & Fuggle, R.F. 1985. Assessment of the recreational carrying capacity of the Kromme River estuary. University of Cape Town, Environmental Evaluation Unit Report No. 3/85/4: 52 pp.
- Sowman, M. & Fuggle, R.F. 1989. An approach to determining water surface zoning systems. The case of the Kromme estuary. *Journal of Town and Regional Planning* 22: 13-19.
- Sowman, M.R. & Glazewski, J.I. 1987. New coastal zone regulations: a step forward? *SAIPA Journal of Public Administration* 22: 73-78.
- Starfield, A.M., Farm, B.P. & Taylor, R.H. 1989. A rule-based ecological model for the management of an estuarine lake. *Ecological Modelling* 46: 107-119.
- Steinke, T.D. 1972a. Further observations on the distribution of mangroves in the Eastern Cape Province. *Journal of South African Botany* 38: 165-178.
- Steinke, T.D. 1972b. Mangroves. *Veld & Flora* 2(3): 47-49.

- Steinke, T.D. 1975. Some factors affecting dispersal and establishment of propagules of *Avicennia marina* (Forsk.) Vierh. Proceedings of an International Symposium on Mangrove Biology and Management, Hawaii 2: 402-414.
- Steinke, T.D. 1979. Apparent transpirational rhythms of *Avicennia marina* (Forsk.) Vierh. at Inhaca Island, Mozambique. *Journal of South African Botany* 45: 133-138.
- Steinke, T.D. 1986a. Mangroves of the East London area. *The Naturalist* 30(2): 50-53.
- Steinke, T.D. 1986b. A preliminary study of buoyancy behaviour in *Avicennia marina* propagules. *South African Journal of Botany* 52: 559-565.
- Steinke, T.D. 1988. Vegetative and floral phenology of three mangroves in Mgeni Estuary. *South African Journal of Botany* 54: 97-102.
- Steinke, T.D. 1995. A general review of the mangroves of South Africa. In: *Wetlands of South Africa*. pp. 53-73. Cowan, G.I (ed.). Department of Environmental Affairs and Tourism, Pretoria.
- Steinke, T.D. 1999. Mangroves in South African estuaries. In: *Estuaries of South Africa*. pp. 119-140. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Steinke, T.D., Barnabas, A.D. & Somaru, R. 1990. Structural changes and associated microbial activity accompanying decomposition of mangrove leaves in Mgeni Estuary. *South African Journal of Botany* 56: 39-48.
- Steinke, T.D. & Charles, L.M. 1984. Productivity and phenology of *Avicennia marina* (Forsk.) Vierh. and *Bruguiera gymnorhiza* (L.) Lam. In: *Biology and ecology of mangroves*. Teas, H.J. (ed.). W. Junk, The Hague.
- Steinke, T.D. & Charles, L.M. 1986a. *In vitro* rates of decomposition of leaves of the mangrove *Bruguiera gymnorhiza* as affected by temperature and salinity. *South African Journal of Botany* 52: 39-42.
- Steinke, T.D. & Charles, L.M. 1986b. Litter production by mangroves. I: Mgeni Estuary. *South African Journal of Botany* 52: 552-558.
- Steinke, T.D. & Charles, L.M. 1987. The utilization of storage compounds during early growth of *Avicennia marina* seedlings under laboratory and field conditions. *South African Journal of Botany* 53: 271-275.
- Steinke, T.D., Holland, A.J. & Singh, Y. 1993. Leaching losses during decomposition of mangrove leaf litter. *South African Journal of Botany* 59: 21-25.
- Steinke, T.D. & Jones, E.B.G. 1993. Marine and mangrove fungi from the Indian Ocean coast of South Africa. *South African Journal of Botany* 59: 385-390.
- Steinke, T.D. & Naidoo, Y. 1990. Biomass of algae epiphytic on pneumatophores of the mangrove, *Avicennia marina*, in the St Lucia estuary. *South African Journal of Botany* 56: 226-232.
- Steinke, T.D. & Naidoo, Y. 1991. Respiration and net photosynthesis of cotyledons during establishment and early growth of propagules of the mangrove, *Avicennia marina*, at three temperatures. *South African Journal of Botany* 57: 171-174.
- Steinke, T.D., Naidoo, G. & Charles, L.M. 1983. Degradation of mangrove leaf and stem tissue *in situ* in Mgeni estuary, South Africa. In: *Biology and ecology of mangroves*. Teas, H.J. (ed.). W. Junk, The Hague.
- Steinke, T.D. & Rajh, A. 1995. Vegetative and floral phenology of the mangrove, *Ceriops tagal*, with observations on the reproductive behaviour of *Lumnitzera racemosa*, in the Mgeni Estuary. *South African Journal of Botany* 61: 240-244.
- Steinke, T.D., Rajh, A. & Holland, A.J. 1993. The feeding behaviour of the red mangrove crab, *Sesarma meinerti* De Man (Crustacea: Decapoda) and its effect on the degradation of mangrove leaf litter. *South African Journal of Marine Science* 13: 151-160.

- Steinke, T.D. & Ward, C.J. 1973. *Ceriops tagal* (Perr.) C.B. Robinson at Kosi bay. *Journal of South African Botany* 39: 245-247.
- Steinke, T.D. & Ward, C.J. 1987. Degradation of mangrove leaf litter in the St Lucia estuary as influenced by season and exposure. *South African Journal of Botany* 53: 323-328.
- Steinke, T.D. & Ward, C.J. 1988. Litter production by mangroves. II. St Lucia estuary and Richards Bay. *South African Journal of Botany* 54: 445-454.
- Steinke, T.D. & Ward, C.J. 1989. Some effects of the cyclones Domoina and Imboa on mangrove communities in St Lucia Estuary (South Africa). *South African Journal of Botany* 55: 340-348.
- Steinke, T.D. & Ward, C.J. 1990. Litter production by mangroves III. Wavecrest, Transkei, South Africa, with predictions for other Transkei estuaries. *South African Journal of Botany* 56: 514-519.
- Steinke, T.D., Ward, C.J. & Rajh, A. 1995. Forest structure and biomass of mangroves in the Mgeni estuary, South Africa. *Hydrobiologia* 295: 159-166.
- Stewart, B.A. & Bally, R. 1985. The ecological role of the red-knobbed coot *Fulica cristata* Gmelin at the Bot River estuary, South Africa: A preliminary investigation. *Transactions of the Royal Society of South Africa* 45: 419-426.
- Stewart, B.A. & Davies, B.R. 1986. Effects of harvesting on invertebrates associated with *Potamogeton pectinatus* L. in the Marina da Gama, Zandvlei, Western Cape. *Transactions of the Royal Society of South Africa* 46: 35-50.
- Strydom, N.A. 1998. Fish larval dynamics in the mouth region of the Gamtoos Estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth: 104 pp.
- Strydom, N.A. & Whitfield, A.K. 2000. The effects of a single artificial freshwater release into the Kromme Estuary. 4: Larval fish response. *Water SA* 26: 319-328.
- Strydom, N.A. 2002. Dynamics of early stage fishes associated with selected warm temperate estuaries in South Africa. PhD thesis, Rhodes University, Grahamstown: 164 pp.
- Strydom, N.A. 2003a. Occurrence of larval and early juvenile fishes in the surf zone adjacent to two intermittently open estuaries, South Africa. *Environmental Biology of Fishes* 66: 349-359.
- Strydom, N.A. 2003b. An assessment of habitat use by larval fishes in a warm temperate estuarine creek using light traps. *Estuaries* 26(5): 1310-1318.
- Strydom, N.A. & d'Hotman, B.D. 2005. Estuary-dependence of larval fishes in a non-estuary associated South African surf zone: evidence for continuity of surf assemblages. *Estuarine and Coastal Shelf Science* 63: 101-108.
- Strydom, N.A., Whitfield, A.K. & Paterson, A.W. 2002. The influence of altered freshwater flow regimes on larval and juvenile *Gilchristella aestuaria* (Pisces: Clupeidae) abundance in the upper reaches of two South African estuaries. *Marine and Freshwater Research* 53: 431-438.
- Strydom, N.A., Whitfield, A.K. & Wooldridge, T.H. 2003. The role of estuarine type in characterizing early stage fish assemblages in warm temperate estuaries, South Africa. *African Zoology* 38(1): 29-43.
- Summers, R.W. 1977. The distribution, abundance and energy relationships of waders, Aves: Charadrii, at Langebaan lagoon. *Transactions of the Royal Society of South Africa* 42: 483-495.
- Swart, D.H. 1986. Physical environmental interactions in the Sondags River/Schelmhoek area. CSIR Research Report 568: 1-93.

- Swart, D.H. 1987. Erosion of a man made dune, Beachwood Mangrove Nature Reserve. CSIR Report T/SEA 8713: 1-28.
- Swart, D.H., Crowley, J.B., Moller, J.P. & de Wet, A. 1990. Nature and behaviour of the flood at the river mouth. Transactions of the Royal Society of South Africa 47: 217-245.
- Swart, D.H., Morant, P., Moller, J., Crowley, J. & de Wet, A. 1988. A record of events at the Orange River mouth during the March 1988 flood. South African Journal of Science 84: 881-889.
- Talbot, F.H. 1955. Notes on the biology of the white stumpnose, *Rhabdosargus globiceps* (Cuvier), and on the fish fauna of the Klein River Estuary. Transactions of the Royal Society of South Africa 34:387-407.
- Talbot, M.M.B. 1982a. Aspects of nitrogen fixation (acetylene reduction) in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Talbot, M.M.B. & Bate, G.C. 1987. The distribution and biomass of the seagrass *Zostera capensis* in a warm-temperate estuary. Botanica Marina 30: 91-99.
- Talbot, M.M.B., Knoop, W.T. & Bate, G.C. 1990. The dynamics of estuarine macrophytes in relation to flood/siltation cycles. Botanica Marina 33: 159-164.
- Talbot, M.M.B., Small, J.G.C. & Bate, G.C. 1988. Spatial patterns of nitrogen fixation (acetylene reduction) along environmental gradients in a warm-temperate estuary. Journal of Experimental Marine Biology and Ecology 117: 255-270.
- Talbot, M.M.J.F. 1982b. Aspects of the ecology and biology of *Gilchristella aestuarius* (G & T)(Pisces: Clupeidae) in the Swartkops estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Talbot, M.M.J.F. & Baird, D. 1985a. Feeding of the estuarine round herring *Gilchristella aestuarius* (G & T)(Stolephoridae). Journal of Experimental Marine Biology and Ecology 87: 199-214.
- Talbot, M.M.J.F. & Baird, D. 1985b. Oxygen consumption of the estuarine round herring *Gilchristella aestuarius* (G & T). South African Journal of Zoology 20: 1-4.
- Talbot, M.M.J.F., Branch, E., Marsland, S. & Watling, R. 1985. Metals in South African estuaries. X. Blind, Ihlanza, Nahoon and Quinera Rivers. Water SA 11: 65-68.
- Taljaard, S. 1987. Nutrient circulation in the Palmiet River estuary: a summer study. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Taljaard, S., Eagle, G.A. & Hennig, H.F-K.O. 1986. The Palmiet estuary: a model for water circulation using salinity and temperature measurements over a tidal cycle. Water SA 12: 119-126.
- Taljaard, S. & Largier, J.L. 1989. Water circulation and nutrient distribution patterns in the Palmiet River estuary: a winter study. CSIR (Stellenbosch) Research Report 680: 38 pp.
- Taljaard, S. & Slinger, J.H. 1997. Decision support requirements for estuarine water quality management. CSIR Technical Report ENV/S-T97001.
- Taylor, D.I. 1981. Primary production of Swartvlei in mid-summer 1980, with emphasis on the production ecology of the littoral zone. MSc Limnology Project Report, Department of Zoology & Entomology, Rhodes University, Grahamstown: 67 pp.
- Taylor, D.I. 1983. The effects of a major macrophyte regression upon primary production in the littoral zone of Swartvlei. Archiv für Hydrobiologie 96: 345-353.
- Taylor, D.I. 1987. Tidal exchange of carbon, nitrogen and phosphorus between a *Sarcocornia* salt-marsh and the Kariega estuary, and the role of salt-marsh brachyura in this transfer. PhD thesis, Rhodes University, Grahamstown: 188 pp.

- Taylor, D.I. 1992. The influence of upwelling and short-term changes in concentrations of nutrients in the water column on fluxes across the surface of a salt marsh. *Estuaries* 15: 68-74.
- Taylor, D.I. & Allanson, B.R. 1993. Impacts of dense crab populations on carbon exchanges across the surface of a salt marsh. *Marine Ecology Progress Series* 101: 119-129.
- Taylor, D.I. & Allanson, B.R. 1995. Organic carbon fluxes between a high marsh and estuary, and the inapplicability of the outwelling hypothesis. *Marine Ecology Progress Series* 120: 263-270.
- Taylor, R.H. 1980a. A land capability study for hippopotamuses at Lake St Lucia, Zululand. MSc thesis, University of Natal, Pietermaritzburg.
- Taylor, R.H. 1980b. Ringed birds recovered in the St Lucia area. *Lammergeyer* No. 28: 46.
- Taylor, R.H. 1981. Stomach contents of a greater flamingo. *Lammergeyer* No. 31: 45-46.
- Taylor, R.H. (ed.) 1982. St Lucia research review. Natal Parks Board Report: 257 pp.
- Taylor, R.H. 1983. Is St Lucia dying? *Natal Parks Board News*, June Issue.
- Taylor, R.H. 1987. Lake St Lucia bibliography. Natal Parks Board, St Lucia Research Series No. 2: 1-40.
- Taylor, R.H. 1991. The Greater St Lucia Wetland Park. Published by Parke-Davis for the Natal Parks Board: 48 pp.
- Taylor, R.H. (ed.) 1993. Proceedings of the workshop on water requirements for Lake St Lucia. Department of Environment Affairs, Pretoria.
- Taylor, R.H. & Cunningham, A.B. 1983. The conservation of wetlands. *Journal of the Limnological Society of southern Africa* 9: 141-145.
- Taylor, R.H., Farm, B.P. & Starfield, A.M. 1987. A rule-based ecosystem model for the management of Lake St. Lucia. *Journal of the Limnological Society of Southern Africa* 13: 97-100.
- Teale, G. 1962. Lake St Lucia Game Reserve paradise to be lost. *African Wildlife* 38(2): 62.
- Ter Morshuizen, L.D. 1995. Silting up of the Kariega River estuary - fact or fiction? *Ichthos* 46: 11.
- Ter Morshuizen, L.D. & Whitfield, A.K. 1994. The distribution of littoral fish associated with eelgrass *Zostera capensis* in the Kariega estuary, a southern African system with a reversed salinity gradient. *South African Journal of Marine Science* 14: 95-105.
- Ter Morshuizen, L.D., Whitfield, A.K. & Paterson, A.W. 1996. Influence of freshwater flow regime on fish assemblages in the Great Fish River and estuary. *Southern African Journal of Aquatic Sciences* 22, 52-61.
- Ter Morshuizen, L.D., Whitfield, A.K. & Paterson, A.W. 1997. Distribution patterns of fishes in an Eastern Cape estuary and river with particular emphasis on the ebb and flow region. *Transactions of the Royal Society of South Africa* 51: 257-280.
- Teske, P.R. & Wooldridge, T.H. 2001. A comparison of the macrobenthic faunas of permanently open and temporarily open/closed South African estuaries. *Hydrobiologia* 464: 227-243.
- Teske, P.R. & Wooldridge, T.H. 2003. What limits the distribution of subtidal macrobenthos in permanently open and temporarily open/closed South African estuaries? Salinity vs. sediment particle size. *Estuarine Coastal and Shelf Science* 57: 225-238.
- Teske, P.R. & Wooldridge, T.H. 2004. Affinities of some common estuarine macroinvertebrates to salinity and sediment type: empirical data from Eastern Cape estuaries, South Africa. *African Zoology* 39(2): 183-192.

- Tilney, R.L. & Hecht, T. 1990. The food and feeding habits of two co-occurring marine catfish *Galeichthys feliceps* and *G. ater* (Osteichthys: Ariidae) along the south east coast of South Africa. *Journal of Zoology*, London 221: 171-193.
- Tilney, R.L. & Hecht, T. 1990. Early ontogeny of *Galeichthys feliceps* from the south east coast of South Africa. *Journal of Fish Biology* 43: 183-212.
- Tinley, K.L. 1971. Lake St Lucia and its peripheral sand catchment: the ecology and implications of proposals to relieve a condemned system. Wildlife Society of Southern Africa, Johannesburg.
- Tinley, K.L. 1976. The ecology of Tongaland, 3: Kosi lake system. Wildlife Society of Southern Africa (Natal Branch) Report: 1-62.
- Tooth, T. 1946. When the pelicans come to St Lucia. *South African Angler* 1(1): 9.
- Turpie, J.K. 1994. Comparative foraging ecology of two broad-ranging migrants, Grey Plover *Pluvialis squatarola* and Whimbrel *Numenius phaeopus* (Aves: Charadrii) in tropical and temperate latitudes of the western Indian Ocean. PhD thesis, University of Cape Town, Cape Town.
- Turpie, J.K. 1995. Prioritizing South African estuaries for conservation: a practical example using waterbirds. *Biological Conservation* 74: 175-185.
- Turpie, J.K., Adams, J.B., Joubert, A., Harrison, T.D., Colloty, B.M., Maree, R.C., Whitfield, A.K., Wooldridge, T.H., Lamberth, S.J., Taljaard, S. & van Niekerk, L. 2002. Assessment of the conservation priority status of South African estuaries for use in management and water allocation. *Water SA* 28(2), 191-206.
- Turpie, J.K. & Hockey, P.A.R. 1993. Comparative diurnal and nocturnal foraging behaviour and energy intake of premigratory Grey Plovers *Pluvialis squatarola* and Whimbrels *Numenius phaeopus* in South Africa. *Ibis* 135: 156-165.
- Turpie, J.K. & Hockey, P.A.R. 1996. Foraging ecology and seasonal energy budgets of Grey Plovers *Pluvialis squatarola* and Whimbrels *Numenius phaeopus* at the southern tip of Africa. *Ardea* 84: 57-74.
- Tyson, N. 1988. The Swartkops estuary: an urban jewel. *African Wildlife* 42: 150-153.
- Uncles, R.J., Baird, D. & Reddering, J.S.V. 1990. Tidal dynamics and sediment bed-type of an estuary with a constricted mouth. In: *Physics of Shallow Seas*. pp. 197-209. Hautong, W., Jingyong, W. & Hua, D. (eds). China Ocean Press, Beijing.
- Underhill, L.G. 1987. Waders (Charadrii) and other waterbirds at Langebaan lagoon, South Africa, 1975-1986. *Ostrich* 58: 145-155.
- Underhill, L.G. & Cooper, J. 1982-1984. Counts of waterbirds at coastal wetlands in southern Africa. Western Cape Wader Study Group and Percy Fitzpatrick Institute of African Ornithology, University of Cape Town, Unpublished Reports.
- Underhill, L.G., Cooper, J. & Waltner, M. 1980. The status of waders (Charadrii) and other birds in the coastal region of the southern and eastern Cape, summer 1978/79. Western Cape Wader Study Group, Cape Town: 248 pp.
- van Bonde, C. 1940. Report on a marine biological survey of St Lucia estuary, St Lucia lake and the Umfolosi river, Zululand. Unpublished Report, Department of Sea Fisheries, Cape Town.
- van Staden, Q. 2001. Population dynamics and exploit potential of mullet (Pisces: Family Mugilidae) in the Swartkops Estuary. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- van der Elst, R.P. 1972. Fresh water fish in super saline waters. *Natal Wildlife* 13(3): 13.

- van der Elst, R.P. 1977. On the Richards Bay sanctuary area. *Natal Wildlife* 18(2): 4-6.
- van der Elst, R.P. 1978a. Notes on the teleost fauna of the Kobole estuary, Transkei. *South African Journal of Wildlife Research* 8: 83-85.
- van der Elst, R.P. 1978b. The St Lucia sport fishery - a 21 year catch analysis. Oceanographic Research Institute, Durban, Unpublished Report: 1-20.
- van der Elst, R.P. 1988. A guide to the common sea fishes of southern Africa. C. Struik, Cape Town: 398 pp.
- van der Elst, R.P., Birnie, S.L. & Everett, B.I. (eds) 1999. Siyaya catchment demonstration project: an experiment in estuarine rehabilitation. Oceanographic Research Institute Special Publication No. 6: 99 pp + appendices.
- van der Elst, R.P., Govender, A. & Chater, S.A. 1993. The biology and status of the garrick (*Lichia amia*). In: Fish, fishers and fisheries. pp. 28-31. Beckley, L.E. & van der Elst, R.P. (eds). Oceanographic Research Institute Special Publication No. 2: 215 pp.
- van der Horst, G. 1978. The structure of the testis of the mullet, *Liza dumerili* (Teleostei; Mugilidae) with special reference to spermatogenesis. *Zoologica Africana* 13: 233-243.
- van der Horst, G. & Cross, R.H.M. 1978. The structure of the spermatozoan of *Liza dumerili* (Teleostei) with notes on spermatogenesis. *Zoologica Africana* 13: 245-258.
- van der Horst, G. & Erasmus, T. 1978. The breeding cycle of male *Liza dumerili* (Teleostei: Mugilidae) in the mouth of the Swartkops estuary. *Zoologica Africana* 13: 259-273.
- van der Horst, G. & Erasmus, T. 1981. Spawning time and spawning grounds of mullet with special reference to *Liza dumerili* (Steindachner, 1869). *South African Journal of Science* 77: 73-78.
- van der Horst, G. & Lasiak, T. 1989. Characteristics of mature oocytes from four species of marine teleosts. *South African Journal of Zoology* 24: 74-75.
- van der Merwe, G. 1967. The future of Lake St Lucia. *Bokmakierie* 19(2): 31-32.
- van der Merwe, L. 1988a. A hydrographic survey of the mouth of the Orange River, September 1987. CSIR, Stellenbosch.
- van der Merwe, L. 1988b. River mouth surveys of the west and south west Cape coast (Orange, Olifants, Berg, Diep, Palmiet and the Klein River). CSIR (Stellenbosch) Report EMA/D 8802: 31 pp. + Appendix.
- van der Merwe, R. 1974. The environmental study of the Swartkops River basin. Swartkops Trust, Port Elizabeth.
- van der Merwe, R. 1975. People have a right to plan their environment. *African Wildlife* 29(1): 8-11.
- van der Walt, B.A. & Mann, B.Q. 1998. Aspects of the reproductive biology of *Sarpa salpa* (Pisces: Sparidae) off the east coast of South Africa. *South African Journal of Zoology* 33: 241-248.
- van der Westhuizen, H.C. & Marais, J.F.K. 1977. Stomach content analyses of *Pomadasys commersonni* from the Swartkops estuary (Pisces: Pomadasyidae). *Zoologica Africana* 12: 500-504.
- van Driel, D. & Breen, C.M.. 2001. Influence of human activities. In: Managing estuaries in South Africa. An introduction. pp. 20-31. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- van Foreest, D. 1985. Numerical model for the wind-driven circulation in the Bot River estuary. *Transactions of the Royal Society of South Africa* 45: 285-290.
- van Heerden, I.L. 1985. Barrier/estuarine processes; Bot River estuary - An interpretation of aerial photographs. *Transactions of the Royal Society of South Africa* 45: 239-252.

- van Heerden, I.L. 1986. Fluvial sedimentation in the ebb-dominated Orange estuary. *South African Journal of Science* 82: 141-147.
- van Heerden, I.L. 1993. Management of the St Lucia and Mfolozi estuaries, Zululand, as determined from a study of mouth processes. Unpublished Report, Natal Parks Board, Pietermaritzburg.
- van Heerden, I.L. & Swart, D.H. 1986. An assessment of past and present geomorphological and sedimentary processes operative in the St Lucia estuary and environs. CSIR Research Report No. 569: 1-117.
- van Tonder, G.J., Botha, J.F. & Muller, J.L. 1986. The problems of sea water intrusion near Lake Mzingazi at Richards Bay. *Water SA* 12: 83-88.
- van Wyk, A.C. 1983. Effect of dredging in the Berg River estuary. MSc thesis, University of Cape Town, Rondebosch.
- van Zyl, G.N. 1973. A plan for the St Lucia estuary. Natal Town & Regional Planning Commission Report 27: 1-33.
- Velásquez, C.R. & Hockey, P.A.R. 1992. The importance of supratidal foraging habitats for waders at a south temperate estuary. *Ardea* 80: 243-253.
- Velásquez, C.R., Kalejta, B. & Turner, E. 1990. The Berg River estuary: an important wetland for Caspian Terns *Sterna caspia* in South Africa. *Marine Ornithology* 18: 65-68.
- Velásquez, C.R., Kalejta, B. & Hockey, P.A.R. 1991. Seasonal abundance, habitat selection and energy consumption by waterbirds at the Berg River estuary, South Africa. *Ostrich* 62: 109-123.
- Venter, J.H.T. 1972. Die plantekologie van Richardsbaai, Natal. PhD thesis, University of the Orange Free State, Bloemfontein.
- Viljoen, A. & Cyrus, D.P. 2002. Temporal variation in the recruitment of larval fish into the Mhlathuze Estuary in northern KwaZulu-Natal, South Africa. *Marine and Freshwater Research* 53: 439-445.
- Vincent, J. 1980. The ecology of Lake St Lucia. *Environment RSA* 7: 4-6.
- Vivier, L. & Cyrus, D.P. 2001. Juvenile fish recruitment through wave-overtopping into a closed subtropical estuary. *African Journal of Aquatic Science* 26: 109-113.
- Vivier, L. & Cyrus, D.P. 2002. Ichthyofauna of the sub-tropical Nhlabane Estuary, KwaZulu-Natal: drought-related changes in the fish community during extended mouth closure. *Marine and Freshwater Research* 53: 457-464.
- Vogel, J.C. & van Urk, H. 1975. Isotopic investigation of Lake St Lucia. National Physical Research Laboratory Report, CSIR, Pretoria.
- Vorwerk, P.D., Whitfield, A.K., Cowley, P.D. & Paterson, A.W. 2001. A survey of selected Eastern Cape estuaries with particular reference to the ichthyofauna. *Ichthyological Bulletin of the J.L.B. Smith Institute of Ichthyology* 72: 1-52.
- Vorwerk, P.D., Whitfield, A.K., Cowley, P.D. & Paterson, A.W. 2003. The influence of selected environmental variables on fish assemblage structure in a range of southeast African estuaries. *Environmental Biology of Fishes* 66, 237-247.
- Wager, V.A. 1960. St Lucia wilderness trail. *African Wildlife* 14(4): 293-301.
- Wager, V.A. 1972. Kosi Bay. *African Wildlife* 26(2): 81-86.
- Waldron, M. 1986. The importance of water levels in the management of the Klein River estuary, Hermanus. MSc thesis, University of Cape Town, Cape Town.

- Walker, D.R., Perissonotto, R. & Bally, R.P.A. 2001. Phytoplankton/protozoan dynamics in the Nyara Estuary, a small temporarily open system in the Eastern Cape (South Africa). *African Journal of Aquatic Science* 26(1): 31-38.
- Wallace, J.H. 1969. Some effects of recent high salinities on the fish and molluscan shellfish life in St Lucia Lake, Zululand. Oceanographic Research Institute, Durban, Unpublished Report: 1-5.
- Wallace, J.H. 1974. Aspects of the biology and ecology of the estuarine fishes of the east coast of South Africa. PhD thesis, University of Natal, Pietermaritzburg.
- Wallace, J.H. 1975a. The estuarine fishes of the east coast of South Africa. Part 1. Species composition and length distribution in the estuarine and marine environments. Part 2. Seasonal abundance and migrations. Investigational Report of the Oceanographic Research Institute 40: 1-72.
- Wallace, J.H. 1975b. The estuarine fishes of the east coast of South Africa. Part 3. Reproduction. Investigational Report of the Oceanographic Research Institute 41: 1-48.
- Wallace, J.H. 1977. About estuarine fish. *Eastern Cape Naturalist* 60: 9-10.
- Wallace, J.H., et al. 1971. Preliminary report on aspects of the biology and ecology of the fish fauna of the Kosi Bay estuarine lakes. Oceanographic Research Institute, Durban, Unpublished Report: 1-12.
- Wallace, J.H., Kok, H.M., Beckley, L.E., Bennett, B., Blaber, S.J.M. & Whitfield, A.K. 1983. South African estuaries and their importance to fishes. Port Elizabeth Museum, Humewood: 9 pp.
- Wallace, J.H., Kok, H.M. & Beckley, L.E. 1984a. Inshore small-mesh trawling survey of the Cape south coast. Part 2. Occurrence of estuarine-associated fishes. *South African Journal of Zoology* 19: 165-169.
- Wallace, J.H., Kok, H., Beckley, L., Bennett, B., Blaber, S.J.M. & Whitfield, A.K. 1984b. South African estuaries and their importance to fishes. *South African Journal of Science* 80: 203-207.
- Wallace, J.H. & Schleyer, M.H. 1979. Age determination in two important species of South African angling fishes, the kob (*Argyrosomus hololepidotus* Lacep.) and the spotted grunter (*Pomadasys commersonni* Lacep.) *Transactions of the Royal Society of South Africa* 44: 15-26.
- Wallace, J.H. & van der Elst, R.P. 1975. The estuarine fishes of the east coast of South Africa. Part 4. Occurrence of juveniles in estuaries. Part 5. Ecology, estuarine dependence and status. Investigational Report of the Oceanographic Research Institute 42: 1-63.
- Walmsley Environmental Consultants. 1993. Environmental impact assessment for raising the weir at Lake Nhlabane. Contractual Report W/024: 119 pp.
- Ward, C.J. 1960. Report on spread of mangroves and siltation: Umlalazi Nature Reserve. Natal Parks Board, Pietermaritzburg, Unpublished Report: 1-9.
- Ward, C.J. 1971. Plant ecology of Isipingo Beach area. MSc thesis, University of Natal, Pietermaritzburg.
- Ward, C.J. & Steinke, T.D. 1982. A note on the distribution and approximate areas of mangroves in South Africa. *South African Journal of Botany* 1: 51-53.
- Ward, C.J., Steinke, T.D. & Ward, M.C. 1986. Mangroves of the Kosi system, South Africa: their re-establishment since a mass mortality in 1965/66. *South African Journal of Botany* 52: 501-512.
- Watling, H.R. & Watling, R.J. 1976. Trace metals in oysters from Knysna estuary. *Marine Pollution Bulletin* 7: 45-47.
- Watling, R.J. 1982. East Cape Marine Pollution Monitoring Programme. Report for the period May-December, 1981. Zoology Department, University of Port Elizabeth, Report Series No. 17.

- Watling, R.J., Baird, D., Talbot, M.M.J.F. & Branch, E.B. 1983. Investigations into the pollution status of the East London area. Part 1. University of Port Elizabeth, Zoology Department Report Series No. 27: 82 pp.
- Watling, R.J., Talbot, M.M.J., Branch, E. & Marsland, S. 1985. Metals in South African estuaries. IX. Buffalo River. *Water SA* 11: 61-64.
- Watling, R.J., Talbot, M.M.J.F. & Watling, H.R. 1982. Preliminary investigation on the pollution status of the East London area. Part 1. Zoology Department, University of Port Elizabeth, Report Series No. 21.
- Watling, R.J. & Watling, H.R. 1975. Trace metal studies in Knysna Estuary. *Environment RSA* 2: 5-7.
- Watling, R.J. & Watling, H.R. 1977. Metal concentrations in surface sediments from Knysna estuary. CSIR (Pretoria) Special Report FIS 122: 38 pp.
- Watling, R.J. & Watling, H.R. 1980. Metal surveys in South African estuaries. II. Knysna estuary. CSIR Special Report FIS 203: 122 pp.
- Watling, R.J. & Watling, H.R. 1982. The significance of the relative concentrations of Fe, Al, Ni and Co in estuarine and coastal sediments from the south-eastern Cape. University of Port Elizabeth, Zoology Department Report Series No. 23.
- Watling, R.J. & Watling, H.R. 1982a. Metal surveys in South African estuaries. I. Swartkops River. *Water SA* 8: 26-35.
- Watling, R.J. & Watling, H.R. 1982b. Metal surveys in South African estuaries. II. Knysna River. *Water SA* 8: 36-44.
- Watling, R.J. & Watling, H.R. 1982c. Metal surveys in South African estuaries. III. Hartenbos, Little Brak and Great Brak Rivers (Mossel Bay). *Water SA* 8: 108-113.
- Watling, R.J. & Watling, H.R. 1982d. Metal surveys in South African estuaries. IV. Keurbooms and Bietou Rivers (Plettenberg Bay). *Water SA* 8: 114-119.
- Watling, R.J. & Watling, H.R. 1982e. Metal surveys in South African estuaries. V. Kromme and Gamtoos Rivers (St Francis Bay). *Water SA* 8: 187-191.
- Watling, R.J. & Watling, H.R. 1982f. Metal surveys in South African estuaries. VI. Sundays River. *Water SA* 8: 192-195.
- Watling, R.J. & Watling, H.R. 1983. Metal surveys in South African estuaries. VII. Bushmans, Kariega, Kowie and Great Fish Rivers. *Water SA* 9: 66-70
- Watling, R.J., Watling, H.R. & Butler, L.R.P. 1980. The monitoring of Knysna lagoon for trace metals. CSIR (Pretoria) Special Reports FIS 117 and FIS 165.
- Watt-Pringle, P. & Strydom, N.A. 2003. Habitat use by larval fishes in a temperate South African surf zone. *Estuarine, Coastal and Shelf Science* 58: 765-774.
- Webb, P., Perissinotto, R. & Wooldridge, T. 1987. Feeding of *Mesopodopsis slabberi* (Crustacea, Mysidacea) on naturally occurring phytoplankton. *Marine Ecology Progress Series* 38: 115-123.
- Webb, P. & Wooldridge, T.H. 1989. Diet elucidation: supplementary inferences from mysid feeding appendage morphology. *South African Journal of Zoology* 24: 106-109.
- Weerts, S.P. & Cyrus, D.P. 1998/99. A review of the ichthyofauna of the Mhlathuze Estuary. *Southern African Journal of Aquatic Sciences* 24: 99-110.
- Weerts, S.P. & Cyrus, D.P. 2001. The ichthyofauna of the Mhlathuze coastal lakes: some preliminary results. *African Journal of Aquatic Science* 26: 99-107.

- Weerts, S.P., Cilliers, G. & Cyrus, D.P. 2003. Estuarine macrocrustacea of Richards Bay harbour, South Africa, with particular reference to the penaeid prawns. *African Zoology* 38(2): 286-296.
- Weerts, S.P. & Cyrus, D.P. 2002. Occurrence of young and small-sized fishes in different habitats within a subtropical South African estuary and adjacent harbour. *Marine and Freshwater Research* 53: 447-456.
- Weerts, S.P., Cyrus, D.P. & Forbes, A.T. 1997. The diet of juvenile *Sillago sihama* (Forsskal, 1775) from three estuarine systems in KwaZulu-Natal. *Water SA* 23, 95-100.
- Weisser, P.J. & Howard-Williams, C. 1982. The vegetation of the Wilderness lakes system and the macrophyte encroachment problem. *Bontebok* 2: 19-40.
- Weisser, P.J., Whitfield, A.K. & Hall, C.M. 1992. The recovery and dynamics of submerged aquatic macrophyte vegetation in the Wilderness lakes, southern Cape. *Bothalia* 22: 283-288.
- Wepener, V. & Vermeulen, L.A. 1998/99. Comments on the water quality of the Mhlathuze Estuary in relation to determining the Ecological Integrity Class. *Southern African Journal of Aquatic Sciences* 24: 86-98.
- White, P.N. & Bruton, M.N. 1983. Food and feeding mechanisms of *Gilchristella aestuarius* (Pisces: Clupeidae). *South African Journal of Zoology* 18: 31-36.
- Whitfield, A.K. 1977a. Predation of fish in Lake St Lucia, Zululand. MSc thesis, University of Natal, Pietermaritzburg.
- Whitfield, A.K. 1977b. New life for St Lucia. *South African Panorama* 22: 48-49.
- Whitfield, A.K. 1977c. The future of aquatic birds at Lake St Lucia. *Bokmakierie* 29: 24-25.
- Whitfield, A.K. 1978a. The importance of the tidal cycle to wading birds on mud flats. *Bokmakierie* 30(1): 24-25.
- Whitfield, A.K. 1978b. Relationship between fish and piscivorous bird densities at Lake St Lucia. *South African Journal of Science* 74: 478.
- Whitfield, A.K. 1978c. Pied kingfisher catches two fishes in one dive. *Ostrich* 49: 45.
- Whitfield, A.K. 1979. Field observations on the lepidophagous teleost *Terapon jarbua* (Forsk.). *Environmental Biology of Fishes* 4: 171-172.
- Whitfield, A.K. 1980a. A quantitative study of the trophic relationships within the fish community of the Mhlanga estuary, South Africa. *Estuarine and Coastal Marine Science* 10: 417-435.
- Whitfield, A.K. 1980b. Distribution of fishes in the Mhlanga estuary in relation to food resources. *South African Journal of Zoology* 15: 159-165.
- Whitfield, A.K. 1980c. Factors influencing the recruitment of juvenile fishes into the Mhlanga estuary. *South African Journal of Zoology* 15: 166-169.
- Whitfield, A.K. 1980d. Food chains in Lake St Lucia. In: *Studies on the ecology of Maputaland*. pp. 427-431. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- Whitfield, A.K. 1980e. A checklist of fish species recorded from Maputaland estuarine systems. In: *Studies on the ecology of Maputaland*. pp. 204-209. Bruton, M.N. & Cooper, K.H. (eds). Rhodes University, Grahamstown and Wildlife Society, Durban.
- Whitfield, A.K. 1982. Trophic relationships and resource utilization within the fish communities of the Mhlanga and Swartvlei estuarine systems. PhD thesis, University of Natal, Pietermaritzburg.

- Whitfield, A.K. 1983. Factors influencing the utilization of southern African estuaries by fishes. *South African Journal of Science* 79: 362-365.
- Whitfield, A.K. 1984. The effects of prolonged aquatic macrophyte senescence on the biology of the dominant fish species in a southern African coastal lake. *Estuarine, Coastal and Shelf Science* 18: 315-329.
- Whitfield, A.K. 1985. The role of zooplankton in the feeding ecology of fish fry from some southern African estuaries. *South African Journal of Zoology* 20: 166-171.
- Whitfield, A.K. 1986a. Fish community structure response to major habitat changes within the littoral zone of an estuarine coastal lake. *Environmental Biology of Fishes* 17: 41-51.
- Whitfield, A.K. 1986b. Predation by whitebreasted cormorants on fishes in a southern Cape estuarine system. *Ostrich* 57: 248-249.
- Whitfield, A.K. 1987a. Feeding ecology of marine fish species in Cape estuaries. *The Naturalist* 31(1): 37-41.
- Whitfield, A.K. 1987b. Feeding ecology of some estuarine fish. *Ichthos* 16: 16-17.
- Whitfield, A.K. 1988a. The role of tides in redistributing macrodetrital aggregates within the Swartvlei estuary. *Estuaries* 11: 152-159.
- Whitfield, A.K. 1988b. The fish community of the Swartvlei estuary and the influence of food availability on resource utilization. *Estuaries* 11: 160-170.
- Whitfield, A.K. 1988c. Springing mullet, snapping crocodiles, swirling sharks and swimming pelicans. *Ichthos* 18: 19.
- Whitfield, A.K. 1988d. Why do mullet jump? *Ichthos* 18: 20.
- Whitfield, A.K. 1989a. Ichthyoplankton interchange in the mouth region of a southern African estuary. *Marine Ecology Progress Series* 54: 25-33.
- Whitfield, A.K. 1989b. Fish larval composition, abundance and seasonality in a southern African estuarine lake. *South African Journal of Zoology* 24: 217-224.
- Whitfield, A.K. 1989c. Ichthyoplankton in a southern African surf zone: nursery area for the postlarvae of estuarine associated fish species? *Estuarine, Coastal and Shelf Science* 29: 533-547.
- Whitfield, A.K. 1989d. The benthic invertebrate community of a southern Cape estuary: structure and possible food sources. *Transactions of the Royal Society of South Africa* 47: 159-179.
- Whitfield, A.K. 1989e. Paradise lagoon or paradise lost? *Ichthos* 22: 2-3.
- Whitfield, A.K. 1989f. The restoration of Paradise lagoon. *Ichthos* 23: 14-15.
- Whitfield, A.K. 1989g. Estuarine fishes of southern Africa. *Ichthos* 24: 12-13.
- Whitfield, A.K. 1990a. Life-history styles of fishes in South African estuaries. *Environmental Biology of Fishes* 28: 295-308.
- Whitfield, A.K. 1990b. Estuarine fishes, illustrated by the spotted grunter. In: *Marine recreational fishing: resource usage, management and research*. pp. 73-75. van der Elst, R.P. (ed.). South African National Scientific Programmes Report No. 167: 126 pp.
- Whitfield, A.K. 1990c. Estuaries. In: *Marine Science and Technology in South Africa*, pp. 24-25. Herbst, J.F. & Shackleton, L. (eds). Foundation for Research Development, Pretoria.
- Whitfield, A.K. 1991. A bibliography of southern African estuarine research (1950-1990). J.L.B. Smith Institute of Ichthyology Investigational Report 36: 75 pp.

- Whitfield, A.K. 1992a. Juvenile fish recruitment over an estuarine sand bar. *Ichthos* 36: 23.
- Whitfield, A.K. 1992b. A characterization of southern African estuarine systems. *Southern African Journal of Aquatic Sciences* 18: 89-103.
- Whitfield, A.K. 1992c. Why should we study fishes in estuaries? *Ichthos* 33: 5.
- Whitfield, A.K. 1992d. Estuarine research. *Ichthos* 35: 10-11.
- Whitfield, A.K. 1993a. Fish biomass estimates from the littoral zone of an estuarine coastal lake. *Estuaries* 16: 280-289.
- Whitfield, A.K. 1993b. Preliminary evaluation of the impact of the proposed dam on the ecology of the Haga Haga River and estuary. In: *Impact assessment: evaluation of proposed dam site on the Haga Haga River*. Pollution Control Technologies, East London, Report No. 2/1993.
- Whitfield, A.K. 1993c. Why are there so few freshwater fish species in our estuaries? *Ichthos* 37: 23.
- Whitfield, A.K. 1994a. Abundance of larval and 0+ juvenile marine fishes in the lower reaches of three southern African estuaries with differing freshwater inputs. *Marine Ecology Progress Series* 105: 257-267.
- Whitfield, A.K. 1994b. Bigfin mudskipper found in Kariega estuary. *Ichthos* 43: 14-15.
- Whitfield, A.K. 1994c. Fish species diversity in southern African estuarine systems: an evolutionary perspective. *Environmental Biology of Fishes* 40: 37-48.
- Whitfield, A.K. 1994d. An estuary-association classification for the fishes of southern Africa. *South African Journal of Science* 90: 411-417.
- Whitfield, A.K. 1994e. A review of ichthyofaunal biodiversity in southern African estuarine systems. In: *Biological diversity of African fresh- and brackish water fishes*. Teugels, G.G., Guégan, J.F. & Albaret, J.J. (eds). *Annales du Musée Royal de l'Afrique Centrale, Tervuren, Belgique* 275: 149-163.
- Whitfield, A.K. 1994f. Voracious little predators. *Ichthos* 41: 12.
- Whitfield, A.K. 1995a. Threatened fishes of the world: *Syngnathus watermeyeri* Smith, 1963 (Syngnathidae). *Environmental Biology of Fishes* 43: 152.
- Whitfield, A.K. 1995b. Threatened fishes of the world: *Hippocampus capensis* Boulenger, 1900 (Syngnathidae). *Environmental Biology of Fishes* 44: 362.
- Whitfield, A.K. 1995c. Mass mortalities of fish in South African estuaries. *Southern African Journal of Aquatic Sciences* 21: 29-34.
- Whitfield, A.K. 1996a. Fishes and the environmental status of South African estuaries. *Fisheries Management and Ecology* 3: 45-57.
- Whitfield, A.K. 1996b. Threatened fishes of the world: *Clinus spatulatus* Bennett, 1983 (Clinidae). *Environmental Biology of Fishes* 46: 26.
- Whitfield, A.K. 1996c. A review of factors influencing fish utilization of South African estuaries. *Transactions of the Royal Society of South Africa* 51: 115-137.
- Whitfield, A.K. 1996d. A review of estuarine ichthyology in South Africa over the past 50 years. *Transactions of the Royal Society of South Africa* 51: 79-89.
- Whitfield, A.K. 1997. Fish conservation in South African estuaries. *Aquatic Conservation: Marine and Freshwater Ecosystems* 7: 1-11.

- Whitfield, A.K. 1998. Biology and ecology of fishes in southern African estuaries. *Ichthyological Monographs of the J.L.B. Smith Institute of Ichthyology* 2: 223 pp.
- Whitfield, A.K. 1999. Ichthyofaunal assemblages in estuaries: A South African case study. *Reviews in Fish Biology and Fisheries* 9(2): 151-186.
- Whitfield, A.K. 2000. Available scientific information on individual South African estuarine systems. Water Research Commission Report No. 577/3/00: 217 pp.
- Whitfield, A.K. 2001a. Structure and functioning. In: *Managing estuaries in South Africa. An introduction.* pp. 10-19. Breen, C.M. & McKenzie, M. (eds). Institute of Natural Resources, Pietermaritzburg.
- Whitfield, A.K. 2001b. Estuaries and people. *SA Waterbulletin* 27(6): 12-13.
- Whitfield, A.K. 2002. The estuarine ecoregion. pp. 22-23. In: *The Biodiversity of South Africa 2002.* le Roux, J. (ed.). Struik Publishers, Cape Town.
- Whitfield, A.K., Allanson, B.R. & Heineken, T.J.E. 1983. Report No. 22: Swartvlei (CMS 11). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems.* Heydorn, A.E.F. & Grindley, J.R. (eds). CSIR Research Report 421: 62 pp.
- Whitfield, A.K., Beckley, L.E., Bennett, B., Branch, G.M., Kok, H.M., Potter, I.C. & van der Elst, R.P. 1989. Composition, species richness and similarity of ichthyofaunas in eelgrass *Zostera capensis* beds of southern Africa. *South African Journal of Marine Science* 8: 251-259.
- Whitfield, A.K. & Blaber, S.J.M. 1976. The effects of temperature and salinity on *Tilapia rendalli* Boulenger 1896. *Journal of Fish Biology* 9: 99-104.
- Whitfield, A.K. & Blaber, S.J.M. 1978a. Resource segregation among iliophagus fish in Lake St Lucia, Zululand. *Environmental Biology of Fishes* 3: 293-296.
- Whitfield, A.K. & Blaber, S.J.M. 1978b. Food and feeding ecology of piscivorous fishes at Lake St Lucia, Zululand. *Journal of Fish Biology* 13: 675-691.
- Whitfield, A.K. & Blaber, S.J.M. 1978c. Distribution, movements and fecundity of Mugilidae at Lake St Lucia. *Lammergeyer* 26: 53-63.
- Whitfield, A.K. & Blaber, S.J.M. 1978d. Scale-eating habits of the marine teleost *Terapon jarbua* (Forskål). *Journal of Fish Biology* 12: 61-70.
- Whitfield, A.K. & Blaber, S.J.M. 1978e. Feeding ecology of piscivorous birds at Lake St Lucia. Part 1: Diving birds. *Ostrich* 49: 185-198.
- Whitfield, A.K. & Blaber, S.J.M. 1979a. Feeding ecology of piscivorous birds at Lake St Lucia. Part 2: Wading birds. *Ostrich* 50: 1-9.
- Whitfield, A.K. & Blaber, S.J.M. 1979b. Feeding ecology of piscivorous birds at Lake St Lucia. Part 3: Swimming birds. *Ostrich* 50: 10-20.
- Whitfield, A.K. & Blaber, S.J.M. 1979c. Predation on striped mullet (*Mugil cephalus*) by *Crocodylus niloticus* at St Lucia, South Africa. *Copeia* 1979: 266-269.
- Whitfield, A.K. & Blaber, S.J.M. 1979d. The distribution of the freshwater cichlid *Sarotherodon mossambicus* in estuarine systems. *Environmental Biology of Fishes* 4: 77-81.
- Whitfield, A.K. & Blaber, S.J.M. 1980. The diet of *Atilax paludinosus* (water mongoose) at St Lucia, South Africa. *Mammalia* 44: 315-318.
- Whitfield, A.K., Blaber, S.J.M. & Cyrus, D.P. 1981. Salinity ranges of some southern African fish species occurring in estuaries. *South African Journal of Zoology* 16: 151-155.

- Whitfield, A.K. & Bok, A.H. 1998. Estuarine fishes. In: Field Guide to the Eastern and Southern Cape Coasts. Lubke, R.A. & de Moor, I.J. (Eds). pp. 205-215. University of Cape Town Press, Cape Town.
- Whitfield, A.K. & Bruton, M.N. 1989. Some biological implications of reduced fresh water inflow into eastern Cape estuaries: a preliminary assessment. *South African Journal of Science* 85: 691-695.
- Whitfield, A.K. & Bruton, M.N. 1996. Extinction of the river pipefish *Syngnathus watermeyeri* in the Eastern Cape Province, South Africa. *South African Journal of Science* 92: 59-60.
- Whitfield, A.K. & Cyrus, D.P. 1978. Feeding succession and zonation of aquatic birds at False Bay, Lake St Lucia. *Ostrich* 49: 8-15.
- Whitfield, A.K. & Elliott, M. 2002. Fishes as indicators of environmental and ecological changes within estuaries: a review of progress and some suggestions for the future. *Journal of Fish Biology* 61 (Supplement A), 229-250.
- Whitfield, A.K. & Harrison, T.D. 1996. *Gilchristella aestuaria* (Pisces: Clupeidae) biomass and consumption of zooplankton in the Sundays Estuary. *South African Journal of Marine Science* 17, 49-53.
- Whitfield, A.K. & Harrison, T.D. 2003. River flow and fish abundance in a South African estuary. *Journal of Fish Biology* 62, 1467-1472.
- Whitfield, A.K. & Heeg, J. 1977. On the life cycles of the cestode *Ptychobothrium belones* and nematodes of the genus *Contracaecum* from Lake St Lucia, Zululand. *South African Journal of Science* 73: 121-122.
- Whitfield, A.K. & Kok, H.M. 1992. Recruitment of juvenile marine fishes into permanently open and seasonally open estuarine systems on the southern coast of South Africa. *Ichthyological Bulletin of the J.L.B. Smith Institute of Ichthyology* 57: 1-39.
- Whitfield, A.K. & Lubke, R.A. 1998. Estuarine and coastal lake ecology. In: Field Guide to the Eastern and Southern Cape Coasts. Lubke, R.A. & de Moor, I.J. (Eds). pp. 216-231. University of Cape Town Press, Cape Town.
- Whitfield, A.K. & Marais, J.F.K. 1999. The ichthyofauna. In: Estuaries of South Africa. pp. 209-233. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Whitfield, A.K. & Paterson, A.W. 1995. Flood-associated mass mortality of fishes in the Sundays estuary. *Water SA* 21(4): 385-389.
- Whitfield, A.K. & Paterson, A.W. 2003. Distribution patterns of fishes in a freshwater deprived Eastern Cape estuary, with particular emphasis on the geographical headwater region. *Water SA* 29(1), 61-67.
- Whitfield, A.K., Paterson, A.W., Bok, A.H. & Kok, H.M. 1994. A comparison of the ichthyofaunas in two permanently open eastern Cape estuaries. *South African Journal of Zoology* 29: 175-185.
- Whitfield, A.K. & Swart, D.H. 1990. South African estuaries - a precious resource. *Ichthos* 27: 4-6.
- Whitfield, A.K., Taylor, R.H., Grange, N., Cowley, P.D., Wooldridge, T.H., Adams, J.B. & Bate, G.C. 2000. Functional ecosystems: estuaries. In: Summary marine biodiversity status report for South Africa. Durham, B.D. & Pauw, J.C. (eds). pp. 6-9. National Research Foundation, Pretoria.
- Whitfield, A.K. & Ter Morshuizen, L.D. 1992. Is the river pipefish extinct? *Conserva* 7: 21.
- Whitfield, A.K. & Wood, A.D. (ed.) 2003. Studies on the river-estuary interface region of selected Eastern Cape estuaries. Water Research Commission Report No. 756/1/03: 313 pp.
- Whitfield, A.K. & Wooldridge, T.H. 1994. Changes in freshwater supplies to southern African estuaries: some theoretical and practical considerations. In: Changes in fluxes in estuaries: implications from science to management. Dyer, K.R. & Orth, R.J. (eds). pp. 41-50. Olsen & Olsen, Fredensborg, Denmark.

- Williams, A.J. 1986. Wetland birds at the Orange River mouth and their conservation significance. *Bontebok* 5: 17-23.
- Williams, A.J. & Randall, R.M. 1995. Pelecaniform birds in South African wetlands. In: *Wetlands of South Africa*. pp. 147-161. Cowan, G.I (ed.). Department of Environmental Affairs and Tourism, Pretoria.
- Willis, J.P. 1985. The bathymetry, environmental parameters and sediments of the Bot River estuary, S.W. Cape Province. *Transactions of the Royal Society of South Africa* 45: 253-284.
- Willis, J.P., Fortuin, H.H.G. & Eagle, G.A. 1977. A preliminary report on the geochemistry of recent sediments in Saldanha Bay and Langebaan lagoon. *Transactions of the Royal Society of South Africa* 42: 497-509.
- Winter, P.E.D. 1979. Studies on the distribution, seasonal abundance and diversity of the Swartkops estuary ichthyofauna. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Winter, P.E.D. 1990. The estuarine-marine exchange of dissolved and particulate material at the Swartkops River estuary, Algoa Bay, South Africa. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Winter, P.E.D. & Baird, D. 1991. The exchange of phosphate between the Swartkops estuary and Algoa Bay. *South African Journal of Science* 87: 192-197.
- Winter, P.E.D., Schlacher, T. & Baird, D. 1996. Carbon flux between an estuary and the ocean: a case for upwelling. *Hydrobiologia* 337: 123-132.
- Wiseman, K.A., Burns, M.E.R. & Vernon, C.J. 1993. Report No. 42: Nahoon (CSE 44), Qinira (CSE 45) and Gqunube (CSE 46). In: *Estuaries of the Cape. Part 2. Synopses of available information on individual systems*. Morant, P.D. (ed.). CSIR Research Report No. 441: 136 pp.
- Wiseman, K.A. & Sowman, M.R. 1992. An evaluation of the potential for restoring degraded estuaries in South Africa. *Water SA* 18: 13-19.
- Wooldridge, T.H. 1974. A study of the zooplankton of two Pondoland estuaries. MSc thesis, University of Port Elizabeth, Port Elizabeth.
- Wooldridge, T.H. 1975. Pondoland estuaries. *The Eastern Cape Naturalist* 56: 28-29.
- Wooldridge, T.H. 1976. The zooplankton of the Msikaba estuary. *Zoologica Africana* 11: 23-44.
- Wooldridge, T.H. 1977. The zooplankton of the Mngazana, a mangrove estuary in Transkei, southern Africa. *Zoologica Africana* 12: 307-322.
- Wooldridge, T.H. 1979. Studies on the biology and ecology of estuarine copepoda, mysidacea and the beach mysid, *Gastrosaccus psammodytes* in the eastern Cape, South Africa. PhD thesis, University of Port Elizabeth, Port Elizabeth.
- Wooldridge, T.H. 1986a. Distribution, population dynamics and estimates of production for the estuarine mysid, *Rhopalophthalmus terranatalis*. *Estuarine, Coastal and Shelf Science* 23: 205-223.
- Wooldridge, T.H. (ed.) 1986b. East London programme - final report. Institute for Coastal Research, University of Port Elizabeth, Report No. 7: 602 pp.
- Wooldridge, T.H. 1988. Estuaries on the south-east coast of southern Africa. In: *The coastline between the Kei and Chalumna Rivers: proposals for future development*. Farbicus, M.P. & Heath, E.T. (ed.). Institute for Planning Research, Report No. 34: 90-98.
- Wooldridge, T.H. 1991. Exchange of two species of decapod larvae across an estuarine mouth inlet and implications of anthropogenic changes in the frequency and duration of mouth closure. *South African Journal of Science* 87: 519-525.

- Wooldridge, T.H. 1992. Ecology of the area proposed for the extension of the Fishwater flats water reclamation works. In: Integrated environmental management plan for the proposed extensions to the Fishwater flats water reclamation works. Bate, G.C. & McLachlan, A. (ed.). Institute for Coastal Research, University of Port Elizabeth, Report No. C18: 117 pp.
- Wooldridge, T.H. 1994. The effect of periodic inlet closure on recruitment in the estuarine mudprawn, *Upogebia africana* (Ortmann). In: Changes in fluxes in estuaries: implications from science to management. pp. 329-333. Dyer, K.R. & Orth, R.J. (eds). Olsen & Olsen, Fredensborg, Denmark.
- Wooldridge, T.H. 1998. Estuarine invertebrates. In: Field Guide to the Eastern and Southern Cape Coasts. Lubke, R.A. & de Moor, I.J. (eds). pp. 198-204. University of Cape Town Press, Cape Town.
- Wooldridge, T.H. 1999. Estuarine zooplankton community structure and dynamics. In: Estuaries of South Africa. pp. 141-166. Allanson, B.R. & Baird, D. (eds). Cambridge University Press, Cambridge.
- Wooldridge, T.H. & Bailey, C. 1982. Euryhaline zooplankton of the Sundays estuary and notes on trophic relations. South African Journal of Zoology 17: 151-163.
- Wooldridge, T.H. & Callahan, R. 2000. The effects of a single artificial freshwater release into the Kromme Estuary. 3: Estuarine zooplankton response. Water SA 26: 311-318.
- Wooldridge, T.H. & Erasmus, T. 1980. Utilization of tidal currents by estuarine zooplankton. Estuarine and Coastal Marine Science 11: 107-114.
- Wooldridge, T.H. & Loubser, H. 1996. Larval release rhythms and tidal exchange in the estuarine mudprawn, *Upogebia africana*. Hydrobiologia 337: 113-121.
- Wooldridge, T.H. & Melville-Smith, R. 1979. Copepod succession in two South African estuaries. Journal of Plankton Research 1: 329-341.
- Wooldridge, T.H. & Wallace, J.H. 1977. Nature conservation problems in the Seekoei Estuary. Zoology Department, University of Port Elizabeth, Unpublished Report: 3 pp.
- Wooldridge, T.H. & Webb, P. 1988. Predator-prey interactions between two species of estuarine mysid shrimps. Marine Ecology Progress Series 50: 21-28.
- Wortmann, J., Hearne, J.W. & Adams, J.B. 1997. A mathematical model of an estuarine seagrass. Ecological Modelling 98: 137-149.
- Wortmann, J., Hearne, J.W. & Adams, J.B. 1998. Evaluating the effects of freshwater inflow on the distribution of estuarine macrophytes. Ecological Modelling 106: 213-232.
- Wright, C.I. 1990. The sediment dynamics of St Lucia estuary mouth, Zululand, South Africa. MSc thesis, University of Natal, Durban.
- Wright, C.I. 1993. St Lucia - an embattled estuary. African Wildlife 47: 259-263.
- Wright, C.I. 1995. The sediment dynamics of St Lucia and Mfolozi estuary mouths, Zululand, South Africa. Geological Survey of South Africa Bulletin 109.
- Wright, C.I., McMillan, I.K. & Mason, T.R. 1990. Foraminifera and sedimentation patterns in St Lucia estuary mouth, Zululand, South Africa. South African Journal of Geology 94.
- Wright, C.I. & Mason, T.R. 1990. Sedimentary environment and facies of St Lucia estuary mouth, Zululand, South Africa. Journal of African Earth Science 11: 411-420.
- Wright, C.I. & Mason, T.R. 1993. Management and sediment dynamics of St Lucia estuary mouth, Zululand, South Africa. Environmental Geology 56: 93-118.

- Wynberg, R.P. & Branch, G.M. 1991. An assessment of bait-collecting for *Callinassa kraussi* in Langebaan lagoon, Western Cape, and of associated avian predation. *South African Journal of Marine Science* 11: 141-152.
- Wynberg, R.P. & Branch, G.M. 1994. Disturbance associated with bait-collecting for sandprawns (*Callinassa kraussi*) and mudprawns (*Upogebia africana*): long-term effects on the biota of intertidal sandflats. *Journal of Marine Research* 52: 523-528.
- Yeld, J. 1994. Rietvlei wetlands - another St Lucia-type controversy. *African Wildlife* 48: 7-8.
- Yssel, S. 1986. Introducing the Knysna estuary: dynamics, damage and demand. *Custos* 15: 19-21.
- Zhang, P., Schumann, E.H. & Shone, R.W. 1995. Effects of a storm surge coincident with a high spring tide in the Gamtoos estuary, May 1992. *South African Journal of Science* 91: 412-414.
- Zoutendyk, P. & Bickerton, I. 1988. Burrow identification of some estuarine organisms. *South African Journal of Zoology* 23: 235-238.
- Zwamborn, J.A. 1980. Small-craft harbour and launching site. Preliminary evaluation. Volume IV: south coast Groot Kei River to Cape Point, Part 1: Groot Kei to Knysna. CSIR Report No. T/SEA 8012.